

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 1					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 21 Jun 17		NO 1		TIME 09:03		PID LIMOGES, MIC-		DATE 27 May 20		TIME 14:34		ACFT HRS 6350.4	
												ROUNDS 0		ACTION CODE B		WUC 00	
FAULTS/REMARKS COMPLY WITH H-60-17-ASAM-11 FUEL HOSE BORESCOPE INSPECTION BY 19 AUG 2020										ACTION ADJUSTED DATE TO REFLECT DATE PERVIOUS 48 MONTH INSPECTION COMPLETED							
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT
ACFT HRS 5950.3		WHEN DISC K		HOW REC G		MAL EFF 2		DEFREITAS		F		0.1					
DELAY TBD AT NEXT 48 MONTH INSP				WUC 02				TIPID ,				TI MANHOURS					
STATUS —		SYS E		DATE 18 Nov 19		NO 1		TIME 00:01		PID Generated, Com		DATE 20 Dec 19		TIME 09:52		ACFT HRS 6292.6	
												ROUNDS		ACTION CODE A		WUC 19X	
FAULTS/REMARKS INSP E015 ASN 128D DOPPLER GPS BATTERY REPLACEMENT FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 24 DEC 2019 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: MWO 1-1520-237-50-92										ACTION replaced gps battery							
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT
ACFT HRS 6260.5		WHEN DISC O		HOW REC O		MAL EFF 1		GONZALEZ		F		1.5					
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS /		SYS A		DATE 22 Nov 19		NO 1		TIME 00:46		PID LIMOGES, MICH		DATE 06 Jan 20		TIME 13:09		ACFT HRS 6297.7	
												ROUNDS		ACTION CODE 2		WUC 08F01	
FAULTS/REMARKS Sensor Data Quality Fail. Sensor Status: Caution, Tail Gearbox Input, Signal to Noise 30.22 Tail Gearbox Input sensor fails data quality. Inspect sensor wiring for connectivity, corrosion, etc. Check accel torque. Replace sensor as last resort.										ACTION inspected, cleaned, moc ok							
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT
ACFT HRS 6271.3		WHEN DISC K		HOW REC D		MAL EFF 2		GONZALEZ		F		1.0					
DELAY				WUC 02				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 2																									
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																													
STATUS —				SYS A		DATE 25 Nov 19		NO 1		TIME 06:41		PID Generated, Cor		DATE 09 Jan 20		TIME 09:21		ACFT HRS 6297.7																			
FAULTS/REMARKS INSP A530 AIRCRAFT EQUIPMENT INVENTORY (DA FORM 2408-17) FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 23 JAN 2020 BY EXTENSION ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751								ROUNDS		ACTION CODE 6		WUC 02		ACTION COMPLETED <table border="1"> <tr> <td>PID</td><td>CAT</td><td>HRS</td><td>PID</td><td>CAT</td><td>HRS</td><td>PID</td><td>CAT</td><td>HRS</td> </tr> <tr> <td>LIMOGES,</td><td>F</td><td>2.0</td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	LIMOGES,	F	2.0						
								PID	CAT	HRS	PID	CAT	HRS							PID	CAT	HRS															
								LIMOGES,	F	2.0																											
ACFT HRS 6271.3		WHEN DISC O		HOW REC O		MAL EFF 1																															
DELAY WORK ORDERED TO QC 4 DEC 2019				WUC 00				TIPID ,				TI MANHOURS																									
STATUS —				SYS H		DATE 25 Nov 19		NO 1		TIME 09:31		PID SAMSON, MATT		DATE 27 Aug 20		TIME 09:33		ACFT HRS 6389.4																			
FAULTS/REMARKS operational check due for internal hoist prior to use								ROUNDS		ACTION CODE 4		WUC 14		ACTION COMPLETED <table border="1"> <tr> <td>PID</td><td>CAT</td><td>HRS</td><td>PID</td><td>CAT</td><td>HRS</td><td>PID</td><td>CAT</td><td>HRS</td> </tr> <tr> <td>TREMBLAY</td><td>F</td><td>0.2</td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	TREMBLAY	F	0.2						
								PID	CAT	HRS	PID	CAT	HRS							PID	CAT	HRS															
								TREMBLAY	F	0.2																											
ACFT HRS 6271.3		WHEN DISC X		HOW REC G		MAL EFF 1																															
DELAY				WUC 14A				TIPID ,				TI MANHOURS																									
STATUS —				SYS A		DATE 26 Nov 19		NO 1		TIME 10:46		PID DILLER, MATTHE		DATE 15 Jan 20		TIME 12:43		ACFT HRS 6297.7																			
FAULTS/REMARKS Insp A222 was completed on 26 NOV 19 by ALSE Tech (CW3 Lomas), it was completed without food or water replaced and this inspection will need to be re-evaluated by 31 JAN 2020 for resupply of items not installed. POC for this inspection is CW3 Lomas, SSG Garland, CW3 Diller								ROUNDS		ACTION CODE 6		WUC 00		ACTION completed <table border="1"> <tr> <td>PID</td><td>CAT</td><td>HRS</td><td>PID</td><td>CAT</td><td>HRS</td><td>PID</td><td>CAT</td><td>HRS</td> </tr> <tr> <td>LOMAS, R.</td><td>F</td><td>1.0</td><td></td><td></td><td></td><td></td><td></td><td></td> </tr> </table>						PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS	LOMAS, R.	F	1.0						
								PID	CAT	HRS	PID	CAT	HRS							PID	CAT	HRS															
								LOMAS, R.	F	1.0																											
ACFT HRS 6274.3		WHEN DISC B		HOW REC G		MAL EFF 1																															
DELAY				WUC 17B				TIPID ,				TI MANHOURS																									

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 3						
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION										
STATUS /		SYS E		DATE 26 Nov 19		NO 1		TIME 20:11		PID BRENNAN, CHR		DATE 03 Jan 20		TIME 12:17		ACFT HRS 6294.6		
												ROUNDS		ACTION CODE P		WUC 00		
FAULTS/REMARKS cis processed data does not match raw data. no processed data using vor.										ACTION could not duplicate. completed the VOR A into KOQU								
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
										MASON, J	F	0.1						
ACFT HRS 6278.3				WHEN DISC G		HOW REC C		MAL EFF 2										
DELAY						WUC 19		TIPID ,				TI MANHOURS						
STATUS —		SYS A		DATE 05 Dec 19		NO 1		TIME 00:00		PID Generated, Com		DATE 04 Feb 20		TIME 00:01		ACFT HRS 6327.2		
												ROUNDS		ACTION CODE		WUC 00		
FAULTS/REMARKS INSP A550 REPLACE IVHMU AA LITHIUM BATTERY FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 03 FEB 2020 BY EXTENSION ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR1346R25/AWR1823R6										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON FEB 4 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6278.3				WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY						WUC 00		TIPID ,				TI MANHOURS						
STATUS ⊗		SYS A		DATE 11 Dec 19		NO 8		TIME 09:33		PID DEFREITAS, JESS		DATE 08 Jan 20		TIME 14:40		ACFT HRS 6297.7		
												ROUNDS		ACTION CODE B		WUC 00		
FAULTS/REMARKS OPERATE WITHIN LIMITATIONS PRESCRIBED IN ENCLOSED AWRs DATED AWR 980 (FP SKED RESCUE SYS) R23 21 JUN 19; AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1452 (LC6 CLOCK) R7 22 APR 19; AWR 1455 (BATTELLE C/A PANEL) R8 31 OCT19; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1566 (CABLE GUARD) R7 05 FEB 19; AWR 1594 (H-60L W/ 701D) R7 22 NOV 19; AWR 1607 (LED										ACTION UPDATED								
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
										DEFREITAS	F	0.1						
ACFT HRS 6285.5				WHEN DISC O		HOW REC O		MAL EFF 2										
DELAY						WUC 00		TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1						




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 4																	
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																					
STATUS —				SYS A		DATE 11 Dec 19		NO 9		TIME 11:02		PID Generated, Cor		DATE 31 Dec 19		TIME 11:01		ACFT HRS 6292.6											
														ROUNDS		ACTION CODE 6		WUC 04A											
FAULTS/REMARKS INSP A213 ENGINE COMPRESSOR CLEANING FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6295.2 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-2840-248-23												ACTION eng wash complete																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												RIEMER, J.		F		1.0													
ACFT HRS 6285.5				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY								WUC 00				TIPID ,				TI MANHOURS													
STATUS —				SYS A		DATE 12 Dec 19		NO 6		TIME 09:05		PID Generated, Com		DATE 19 Dec 19		TIME 11:47		ACFT HRS 6292.6											
														ROUNDS		ACTION CODE 3		WUC 02											
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDCU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN												ACTION complete																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												THIBEDEAU		F		0.2													
ACFT HRS 6289.2				WHEN DISC X				HOW REC G				MAL EFF 1																	
DELAY								WUC 00				TIPID ,				TI MANHOURS													
STATUS —				SYS A		DATE 12 Dec 19		NO 9		TIME 21:00		PID Generated, Com		DATE 18 Dec 19		TIME 20:56		ACFT HRS 6292.6											
														ROUNDS		ACTION CODE 1		WUC 00											
FAULTS/REMARKS INSP A110 PMS 40 HOUR INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6293.4 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMS												ACTION COMPLETED																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												MONTI, J.		F		3.0		SAMSON, F		3.0		THIBEDEAU		F		3.0			
ACFT HRS 6292.6				WHEN DISC O				HOW REC O				MAL EFF 1				GIORNO, F		3.0											
DELAY								WUC 00				TIPID ,				TI MANHOURS													




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 5							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —				SYS A		DATE 13 Dec 19		NO 3		TIME 05:52		PID Generated, Cor		DATE 20 Dec 19		TIME 00:00		ACFT HRS 6292.6	
FAULTS/REMARKS INSP A108 AIRCRAFT BATTERY PMCS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6315.5 AIRCRAFT HOURS OR 19 DEC 2019 ADDENDUM: EXTENSION AUTHORIZED IAW REGULATION REFERENCE: TM 11-6140-203-23								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 20 2019 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT											
ACFT HRS 6292.6		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —				SYS A		DATE 13 Dec 19		NO 4		TIME 06:47		PID Generated, Com		DATE 27 Dec 19		TIME 07:16		ACFT HRS 6292.6	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 13 DEC 2019. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 27 DEC 2019 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ACTION complete											
ACFT HRS 6292.6		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —				SYS A		DATE 13 Dec 19		NO 5		TIME 06:47		PID Generated, Com		DATE 18 Dec 19		TIME 21:14		ACFT HRS 6292.6	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 13 DEC 2019. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6300.2 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMO								ACTION COMPLETED											
ACFT HRS 6292.6		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 6			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 13 Dec 19	NO 6	TIME 07:36	PID Generated, Cor		DATE 18 Dec 19	TIME 17:07	ACFT HRS 6292.6					
FAULTS/REMARKS INSP A295 STABILATOR ACTUATOR ASSY LUBE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6296.4 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE E		WUC 02			
								ACTION COMPLETE							
								PID THIBEDEA	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT
ACFT HRS 6292.6		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 13 Dec 19	NO 7	TIME 07:38	PID Generated, Com		DATE 18 Dec 19	TIME 21:04	ACFT HRS 6292.6					
FAULTS/REMARKS INSP A210 120 HOUR INSPECTION REQUIREMENTS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6296.4 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 1		WUC 00			
								ACTION COMPLETED							
								PID SAMSON,	CAT F	HRS 3.0	PID GIORNO, N	CAT F	HRS 3.0	PID MONTI, J.	CAT F
ACFT HRS 6292.6		WHEN DISC O	HOW REC O	MAL EFF 1		THIBEDEA F 3.0									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 13 Dec 19	NO 8	TIME 07:40	PID Generated, Com		DATE 20 Dec 19	TIME 12:16	ACFT HRS 6292.6					
FAULTS/REMARKS INSP A296 INSPECT STABILATOR ATTACH FITTINGS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6296.4 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23_P								ROUNDS		ACTION CODE 6		WUC 02			
								ACTION COMPLETED							
								PID ROMANO,	CAT F	HRS 10.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6292.6		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 7													
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																	
STATUS —		 SYS E		DATE 14 Dec 19		NO 1		TIME 00:01		PID Generated, Cor		DATE 19 Dec 19		TIME 09:04		ACFT HRS 6292.6									
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6385.5 AIRCRAFT HOURS OR 20 DEC 2019 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1516-R9 9MAR16								ROUNDS		ACTION CODE G				WUC 19R											
								ACTION insp ok																	
								PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
								GONZALEZ		F		1.0													
ACFT HRS 6292.6				WHEN DISC O		HOW REC O		MAL EFF 1																	
DELAY				WUC 00		TIPID ,				TI MANHOURS															
STATUS X		 SYS A		DATE 18 Dec 19		NO 1		TIME 08:07		PID THIBEDEAU, BRI		DATE 19 Dec 19		TIME 11:24		ACFT HRS 6292.6									
FAULTS/REMARKS 40 HR INSPECTION IN PROCESS								ROUNDS		ACTION CODE 1				WUC 02											
								ACTION complete																	
								PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
								THIBEDEAU		F		0.2													
ACFT HRS 6292.6				WHEN DISC O		HOW REC O		MAL EFF 2																	
DELAY				WUC 02		TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1															
STATUS X		 SYS A		DATE 18 Dec 19		NO 2		TIME 08:10		PID THIBEDEAU, BRI		DATE 20 Dec 19		TIME 09:12		ACFT HRS 6292.6									
FAULTS/REMARKS 120 HOUR INSPECTION IN PROCESS								ROUNDS		ACTION CODE 1				WUC 02											
								ACTION complete																	
								PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
								THIBEDEAU		F		0.2													
ACFT HRS 6292.6				WHEN DISC O		HOW REC O		MAL EFF 2																	
DELAY				WUC 02		TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1															

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 8							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS X		SYS A	DATE 18 Dec 19	NO 3	TIME 08:45	PID THIBEDEAU, BRI		DATE 20 Dec 19	TIME 09:10	ACFT HRS 6292.6									
FAULTS/REMARKS 30 DAY LUBE IN PROCESS								ROUNDS		ACTION CODE 1		WUC 02							
								ACTION complete											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
								THIBEDEAU	F	0.2									
ACFT HRS 6292.6			WHEN DISC O		HOW REC O		MAL EFF 2												
DELAY				WUC 02				TIPIID LIMOGES, MICHAEL				TI MANHOURS 0.1							
STATUS X		SYS A	DATE 18 Dec 19	NO 4	TIME 08:46	PID THIBEDEAU, BRI		DATE 20 Dec 19	TIME 11:48	ACFT HRS 6292.6									
FAULTS/REMARKS 90 DAY CCI IN PROCESS								ROUNDS		ACTION CODE 1		WUC 02							
								ACTION complete											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
								THIBEDEAU	F	0.2									
ACFT HRS 6292.6			WHEN DISC O		HOW REC O		MAL EFF 2												
DELAY				WUC 02				TIPIID LIMOGES, MICHAEL				TI MANHOURS 0.1							
STATUS X		SYS A	DATE 18 Dec 19	NO 5	TIME 08:52	PID THIBEDEAU, BRI		DATE 20 Dec 19	TIME 12:15	ACFT HRS 6292.6									
FAULTS/REMARKS INSPECTION OF STAB ATTACH FITTINGS IN PROCESS								ROUNDS		ACTION CODE 1		WUC 02							
								ACTION complete											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
								ROMANO,	F	0.2									
ACFT HRS 6292.6			WHEN DISC O		HOW REC O		MAL EFF 2												
DELAY				WUC 02				TIPIID LIMOGES, MICHAEL				TI MANHOURS 0.1							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 9															
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																			
STATUS —				SYS A		DATE 18 Dec 19		NO 6		TIME 08:55		PID THIBEDAU, BRI		DATE 18 Dec 19		TIME 17:04		ACFT HRS 6292.6									
FAULTS/REMARKS LUBE OF STAB ACTUATOR IN PROCESS								ROUNDS								ACTION CODE E		WUC 02									
								ACTION COMPLETE								PID		CAT		HRS		PID		CAT		HRS	
																THIBEDAU		F		0.2							
ACFT HRS 6292.6				WHEN DISC O		HOW REC O		MAL EFF 2																			
DELAY				WUC 02				TIPIID ,				TI MANHOURS															
STATUS ×				SYS A		DATE 18 Dec 19		NO 7		TIME 11:41		PID Generated, Com		DATE 18 Dec 19		TIME 20:41		ACFT HRS 6292.6									
FAULTS/REMARKS REMOVED NO.2 ENGINE AIR INLET								ROUNDS								ACTION CODE L		WUC 00									
								ACTION REINSTALLED #2 INLET								PID		CAT		HRS		PID		CAT		HRS	
																MONTI, J.		F		1.2							
ACFT HRS 6292.6				WHEN DISC O		HOW REC G		MAL EFF 2																			
DELAY				WUC 00				TIPIID LIMOGES, MICHAEL				TI MANHOURS 0.1															
STATUS ×				SYS A		DATE 18 Dec 19		NO 8		TIME 11:41		PID Generated, Com		DATE 18 Dec 19		TIME 20:36		ACFT HRS 6292.6									
FAULTS/REMARKS REMOVED NO.1 ENGINE AIR INLET								ROUNDS								ACTION CODE L		WUC 00									
								ACTION REINSTALLED #1 INLET								PID		CAT		HRS		PID		CAT		HRS	
																MONTI, J.		F		1.2							
ACFT HRS 6292.6				WHEN DISC O		HOW REC G		MAL EFF 2																			
DELAY				WUC 00				TIPIID LIMOGES, MICHAEL				TI MANHOURS 0.1															




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 10							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 18 Dec 19	NO 10	TIME 21:06	PID Generated, Cor		DATE 18 Dec 19	TIME 21:12	ACFT HRS 6292.6									
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 18 DEC 2019. INSP A115 LUBE REQUIRMENTS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6315.3 AIRCRAFT HOURS OR 31 DEC 2019 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 1		WUC 00							
								ACTION COMPLETED											
								PID MONTI, J.	CAT F	HRS 1.0	PID SAMSON, J	CAT F	HRS 1.0	PID	CAT	HRS			
ACFT HRS 6292.6		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS /		SYS A	DATE 18 Dec 19	NO 11	TIME 21:34	PID GIORNO, NATAL		DATE 22 Jan 20	TIME 16:27	ACFT HRS 6305.9									
FAULTS/REMARKS #2 INLET HAS CHIP ON CORNER OF INNER SEAM (INSIDE INLET OPENING) , TO BE MONITORED AFTER EACH FLIGHT,								ROUNDS		ACTION CODE 6		WUC 02B13							
								ACTION INLET WAS REINSPECTED, NO DIFFERENCES FOUND, CONSULTED QUALITY CONTROL (MR. DILLER), REWROTE WRITE UP TO BE INSPECTED DURING EVERY 40 HOUR											
								PID GARLAND,	CAT F	HRS 0.4	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6292.6		WHEN DISC B		HOW REC G		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS A	DATE 19 Dec 19	NO 1	TIME 07:02	PID Generated, Com		DATE 19 Dec 19	TIME 11:54	ACFT HRS 6292.6									
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 02							
								ACTION complete											
								PID THIBEDEAU,	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6292.6		WHEN DISC O		HOW REC G		MAL EFF 2													
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 11							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		 SYS A		DATE 19 Dec 19		NO 2		TIME 07:02		PID Generated, Cor		DATE 19 Dec 19		TIME 11:51		ACFT HRS			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS PMD Due										ACTION COMPLETED									
										PID		CAT		HRS		PID		CAT	
ACFT HRS 6292.6		WHEN DISC O		HOW REC O		MAL EFF 1		THIBED		F									
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		 SYS E		DATE 19 Dec 19		NO 1		TIME 07:03		PID Generated, Com		DATE 19 Dec 19		TIME 11:58		ACFT HRS 6292.6			
												ROUNDS		ACTION CODE 3		WUC 02			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 19 DEC 2019. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6299.2 AIRCRAFT HOURS OR 26 DEC 2019 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION complete									
										PID		CAT		HRS		PID		CAT	
ACFT HRS 6292.6		WHEN DISC O		HOW REC O		MAL EFF 1		THIBED		F									
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		 SYS A		DATE 19 Dec 19		NO 3		TIME 07:03		PID Generated, Com		DATE 19 Dec 19		TIME 11:55		ACFT HRS 6292.6			
												ROUNDS		ACTION CODE 3		WUC 02			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 19 DEC 2019. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6303.6 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD										ACTION complete									
										PID		CAT		HRS		PID		CAT	
ACFT HRS 6292.6		WHEN DISC O		HOW REC O		MAL EFF 1		THIBED		F									
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 12					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		 SYS A		DATE 19 Dec 19		NO 4		TIME 07:06		PID Generated, Cor		DATE 19 Dec 19		TIME 11:27		ACFT HRS 6292.6	
												ROUNDS		ACTION CODE 1		WUC 02	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 19 DEC 2019. INSP A103 AIRCRAFT WASH DUE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 31 DEC 2019 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1500-344-23										ACTION complete							
												PID		CAT		HRS	
												THIBED		F		0.2	
ACFT HRS 6292.6		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		 SYS A		DATE 19 Dec 19		NO 5		TIME 07:08		PID Generated, Com		DATE 19 Dec 19		TIME 11:28		ACFT HRS 6292.6	
												ROUNDS		ACTION CODE 1		WUC 02	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 19 DEC 2019. INSP A110 PMS 40 HOUR INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6333.4 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMS										ACTION complete							
												PID		CAT		HRS	
												THIBED		F		0.2	
ACFT HRS 6292.6		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		 SYS A		DATE 19 Dec 19		NO 6		TIME 07:08		PID Generated, Com		DATE 19 Dec 19		TIME 11:30		ACFT HRS 6292.6	
												ROUNDS		ACTION CODE 1		WUC 02	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 19 DEC 2019. INSP A115 LUBE REQUIRMENTS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6336.6 AIRCRAFT HOURS OR 20 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION complete							
												PID		CAT		HRS	
												THIBED		F		0.2	
ACFT HRS 6292.6		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 13													
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																	
STATUS —				SYS A		DATE 19 Dec 19		NO 7		TIME 07:10		PID Generated, Cor		DATE 19 Dec 19		TIME 11:31		ACFT HRS 6292.6							
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 19 DEC 2019. INSP A160 90 DAY CORROSION INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 05 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 1		WUC 02		ACTION complete											
								PID		CAT		HRS								PID		CAT		HRS	
								THIBED		EAL		F								0.2					
ACFT HRS 6292.6				WHEN DISC O				HOW REC O				MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS													
STATUS —				SYS A		DATE 19 Dec 19		NO 8		TIME 11:31		PID Generated, Com		DATE 19 Dec 19		TIME 11:35		ACFT HRS 6292.6							
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 19 DEC 2019. INSP A210 120 HOUR INSPECTION REQUIREMENTS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6416.4 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 1		WUC 02		ACTION complete											
								PID		CAT		HRS								PID		CAT		HRS	
								THIBED		EAL		F								0.2					
ACFT HRS 6292.6				WHEN DISC O				HOW REC O				MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS													
STATUS —				SYS A		DATE 19 Dec 19		NO 9		TIME 11:45		PID Generated, Com		DATE 26 Dec 19		TIME 09:28		ACFT HRS 6292.6							
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN								ROUNDS		ACTION CODE 1		WUC 00		ACTION complete											
								PID		CAT		HRS								PID		CAT		HRS	
								ROMANO		O		F								0.2					
ACFT HRS 6292.6				WHEN DISC X				HOW REC G				MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS													




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 14			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS X		SYS A	DATE 20 Dec 19	NO 1	TIME 00:00	PID Generated, Cor		DATE 20 Dec 19	TIME 12:06	ACFT HRS 6292.6					
FAULTS/REMARKS INSP A108 AIRCRAFT BATTERY PMCS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 19 DEC 2019 OR 6315.5 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED IAW REGULATION REFERENCE: TM 11-6140-203-23								ROUNDS		ACTION CODE 1		WUC 00			
								ACTION complete							
								PID ROMANO,	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT
ACFT HRS 6292.6		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1			
STATUS —		SYS A	DATE 24 Dec 19	NO 1	TIME 00:01	PID Generated, Com		DATE 10 Jan 20	TIME 09:12	ACFT HRS 6297.7					
FAULTS/REMARKS INSP A553 AIRCRAFT WEIGHING INVENTORY (365-1) FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 22 FEB 2020 REFERENCE: AR 95-1								ROUNDS		ACTION CODE B		WUC 00			
								ACTION COMPLETED							
								PID DEFREITAS	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT
ACFT HRS 6292.6		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY w/o to QC 27 dec 19				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 26 Dec 19	NO 1	TIME 00:00	PID Generated, Com		DATE 27 Dec 19	TIME 11:00	ACFT HRS 6292.6					
FAULTS/REMARKS INSP A851 30 DAY LOG BOOK RECON FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 29 DEC 2019 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: FACILITY SOP								ROUNDS		ACTION CODE 1		WUC 00			
								ACTION complete							
								PID ROMANO,	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6292.6		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 15							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		 SYS A		DATE 26 Dec 19		NO 2		TIME 09:11		PID Generated, Cor		DATE 26 Dec 19		TIME 09:25		ACFT HRS			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS PMD Due										ACTION COMPLETED									
										PID		CAT		HRS		PID		CAT	
ACFT HRS 6292.6		WHEN DISC O		HOW REC O		MAL EFF 1		ROMANO,		F		2.0							
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		 SYS A		DATE 26 Dec 19		NO 3		TIME 09:12		PID Generated, Com		DATE 26 Dec 19		TIME 09:22		ACFT HRS 6292.6			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS PMD DUE										ACTION complete									
										PID		CAT		HRS		PID		CAT	
ACFT HRS 6292.6		WHEN DISC O		HOW REC G		MAL EFF 2		ROMANO,		F		0.2							
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		 SYS A		DATE 26 Dec 19		NO 4		TIME 09:25		PID Generated, Com		DATE 02 Jan 20		TIME 11:15		ACFT HRS 6292.6			
												ROUNDS		ACTION CODE 1		WUC 00			
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN										ACTION insp ok									
										PID		CAT		HRS		PID		CAT	
ACFT HRS 6292.6		WHEN DISC X		HOW REC G		MAL EFF 1		ROMANO,		F		0.2							
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 16			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS E	DATE 28 Dec 19	NO 1	TIME 00:00	PID Generated, Cor		DATE 07 Jan 20	TIME 16:42	ACFT HRS 6297.7					
FAULTS/REMARKS INSP E125 KY-58 PMCS/OPNL CHECK FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 15 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5810-262-23								ROUNDS	ACTION CODE G			WUC 19			
								ACTION insp ok							
								PID THOMAS,	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6292.6		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,			TI MANHOURS				
STATUS —		SYS E	DATE 28 Dec 19	NO 2	TIME 00:00	PID Generated, Com		DATE 07 Jan 20	TIME 16:40	ACFT HRS 6297.7					
FAULTS/REMARKS INSP E040 APR-39 RADAR/LASER WARNING OPNL CHECK, 5841-01-236-8951 FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 15 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5841-294-12								ROUNDS	ACTION CODE G			WUC 19			
								ACTION insp ok							
								PID THOMAS,	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6292.6		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,			TI MANHOURS				
STATUS —		SYS E	DATE 31 Dec 19	NO 1	TIME 00:01	PID Generated, Com		DATE 03 Jan 20	TIME 00:00	ACFT HRS 6292.6					
FAULTS/REMARKS INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 02 JAN 2020 OR 6302.6 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ROUNDS	ACTION CODE			WUC 00			
								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JAN 3 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT
ACFT HRS 6292.6		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,			TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 17													
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																	
STATUS —				SYS A		DATE 31 Dec 19		NO 1		TIME 10:59		PID Generated, Cor		DATE 31 Dec 19		TIME 11:03		ACFT HRS 6292.6							
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 31 DEC 2019. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 10 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 6		WUC 00		ACTION run up completed											
								PID		CAT		HRS								PID		CAT		HRS	
								RIEMER, J.		F		1.0													
ACFT HRS 6292.6				WHEN DISC O		HOW REC O		MAL EFF 1																	
DELAY				WUC 00		TIPID ,				TI MANHOURS															
STATUS —				SYS A		DATE 01 Jan 20		NO 1		TIME 00:01		PID Generated, Com		DATE 28 Feb 20		TIME 13:02		ACFT HRS 6341.5							
FAULTS/REMARKS INSP A541 REPLACE DIGITAL CLOCK BATTERY FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 01 MAR 2020 BY EXTENSION ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE A		WUC 08A05		ACTION replaced											
								PID		CAT		HRS								PID		CAT		HRS	
								THOMAS,		F		3.0													
ACFT HRS 6292.6				WHEN DISC O		HOW REC O		MAL EFF 1																	
DELAY				WUC 00		TIPID ,				TI MANHOURS															
STATUS —				SYS A		DATE 02 Jan 20		NO 1		TIME 00:01		PID Generated, Com		DATE 07 Jan 20		TIME 16:40		ACFT HRS 6297.7							
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 08 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-6140-203-23 P								ROUNDS		ACTION CODE G		WUC 19		ACTION insp ok											
								PID		CAT		HRS								PID		CAT		HRS	
								THOMAS,		F		1.0													
ACFT HRS 6292.6				WHEN DISC O		HOW REC O		MAL EFF 1																	
DELAY				WUC 00		TIPID ,				TI MANHOURS															




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 18																	
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																					
STATUS —				SYS E		DATE 02 Jan 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 07 Jan 20		TIME 16:39		ACFT HRS 6297.7											
														ROUNDS		ACTION CODE G		WUC 19											
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 08 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5821-357-12P												ACTION BATTERY INSP/REPLACEMENT NOT REQUIRED (BATTERY NOT INSTALLED DUE TO MINIMAL MISSION REQUIERMENTS; SEE MAINT. AVIONICS MEMO DTD																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												THOMAS,		F		1.0													
ACFT HRS 6292.6				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY								WUC 00				TIPID ,				TI MANHOURS													
STATUS —				SYS A		DATE 02 Jan 20		NO 2		TIME 10:55		PID Generated, Com		DATE 02 Jan 20		TIME 11:13		ACFT HRS											
														ROUNDS		ACTION CODE 3		WUC 00											
FAULTS/REMARKS PMD Due												ACTION COMPLETED																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												ROMANO,		F		2.0													
ACFT HRS 6292.6				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY								WUC 00				TIPID ,				TI MANHOURS													
STATUS —				SYS A		DATE 02 Jan 20		NO 3		TIME 10:56		PID Generated, Com		DATE 02 Jan 20		TIME 11:08		ACFT HRS 6292.6											
														ROUNDS		ACTION CODE 3		WUC 00											
FAULTS/REMARKS PMD DUE												ACTION complete																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												ROMANO,		F		0.2													
ACFT HRS 6292.6				WHEN DISC O				HOW REC G				MAL EFF 2																	
DELAY								WUC 00				TIPID ,				TI MANHOURS													

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 19							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		A CLOSED		SYS A		DATE 02 Jan 20		NO 4		TIME 16:52		PID Generated, Cor		DATE 03 Jan 20		TIME 14:49		ACFT HRS 6294.6	
														ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN												ACTION completed							
ACFT HRS 6292.6				WHEN DISC X		HOW REC G		MAL EFF 1											
DELAY						WUC 00				TIPID ,				TI MANHOURS					
STATUS X		L CLOSED		SYS E		DATE 03 Jan 20		NO 1		TIME 00:00		PID Generated, Com		DATE 03 Jan 20		TIME 06:56		ACFT HRS 6292.6	
														ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 02 JAN 2020 OR 6302.6 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788												ACTION complete							
ACFT HRS 6292.6				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY						WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1					
STATUS —		B CLOSED		SYS A		DATE 03 Jan 20		NO 1		TIME 12:23		PID Generated, Com		DATE 03 Jan 20		TIME 12:23		ACFT HRS 6294.6	
														ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 03 JAN 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 15 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P												ACTION complete							
ACFT HRS 6294.6				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY						WUC 00				TIPID ,				TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 20			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —	A COSTO	SYS A	DATE 03 Jan 20	NO 2	TIME 14:25	PID Generated, Cor		DATE 03 Jan 20	TIME 14:42	ACFT HRS 6294.6					
							ROUNDS	ACTION CODE 3	WUC 00						
FAULTS/REMARKS PMD DUE								ACTION pmd complete							
								PID MONTI, J.	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6294.6		WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —	A COSTO	SYS A	DATE 03 Jan 20	NO 3	TIME 14:25	PID Generated, Com		DATE 03 Jan 20	TIME 14:48	ACFT HRS					
								ROUNDS	ACTION CODE 3	WUC 00					
FAULTS/REMARKS PMD Due								ACTION COMPLETED							
								PID ALDRIDGE	CAT F	HRS 1.3	PID	CAT	HRS	PID	CAT
ACFT HRS 6294.6		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —	A COSTO	SYS E	DATE 03 Jan 20	NO 2	TIME 14:48	PID Generated, Com		DATE 03 Jan 20	TIME 15:05	ACFT HRS 6294.6					
								ROUNDS	ACTION CODE 6	WUC 00					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 03 JAN 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6302.6 AIRCRAFT HOURS OR 16 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ACTION insp complete							
								PID MONTI, J.	CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT
ACFT HRS 6294.6		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 21							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —				SYS A		DATE 03 Jan 20		NO 4		TIME 14:48		PID Generated, Cor		DATE 05 Jan 20		TIME 14:25		ACFT HRS 6297.7	
														ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN												ACTION completed							
ACFT HRS 6294.6				WHEN DISC X		HOW REC G		MAL EFF 1											
DELAY						WUC 00				TIPID ,				TI MANHOURS					
STATUS —				SYS A		DATE 03 Jan 20		NO 5		TIME 14:55		PID Generated, Com		DATE 03 Jan 20		TIME 15:07		ACFT HRS 6294.6	
														ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 03 JAN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6303.6 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD												ACTION completed							
ACFT HRS 6294.6				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY						WUC 00				TIPID ,				TI MANHOURS					
STATUS —				SYS A		DATE 05 Jan 20		NO 1		TIME 13:01		PID RIEMER, JASON		DATE 05 Jan 20		TIME 13:03		ACFT HRS 6297.7	
														ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS pmd due												ACTION entered in error, duplicate entry							
ACFT HRS 6297.7				WHEN DISC X		HOW REC G		MAL EFF 2											
DELAY						WUC 00				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 22							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —				SYS A		DATE 05 Jan 20		NO 2		TIME 13:03		PID Generated, Cor		DATE 05 Jan 20		TIME 13:52		ACFT HRS 6297.7	
FAULTS/REMARKS PMD DUE								ROUNDS ACTION CODE 3 WUC 00											
								ACTION pmd completed											
								PID		CAT		HRS		PID		CAT		HRS	
STLAUREN		F		1.0		KINNES, J.		F		1.0		ROMANO,		F		1.0			
ACFT HRS 6297.7				WHEN DISC O				HOW REC G				MAL EFF 2							
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —				SYS A		DATE 05 Jan 20		NO 3		TIME 13:05		PID Generated, Com		DATE 05 Jan 20		TIME 13:40		ACFT HRS	
FAULTS/REMARKS PMD Due								ROUNDS ACTION CODE 3 WUC 00											
								ACTION COMPLETED											
								PID		CAT		HRS		PID		CAT		HRS	
RIEMER, J.		F		1.5															
ACFT HRS 6297.7				WHEN DISC O				HOW REC O				MAL EFF 1							
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —				SYS A		DATE 05 Jan 20		NO 4		TIME 14:16		PID Generated, Com		DATE 05 Jan 20		TIME 14:22		ACFT HRS 6297.7	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 JAN 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 18 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS ACTION CODE 6 WUC 00											
								ACTION acft flown											
								PID		CAT		HRS		PID		CAT		HRS	
RIEMER, J.		F		0.1															
ACFT HRS 6297.7				WHEN DISC O				HOW REC O				MAL EFF 1							
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 23							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —				SYS A		DATE 05 Jan 20		NO 5		TIME 14:22		PID Generated, Cor		DATE 21 Jan 20		TIME 12:52		ACFT HRS 6301.8	
														ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN												ACTION inspections completed							
ACFT HRS 6297.7		WHEN DISC X		HOW REC G		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —				SYS A		DATE 06 Jan 20		NO 1		TIME 00:01		PID Generated, Com		DATE 10 Jan 20		TIME 09:13		ACFT HRS 6297.7	
														ROUNDS		ACTION CODE B		WUC 00	
FAULTS/REMARKS INSP A177 90 DAY REVIEW/UPDATE OF 365-4 ENTRIES FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 24 JAN 2020 REFERENCE: AR 95-1												ACTION COMPLETED							
ACFT HRS 6297.7		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —				SYS A		DATE 07 Jan 20		NO 1		TIME 17:09		PID Generated, Com		DATE 07 Jan 20		TIME 17:14		ACFT HRS 6297.7	
														ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 07 JAN 2020. INSP A815 PERFORM FLIR TURRET UNIT NITROGEN PURGE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 11 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M												ACTION insp ok							
ACFT HRS 6297.7		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 24													
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																	
STATUS —				SYS A		DATE 07 Jan 20		NO 2		TIME 17:09		PID Generated, Cor		DATE 07 Jan 20		TIME 17:15		ACFT HRS 6297.7							
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 07 JAN 2020. INSP A816 PERFORM FLIR TURRET UNIT DESICCANT CARTRIDGE INSPECTION / REPLACEMENT FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 11 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M								ROUNDS		ACTION CODE 1		WUC 00				ACTION insp ok									
								PID ROMANO,		CAT F		HRS 0.4		PID		CAT		HRS		PID		CAT		HRS	
								ACFT HRS 6297.7		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY								WUC 00				TIPID ,				TI MANHOURS									
STATUS ⊗				SYS A		DATE 08 Jan 20		NO 1		TIME 15:40		PID DEFREITAS, JESS		DATE 13 Jan 20		TIME 07:58		ACFT HRS 6297.7							
FAULTS/REMARKS OPERATE WITHIN LIMITATIONS PRESCRIBED IN ENCLOSED AWRs DATED AWR 980 (FP SKED RESCUE SYS) R23 21 JUN 19; AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1452 (LC6 CLOCK) R7 22 APR 19; AWR 1455 (BATTELLE C/A PANEL) R8 31 OCT19; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1566 (CABLE GUARD) R7 05 FEB 19; AWR 1594 (H-60L W/ 701D) R7 22 NOV 19; AWR 1607 (LED								ROUNDS		ACTION CODE B		WUC 00				ACTION UPDATED									
								PID DEFREITAS		CAT F		HRS 0.1		PID		CAT		HRS		PID		CAT		HRS	
								ACFT HRS 6297.7		WHEN DISC O		HOW REC O		MAL EFF 2											
DELAY								WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1									
STATUS —				SYS A		DATE 09 Jan 20		NO 1		TIME 14:47		PID Generated, Com		DATE 09 Jan 20		TIME 14:52		ACFT HRS							
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00				ACTION COMPLETED									
								PID THIBEDEA		CAT F		HRS 2.0		PID		CAT		HRS		PID		CAT		HRS	
								ACFT HRS 6297.7		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY								WUC 00				TIPID ,				TI MANHOURS									




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 25					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		 SYS A		DATE 09 Jan 20		NO 2		TIME 14:47		PID Generated, Cor		DATE 09 Jan 20		TIME 14:55		ACFT HRS 6297.7	
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 02					
								ACTION complete									
								PID THIBEDEN	CAT F	HRS 2.0	PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 6297.7				WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		 SYS A		DATE 09 Jan 20		NO 3		TIME 14:52		PID Generated, Com		DATE 09 Jan 20		TIME 14:57		ACFT HRS 6297.7	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 09 JAN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6305.6 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD								ROUNDS		ACTION CODE 3		WUC 02					
								ACTION complete									
								PID SAMSON,	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 6297.7				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		 SYS E		DATE 09 Jan 20		NO 1		TIME 14:54		PID Generated, Com		DATE 09 Jan 20		TIME 14:58		ACFT HRS 6297.7	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 09 JAN 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6304.6 AIRCRAFT HOURS OR 17 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ROUNDS		ACTION CODE 3		WUC 02					
								ACTION complete									
								PID THIBEDEN	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 6297.7				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 26							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS ⊗		SYS A	DATE 10 Jan 20	NO 1	TIME 14:49	PID DEFREITAS, JESS		DATE 23 Jan 20	TIME 09:49	ACFT HRS 6305.9									
								ROUNDS	ACTION CODE B		WUC 00								
FAULTS/REMARKS OPERATE WITHIN LIMITATIONS PRESCRIBED IN ENCLOSED AWRs DATED AWR 980 (FP SKED RESCUE SYS) R23 21 JUN 19; AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1452 (LC6 CLOCK) R7 22 APR 19; AWR 1455 (BATTELLE C/A PANEL) R8 31 OCT19; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1566 (CABLE GUARD) R7 05 FEB 19; AWR 1594 (H-60L W/ 701D) R7 22 NOV 19; AWR 1607 (LED								ACTION UPDATED											
								PID HARKER, C	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6297.7			WHEN DISC O		HOW REC O		MAL EFF 2												
DELAY				WUC 00				TIPID DEFREITAS, JESSIKA				TI MANHOURS 0.1							
STATUS —		SYS A	DATE 10 Jan 20	NO 2	TIME 14:58	PID DEFREITAS, JESS		DATE 20 May 20	TIME 21:52	ACFT HRS 6350.4									
								ROUNDS	ACTION CODE 4		WUC 00								
FAULTS/REMARKS PREFORM EMC CHECK IAW AWR 2059, DATED 13 AUG 19.								ACTION completed during MTF on 19 may 2020. (MTF was for stabilator replacement with follow on vor approach). All systems worked normally with no anomalies.											
								PID RIEMER, J.	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6297.7			WHEN DISC O		HOW REC O		MAL EFF 2												
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS A	DATE 11 Jan 20	NO 1	TIME 00:00	PID Generated, Com		DATE 24 Jan 20	TIME 09:05	ACFT HRS 6310.0									
								ROUNDS	ACTION CODE 6		WUC 02								
FAULTS/REMARKS INSP A800 30 DAY INSPECTION REQUIRED FOR LOOSE RIVETS FOUND IN CABIN CEILING BETWEEN STA 370- STA 398, RBL 20- RBL 30 ALLOWING WATER FROM OIL COOLER COMPARTMENT TO SEEP INTO CABIN FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 25 JAN 2020								ACTION complete											
								PID SAMSON, F	CAT F	HRS 0.5	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6297.7			WHEN DISC O		HOW REC O		MAL EFF 1												
DELAY				WUC 00				TIPID ,				TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 27			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 11 Jan 20	NO 2	TIME 00:00	PID Generated, Cor		DATE 15 Jan 20	TIME 13:45	ACFT HRS 6297.7					
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 17 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751								ROUNDS		ACTION CODE 1		WUC 00			
								ACTION complete							
								PID SAMSON,	CAT F	HRS 0.5	PID	CAT	HRS	PID	CAT
ACFT HRS 6297.7		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS E	DATE 14 Jan 20	NO 1	TIME 00:01	PID Generated, Com		DATE 17 Jan 20	TIME 08:20	ACFT HRS 6301.8					
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6417.6 AIRCRAFT HOURS OR 20 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1516-R9 9MAR16								ROUNDS		ACTION CODE G		WUC 19R			
								ACTION moc ok							
								PID GONZALEZ	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6297.7		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 14 Jan 20	NO 1	TIME 00:01	PID Generated, Com		DATE 05 Feb 20	TIME 08:50	ACFT HRS 6333.2					
FAULTS/REMARKS INSP A496 CF3BR FIRE EXTINGUISHER WEIGHT TEST INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 19 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 6		WUC 17B			
								ACTION COMPLETED INSP OK							
								PID TREMBLAY	CAT F	HRS 0.4	PID	CAT	HRS	PID	CAT
ACFT HRS 6297.7		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 28					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 15 Jan 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 22 Jan 20		TIME 05:27		ACFT HRS 6305.9	
												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 21 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1500-344-23										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JAN 22 2020 5:27AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 6297.7		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A		DATE 15 Jan 20		NO 2		TIME 00:01		PID Generated, Com		DATE 22 Jan 20		TIME 05:27		ACFT HRS 6305.9	
												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 21 JAN 2020 OR 6336.6 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JAN 22 2020 5:27AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 6297.7		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS X		SYS A		DATE 15 Jan 20		NO 3		TIME 11:45		PID GARLAND, JASC		DATE 15 Jan 20		TIME 12:39		ACFT HRS 6297.7	
												ROUNDS		ACTION CODE L		WUC 00	
FAULTS/REMARKS survival kits removed for inspection										ACTION inspections completed, reinstalled							
ACFT HRS 6297.7		WHEN DISC B		HOW REC G		MAL EFF 2											
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 29							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 15 Jan 20	NO 4	TIME 12:31	PID Generated, Cor		DATE 15 Jan 20	TIME 12:41	ACFT HRS 6297.7									
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 15 JAN 2020. INSP A222 AMSS SURVIVAL KIT INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 30 NOV 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1680-377-13 P								ROUNDS		ACTION CODE 6		WUC 00							
								ACTION completed											
								PID MONTI, J.	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6297.7		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS A	DATE 16 Jan 20	NO 1	TIME 00:01	PID Generated, Com		DATE 22 Jan 20	TIME 21:01	ACFT HRS 6305.9									
FAULTS/REMARKS INSP A108 AIRCRAFT BATTERY PMCS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 22 JAN 2020 OR 6347.6 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED IAW REGULATION REFERENCE: TM 11-6140-203-23								ROUNDS		ACTION CODE 5		WUC 02							
								ACTION complete no faults found											
								PID MARTEL, D	CAT F	HRS 0.5	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6297.7		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS A	DATE 18 Jan 20	NO 1	TIME 00:00	PID Generated, Com		DATE 21 Jan 20	TIME 00:00	ACFT HRS 6301.8									
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 20 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE		WUC 00							
								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JAN 21 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6301.8		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 30			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS E	DATE 21 Jan 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 21 Jan 20	TIME 08:45	ACFT HRS 6301.8					
FAULTS/REMARKS INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 23 JAN 2020 OR 6307.7 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ROUNDS		ACTION CODE 3		WUC 00			
								ACTION completed							
								PID MONTI, J.	CAT F	HRS 0.4	PID	CAT	HRS	PID	CAT
ACFT HRS 6301.8		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS X		SYS A	DATE 21 Jan 20	NO 1	TIME 00:00	PID Generated, Com		DATE 21 Jan 20	TIME 11:41	ACFT HRS 6301.8					
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 20 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 6		WUC 00			
								ACTION COMPLETED 16 JAN 2020 NOT UPDATED IN -18							
								PID TREMBLAY	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT
ACFT HRS 6301.8		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1			
STATUS —		SYS A	DATE 21 Jan 20	NO 2	TIME 07:17	PID Generated, Com		DATE 21 Jan 20	TIME 08:43	ACFT HRS 6301.8					
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 00			
								ACTION completed							
								PID MONTI, J.	CAT F	HRS 1.5	PID	CAT	HRS	PID	CAT
ACFT HRS 6301.8		WHEN DISC O	HOW REC G	MAL EFF 2											
DELAY				WUC 00				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 31															
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																			
STATUS —		SYS A		DATE 21 Jan 20		NO 3		TIME 07:17		PID Generated, Cor		DATE 21 Jan 20		TIME 08:42		ACFT HRS											
												ROUNDS		ACTION CODE 3		WUC 00											
FAULTS/REMARKS PMD Due										ACTION COMPLETED																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										MONTI, J.		F		1.5													
ACFT HRS 6301.8				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY				WUC 00		TIPID ,				TI MANHOURS																	
STATUS —		SYS A		DATE 21 Jan 20		NO 4		TIME 07:23		PID Generated, Com		DATE 21 Jan 20		TIME 08:49		ACFT HRS 6301.8											
												ROUNDS		ACTION CODE 3		WUC 00											
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 21 JAN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6308.7 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD										ACTION completed																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										MONTI, J.		F		0.3													
ACFT HRS 6301.8				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY				WUC 00		TIPID ,				TI MANHOURS																	
STATUS —		SYS A		DATE 21 Jan 20		NO 5		TIME 07:42		PID Generated, Com		DATE 24 Jan 20		TIME 08:24		ACFT HRS 6310.0											
												ROUNDS		ACTION CODE 6		WUC 00											
FAULTS/REMARKS INSP A851 30 DAY LOG BOOK RECON FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 27 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: FACILITY SOP										ACTION complete																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										MONTI, J.		F		1.0													
ACFT HRS 6301.8				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY				WUC 00		TIPID ,				TI MANHOURS																	




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 32			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 21 Jan 20	NO 6	TIME 12:47	PID Generated, Cor		DATE 22 Jan 20	TIME 15:22	ACFT HRS 6305.9					
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN								ACTION COMPLETED							
ACFT HRS 6301.8				WHEN DISC X		HOW REC G		MAL EFF 1							
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS /		SYS A	DATE 21 Jan 20	NO 7	TIME 21:29	PID BISZKO, MARC		DATE 13 Feb 20	TIME 13:25	ACFT HRS 6339.5					
FAULTS/REMARKS Engine #1 HIT Margin within 5 degrees of Limit. First occurrence. Limits (+12/-28) Margin (+11)								ACTION eng washed 3x for performance recovery							
ACFT HRS 6301.8				WHEN DISC B		HOW REC C		MAL EFF 2							
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS /		SYS A	DATE 21 Jan 20	NO 8	TIME 21:33	PID BISZKO, MARC		DATE 13 Feb 20	TIME 13:27	ACFT HRS 6339.5					
FAULTS/REMARKS Engine #2 HIT within 5 degrees of limit. Limits (+47/+7). Margin (+46). First occurrence.								ACTION eng washed 3x for performance recovery							
ACFT HRS 6301.8				WHEN DISC B		HOW REC C		MAL EFF 2							
DELAY				WUC 00				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 33			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS X		SYS A	DATE 22 Jan 20	NO 1	TIME 05:27	PID Generated, Cor		DATE 22 Jan 20	TIME 13:23	ACFT HRS 6305.9					
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 21 JAN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1500-344-23								ROUNDS		ACTION CODE 6		WUC 00			
								ACTION wash completed							
								PID MONTI, J.	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6305.9		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID DEFREITAS, JESSIKA				TI MANHOURS 0.1			
STATUS X		SYS A	DATE 22 Jan 20	NO 2	TIME 05:27	PID Generated, Com		DATE 22 Jan 20	TIME 13:24	ACFT HRS 6305.9					
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 21 JAN 2020 OR 6336.6 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 6		WUC 00			
								ACTION completed							
								PID MONTI, J.	CAT F	HRS 2.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6305.9		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID DEFREITAS, JESSIKA				TI MANHOURS 0.1			
STATUS —		SYS A	DATE 22 Jan 20	NO 3	TIME 13:20	PID Generated, Com		DATE 22 Jan 20	TIME 15:13	ACFT HRS 6305.9					
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 00			
								ACTION PMD COMPLETED							
								PID MONTI, J.	CAT F	HRS 1.5	PID	CAT	HRS	PID	CAT
ACFT HRS 6305.9		WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 34									
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION													
STATUS —		 SYS A		DATE 22 Jan 20		NO 4		TIME 13:20		PID Generated, Cor		DATE 22 Jan 20		TIME 15:18		ACFT HRS					
												ROUNDS		ACTION CODE 3		WUC 00					
FAULTS/REMARKS PMD Due										ACTION COMPLETED											
																		PID		CAT	
										ACFT HRS 6305.9		WHEN DISC O		HOW REC O		MAL EFF 1		MONTI, J.		F	
DELAY				WUC 00				TIPID ,				TI MANHOURS									
STATUS —		 SYS A		DATE 22 Jan 20		NO 5		TIME 15:18		PID Generated, Com		DATE 24 Jan 20		TIME 08:39		ACFT HRS 6310.0					
												ROUNDS		ACTION CODE 6		WUC 02					
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN										ACTION complete											
																		PID		CAT	
										ACFT HRS 6305.9		WHEN DISC X		HOW REC G		MAL EFF 1		SAMSON,		F	
DELAY				WUC 00				TIPID ,				TI MANHOURS									
STATUS —		 SYS A		DATE 22 Jan 20		NO 6		TIME 16:24		PID MONTI, JOSEPH		DATE 25 Jun 20		TIME 13:29		ACFT HRS 6370.6					
												ROUNDS		ACTION CODE 1		WUC 00					
FAULTS/REMARKS REINSPECTION OF #2 INLET REQUIRED DURING EVERY 40 HOUR INSPECTION DUE TO CHIP ON CORNER OF INNER SEAM (INSIDE INLET OPENING)										ACTION insp ok											
																		PID		CAT	
										ACFT HRS 6305.9		WHEN DISC B		HOW REC G		MAL EFF 2		ROMANO,		F	
DELAY				WUC 02B13				TIPID ,				TI MANHOURS									




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 35			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS ⊗		SYS A	DATE 23 Jan 20	NO 1	TIME 10:50	PID HARKER, CHRIS		DATE 12 Mar 20	TIME 10:12		ACFT HRS 6349.1				
								ROUNDS	ACTION CODE B		WUC 00				
FAULTS/REMARKS OPERATE WITHIN LIMITATIONS PRESCRIBED IN ENCLOSED AWRs DATED AWR 980 (FP SKED RESCUE SYS) R23 21 JUN 19; AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1452 (LC6 CLOCK) R7 22 APR 19; AWR 1455 (BATTELLE C/A PANEL) R8 31 OCT19; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1566 (CABLE GUARD) R7 05 FEB 19; AWR 1594 (H-60L W/ 701D) R7 22 NOV 19; AWR 1607 (LED								ACTION UPDATED							
								PID HARKER, C	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT
ACFT HRS 6305.9			WHEN DISC O		HOW REC O		MAL EFF 1								
DELAY				WUC 00				TIPIID DEFREITAS, JESSIKA			TI MANHOURS 0.1				
STATUS ×		SYS A	DATE 23 Jan 20	NO 2	TIME 13:00	PID KENNEY, JOSEPH		DATE 23 Jan 20	TIME 13:55		ACFT HRS 6305.9				
								ROUNDS	ACTION CODE A		WUC 03				
FAULTS/REMARKS tail wheel lockpin broken during towing operation								ACTION replaced broken lockpin							
								PID KENNEY, J	CAT F	HRS 0.5	PID GONZALEZ	CAT F	HRS 0.5	PID	CAT
ACFT HRS 6305.9			WHEN DISC K		HOW REC G		MAL EFF 2								
DELAY				WUC 03				TIPIID MADJOUCOFF, THEODORE			TI MANHOURS 0.3				
STATUS /		SYS A	DATE 23 Jan 20	NO 3	TIME 17:31	PID POWERS, DAVID		DATE 13 Feb 20	TIME 13:21		ACFT HRS 6339.5				
								ROUNDS	ACTION CODE 6		WUC 04A				
FAULTS/REMARKS #2 Engine Hit within 5.								ACTION eng washed 3x for performance recovery							
								PID RIEMER, J	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT
ACFT HRS 6307.9			WHEN DISC G		HOW REC G		MAL EFF 1								
DELAY				WUC 00				TIPIID ,			TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 36			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 24 Jan 20	NO 1	TIME 07:04	PID Generated, Cor		DATE 24 Jan 20	TIME 08:29	ACFT HRS		WUC 00			
FAULTS/REMARKS PMD Due								ACTION COMPLETED							
								PID SAMSON,	CAT F	HRS 2.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6310			WHEN DISC O		HOW REC O		MAL EFF 1								
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 24 Jan 20	NO 2	TIME 07:05	PID Generated, Com		DATE 24 Jan 20	TIME 08:33	ACFT HRS 6310.0		WUC 02			
FAULTS/REMARKS PMD DUE								ACTION complete							
								PID MONTI, J.	CAT F	HRS 1.0	PID ALDRIDGE	CAT F	HRS 1.0	PID SAMSON,	CAT F
ACFT HRS 6310			WHEN DISC O		HOW REC G		MAL EFF 2								
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 24 Jan 20	NO 3	TIME 07:12	PID Generated, Com		DATE 24 Jan 20	TIME 08:26	ACFT HRS 6310.0		WUC 02			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 24 JAN 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 05 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ACTION complete							
								PID SAMSON,	CAT F	HRS 0.5	PID	CAT	HRS	PID	CAT
ACFT HRS 6310			WHEN DISC O		HOW REC O		MAL EFF 1								
DELAY				WUC 00				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 37					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 24 Jan 20		NO 4		TIME 07:12		PID Generated, Cor		DATE 24 Jan 20		TIME 08:20		ACFT HRS 6310.0	
												ROUNDS		ACTION CODE 6		WUC 02	
FAULTS/REMARKS INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6312.8 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PM										ACTION complete							
												PID		CAT		HRS	
												ALDRIDGE		F		0.3	
ACFT HRS 6310		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS E		DATE 24 Jan 20		NO 1		TIME 07:14		PID Generated, Com		DATE 24 Jan 20		TIME 08:20		ACFT HRS 6310.0	
												ROUNDS		ACTION CODE 6		WUC 02	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 24 JAN 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6311.8 AIRCRAFT HOURS OR 06 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION complete							
												PID		CAT		HRS	
												ALDRIDGE		F		0.3	
ACFT HRS 6310		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A		DATE 24 Jan 20		NO 5		TIME 08:35		PID Generated, Com		DATE 28 Jan 20		TIME 09:15		ACFT HRS 6314.0	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN										ACTION insp complete							
												PID		CAT		HRS	
												ALDRIDGE		F		0.4	
ACFT HRS 6310		WHEN DISC X		HOW REC G		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 38															
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																			
STATUS —		SYS A		DATE 24 Jan 20		NO 6		TIME 20:39		PID Generated, Cor		DATE 29 Jan 20		TIME 09:42		ACFT HRS 6318.1											
												ROUNDS		ACTION CODE 1		WUC 03											
FAULTS/REMARKS INSP A214 CLEAN TAIL WHEEL ADAPTER FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6320.8 AIRCRAFT HOURS BY EXTENSION ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION cleaned and lubed																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										HALL, G.		F		0.2													
ACFT HRS 6312				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPIID ,				TI MANHOURS													
STATUS X		SYS E		DATE 25 Jan 20		NO 1		TIME 10:10		PID KELLY, SCOTT		DATE 28 Jan 20		TIME 07:50		ACFT HRS 6314.0											
												ROUNDS		ACTION CODE J		WUC 12E											
FAULTS/REMARKS ACFT FAILS M/R BLADE DE-ICE SYS TEST I/A/W TM 1-1520-237-CL STEP 7, WHEN BLADE DEICE PWR SWITCH IS PLACED IN THE TEST POSITION NO OTHER BLADE DE-ICE SYS LIGHTS SHOULD BE ON.... THE MR DE-ICE FAIL AND M/R DE-ICE FAULT LIGHT ILLUMINATE IMMEDIATELY. TESTED THREE TIMES WITH SAME FAULT. SEE ENTRY BELOW FOR RESTRICTION										ACTION moc complete no faults found																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										MARTEL, D		F		1.0													
ACFT HRS 6314				WHEN DISC T		HOW REC G		MAL EFF 5																			
DELAY						WUC 12E				TIPIID DILLER, MATTHEW				TI MANHOURS 0.3													
STATUS ⊗		SYS A		DATE 25 Jan 20		NO 1		TIME 10:15		PID KELLY, SCOTT		DATE 28 Jan 20		TIME 07:51		ACFT HRS 6314.0											
												ROUNDS		ACTION CODE J		WUC 12E											
FAULTS/REMARKS ACFT RESTRICTED FROM FLIGHT INTO KNOW MODERATE ICING CONDITONS BECAUSE DE-ICE M/R SYSTEM FAILS CHECK AS REQUIRED; SEE ENTRY BELOW										ACTION moc complete no faults found																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										MARTEL, D		F		1.0													
ACFT HRS 6314				WHEN DISC T		HOW REC D		MAL EFF 5																			
DELAY						WUC 12E				TIPIID DILLER, MATTHEW				TI MANHOURS 0.2													




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 39						
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION										
STATUS —		 SYS A		DATE 28 Jan 20		NO 1		TIME 06:40		PID Generated, Cor		DATE 28 Jan 20		TIME 07:56		ACFT HRS 4613.0		
												ROUNDS		ACTION CODE B		WUC 04A04		
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-03 DESCRIPTION: COMPLY WITH H-60-20-ASAM-03, T700 AND YT706 SERIES ENGINE ACCESSORY MODULE INSPECTION BY 05 FEB 20. FOR T700-GE-701D ENGINE ASSY CAGE: 99207 PN: 5130T00G01 NSN: 2840015031701 SN: GEE307495C IS DUE: 05 FEB 2020 CALENDAR										ACTION REFER TO INSPECTION WRITE UP CREATED ON 28 JAN 20.								
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
										DEFREITAS	F	0.1						
ACFT HRS 4613				WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY						WUC 04A		TIPID DILLER, MATTHEW				TI MANHOURS 0.2						
STATUS —		 SYS A		DATE 28 Jan 20		NO 1		TIME 06:40		PID Generated, Com		DATE 28 Jan 20		TIME 07:56		ACFT HRS 5146.0		
												ROUNDS		ACTION CODE B		WUC 04A04		
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-03 DESCRIPTION: COMPLY WITH H-60-20-ASAM-03, T700 AND YT706 SERIES ENGINE ACCESSORY MODULE INSPECTION BY 05 FEB 20. FOR T700-GE-701D ENGINE ASSY CAGE: 99207 PN: 5130T00G01 NSN: 2840015031701 SN: GEE307759C IS DUE: 05 FEB 2020 CALENDAR										ACTION REFER TO INSPECTION WRITE UP CREATED ON 28 JAN 20.								
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
										DEFREITAS	F	0.1						
ACFT HRS 5146				WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY						WUC 04A		TIPID DILLER, MATTHEW				TI MANHOURS 0.2						
STATUS —		 SYS A		DATE 28 Jan 20		NO 1		TIME 06:41		PID Generated, Com		DATE 28 Jan 20		TIME 07:56		ACFT HRS 8884.0		
												ROUNDS		ACTION CODE B		WUC 04A04		
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-03 DESCRIPTION: COMPLY WITH H-60-20-ASAM-03, T700 AND YT706 SERIES ENGINE ACCESSORY MODULE INSPECTION BY 05 FEB 20. FOR ACCESSORY MODULE CAGE: 99207 PN: 6071T27G01 NSN: 2840012842662 SN: GED006617C IS DUE: 05 FEB 2020 CALENDAR										ACTION REFER TO INSPECTION WRITE UP CREATED ON 28 JAN 20.								
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
										DEFREITAS	F	0.1						
ACFT HRS 8884				WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY						WUC 04A04		TIPID DILLER, MATTHEW				TI MANHOURS 0.2						

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 40																	
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																					
STATUS —				SYS A		DATE 28 Jan 20		NO 1		TIME 06:41		PID Generated, Cor		DATE 28 Jan 20		TIME 07:55		ACFT HRS 7979.0											
														ROUNDS		ACTION CODE B		WUC 04A04											
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-03 DESCRIPTION: COMPLY WITH H-60-20-ASAM-03, T700 AND YT706 SERIES ENGINE ACCESSORY MODULE INSPECTION BY 05 FEB 20. FOR ACCESSORY MODULE CAGE: 99207 PN: 6071T27G01 NSN: 2840012842662 SN: GED007442C IS DUE: 05 FEB 2020 CALENDAR												ACTION REFER TO INSPECTION WRITE UP CREATED ON 28 JAN 20.																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												DEFREITAS		F		0.1													
ACFT HRS 7979				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY								WUC 04A04								TIPID DILLER, MATTHEW				TI MANHOURS 0.2									
STATUS —				SYS A		DATE 28 Jan 20		NO 1		TIME 07:15		PID Generated, Com		DATE 28 Jan 20		TIME 09:11		ACFT HRS											
														ROUNDS		ACTION CODE 3		WUC 00											
FAULTS/REMARKS PMD Due												ACTION COMPLETED																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												ALDRIDGE		F		1.3													
ACFT HRS 6314				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY								WUC 00								TIPID ,				TI MANHOURS									
STATUS —				SYS A		DATE 28 Jan 20		NO 2		TIME 07:16		PID Generated, Com		DATE 28 Jan 20		TIME 09:08		ACFT HRS 6314.0											
														ROUNDS		ACTION CODE 3		WUC 00											
FAULTS/REMARKS PMD DUE												ACTION pmd complete																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												ALDRIDGE		F		1.3		GIORNO, N		F		1.3							
ACFT HRS 6314				WHEN DISC O				HOW REC G				MAL EFF 2																	
DELAY								WUC 00								TIPID ,				TI MANHOURS									

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 41															
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																			
STATUS —		SYS A		DATE 28 Jan 20		NO 3		TIME 08:31		PID DEFREITAS, JESS		DATE 05 Feb 20		TIME 07:24		ACFT HRS 6327.2											
												ROUNDS		ACTION CODE 6		WUC 00											
FAULTS/REMARKS PERFORM BORESCOPE INSPECTION OF THE ENGINE 1 ACCESSORY MODULE PER H-60-20-ASAM-03 AT OR BEFORE 6412.6 AIRCRAFT HOURS BUT NOT TO EXCEED 22 JAN 21.										ACTION entered in error																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										ALDRIDGE		F		0.2													
ACFT HRS 6314				WHEN DISC O		HOW REC O		MAL EFF 2																			
DELAY						WUC 04A04						TIPID ,				TI MANHOURS											
STATUS —		SYS A		DATE 28 Jan 20		NO 5		TIME 09:11		PID Generated, Com		DATE 29 Jan 20		TIME 10:42		ACFT HRS 6318.1											
												ROUNDS		ACTION CODE P		WUC 00											
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDCU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN										ACTION insp ok																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										HALL, G.		F		0.2													
ACFT HRS 6314				WHEN DISC X		HOW REC G		MAL EFF 1																			
DELAY						WUC 00						TIPID ,				TI MANHOURS											
STATUS —		SYS A		DATE 28 Jan 20		NO 6		TIME 09:11		PID Generated, Com		DATE 28 Jan 20		TIME 09:18		ACFT HRS 6314.0											
												ROUNDS		ACTION CODE 3		WUC 00											
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 28 JAN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6321.0 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD										ACTION completed																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										ALDRIDGE		F		0.3													
ACFT HRS 6314				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00						TIPID ,				TI MANHOURS											




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 42			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS E	DATE 28 Jan 20	NO 1	TIME 09:12	PID Generated, Cor		DATE 28 Jan 20	TIME 09:17	ACFT HRS 6314.0					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 28 JAN 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6320.0 AIRCRAFT HOURS OR 07 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ROUNDS		ACTION CODE 3		WUC 00			
								ACTION completed							
								PID ALDRIDGE	CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT
ACFT HRS 6314		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS /		SYS A	DATE 28 Jan 20	NO 7	TIME 09:21	PID ALDRIDGE, SCO		DATE 07 Feb 20	TIME 08:57	ACFT HRS 6333.2					
FAULTS/REMARKS PILOT LAP BUCKLE PAD DELAMING								ROUNDS		ACTION CODE 2		WUC 02			
								ACTION replaced							
								PID ROMANO,	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT
ACFT HRS 6314		WHEN DISC X		HOW REC G		MAL EFF 1									
DELAY				WUC 02A03A				TIPID ,				TI MANHOURS			
STATUS /		SYS A	DATE 28 Jan 20	NO 8	TIME 09:23	PID ALDRIDGE, SCO		DATE 07 Feb 20	TIME 08:56	ACFT HRS 6333.2					
FAULTS/REMARKS CO-PILOT LAP BUCKLE PAD DELAMING								ROUNDS		ACTION CODE 2		WUC 02			
								ACTION replaced							
								PID THIBEDEA	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT
ACFT HRS 6314		WHEN DISC X		HOW REC G		MAL EFF 1									
DELAY				WUC 02A03A				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 43			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 28 Jan 20	NO 11	TIME 10:22	PID DILLER, MATTHI		DATE 08 Feb 20	TIME 12:19		ACFT HRS 6333.2				
FAULTS/REMARKS Inspect the Black M/R spindle elastomeric bearing (I/A/W WP 0750 INSPECT #4) for further deterioration or cracking during the PMS @ 6332.6 acft hours, fault found during PMD; see entry below								ROUNDS		ACTION CODE 6		WUC 05A01I			
								ACTION inspected, no change							
								PID ALDRIDGE	CAT F	HRS 0.5	PID	CAT	HRS	PID	CAT
ACFT HRS 6314		WHEN DISC K		HOW REC G		MAL EFF 3									
DELAY				WUC 05A01I				TIPID ,				TI MANHOURS			
STATUS /		SYS A	DATE 28 Jan 20	NO 12	TIME 21:02	PID STOCKER, DREV		DATE 26 Jun 20	TIME 13:18		ACFT HRS 6370.6				
FAULTS/REMARKS SATCOM Grounding cable sheared.								ROUNDS		ACTION CODE C		WUC 09			
								ACTION repaired							
								PID GONZALEZ	CAT F	HRS 1.0	PID THOMAS,	CAT F	HRS 1.0	PID	CAT
ACFT HRS 6314		WHEN DISC G		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 29 Jan 20	NO 1	TIME 07:15	PID Generated, Com		DATE 29 Jan 20	TIME 09:41		ACFT HRS 6318.1				
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 29 JAN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6325.0 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD								ROUNDS		ACTION CODE P		WUC 05			
								ACTION insp ok							
								PID HALL, G.	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT
ACFT HRS 6318.1		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 44							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —				SYS E		DATE 29 Jan 20		NO 1		TIME 07:15		PID Generated, Cor		DATE 29 Jan 20		TIME 09:40		ACFT HRS 6318.1	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 29 JAN 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 11 FEB 2020 OR 6324.0 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ROUNDS		ACTION CODE P				WUC 09					
								ACTION insp ok											
								PID HALL, G.		CAT F		HRS 0.1		PID		CAT		HRS	
ACFT HRS 6318.1				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —				SYS A		DATE 29 Jan 20		NO 2		TIME 07:15		PID Generated, Com		DATE 30 Jan 20		TIME 09:30		ACFT HRS 6318.1	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 29 JAN 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 08 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 6				WUC 00					
								ACTION Flown for 2.0 hours											
								PID THIBEDAN		CAT F		HRS 0.2		PID		CAT		HRS	
ACFT HRS 6318.1				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —				SYS A		DATE 29 Jan 20		NO 3		TIME 07:15		PID Generated, Com		DATE 29 Jan 20		TIME 10:20		ACFT HRS	
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3				WUC 00					
								ACTION COMPLETED											
								PID HALL, G.		CAT F		HRS 3.0		PID		CAT		HRS	
ACFT HRS 6318.1				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 45													
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																	
STATUS —				SYS A		DATE 29 Jan 20		NO 4		TIME 07:16		PID Generated, Cor		DATE 29 Jan 20		TIME 10:20		ACFT HRS 6318.1							
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 00		ACTION completed											
								PID		CAT		HRS								PID		CAT		HRS	
								HALL, G.		F		2.0													
ACFT HRS 6318.1				WHEN DISC O		HOW REC G		MAL EFF 2																	
DELAY				WUC 00		TIPID ,				TI MANHOURS															
STATUS ×				SYS E		DATE 30 Jan 20		NO 1		TIME 20:59		PID BAPTISTA, TESSA		DATE 10 Jun 20		TIME 09:31		ACFT HRS 6352.8							
FAULTS/REMARKS Right side HUD could not be dimmed. When dim switch was used on both the collective and the control box, all symbols disappeared and there was a fuzzy square obstruction in the HUD.								ROUNDS		ACTION CODE G		WUC 02		ACTION moc complete no faults found											
								PID		CAT		HRS								PID		CAT		HRS	
								GONZALEZ		F		0.5													
ACFT HRS 6324.2				WHEN DISC G		HOW REC G		MAL EFF 3																	
DELAY				WUC 19		TIPID MARTEL, DANIEL				TI MANHOURS 0.2															
STATUS —				SYS A		DATE 31 Jan 20		NO 1		TIME 06:55		PID Generated, Com		DATE 31 Jan 20		TIME 08:13		ACFT HRS 6324.2							
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 02		ACTION complete											
								PID		CAT		HRS								PID		CAT		HRS	
								THIBEDEAU		F		2.0													
ACFT HRS 6324.2				WHEN DISC O		HOW REC G		MAL EFF 2																	
DELAY				WUC 00		TIPID ,				TI MANHOURS															




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 46									
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION													
STATUS —		 SYS A		DATE 31 Jan 20		NO 2		TIME 06:55		PID Generated, Cor		DATE 31 Jan 20		TIME 08:08		ACFT HRS					
												ROUNDS		ACTION CODE 3		WUC 00					
FAULTS/REMARKS PMD Due										ACTION COMPLETED											
																		PID		CAT	
										THIBED		E		2.0							
ACFT HRS 6324.2				WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00		TIPID ,				TI MANHOURS											
STATUS —		 SYS A		DATE 31 Jan 20		NO 3		TIME 08:03		PID Generated, Com		DATE 31 Jan 20		TIME 08:12		ACFT HRS 6324.2					
												ROUNDS		ACTION CODE 3		WUC 02					
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN										ACTION complete											
																		PID		CAT	
										THIBED		E		0.2							
ACFT HRS 6324.2				WHEN DISC X		HOW REC G		MAL EFF 1													
DELAY				WUC 00		TIPID ,				TI MANHOURS											
STATUS —		 SYS A		DATE 31 Jan 20		NO 4		TIME 08:07		PID Generated, Com		DATE 03 Feb 20		TIME 11:00		ACFT HRS 6327.2					
												ROUNDS		ACTION CODE 3		WUC 00					
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN										ACTION COMPLETED											
																		PID		CAT	
										GIORNO, R		F		1.0							
ACFT HRS 6324.2				WHEN DISC X		HOW REC G		MAL EFF 1													
DELAY				WUC 00		TIPID ,				TI MANHOURS											




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 47			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 31 Jan 20	NO 5	TIME 08:08	PID Generated, Cor		DATE 31 Jan 20	TIME 08:14	ACFT HRS 6324.2					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 31 JAN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6329.1 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD								ROUNDS		ACTION CODE 3		WUC 02			
								ACTION complete							
								PID THIBEDEAU	CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT
ACFT HRS 6324.2		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS E	DATE 31 Jan 20	NO 1	TIME 08:11	PID Generated, Com		DATE 31 Jan 20	TIME 08:17	ACFT HRS 6324.2					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 31 JAN 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6328.1 AIRCRAFT HOURS OR 12 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ROUNDS		ACTION CODE 3		WUC 02			
								ACTION complete							
								PID THIBEDEAU	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT
ACFT HRS 6324.2		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS /		SYS E	DATE 31 Jan 20	NO 2	TIME 15:41	PID MASON, JOSHU		DATE 26 Jun 20	TIME 08:26	ACFT HRS 6370.6					
FAULTS/REMARKS #1 ENG TGT digit out on CDU								ROUNDS		ACTION CODE A		WUC 19			
								ACTION replaced readout							
								PID THOMAS,	CAT F	HRS 2.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6327.2		WHEN DISC G		HOW REC G		MAL EFF 4									
DELAY				WUC 00				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 48							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A		DATE 03 Feb 20		NO 1		TIME 08:57		PID GIORNO, NATAL		DATE 03 Feb 20		TIME 11:00		ACFT HRS 6327.2			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS PMD DUE										ACTION COMPLETED									
										PID GIORNO, N		CAT F		HRS 3.0		PID		CAT	
ACFT HRS 6327.2				WHEN DISC X		HOW REC G		MAL EFF 1											
DELAY						WUC 00						TIPID ,				TI MANHOURS			
STATUS —		SYS A		DATE 04 Feb 20		NO 1		TIME 00:01		PID Generated, Com		DATE 06 Feb 20		TIME 08:09		ACFT HRS 6333.2			
												ROUNDS		ACTION CODE G		WUC 09B01A			
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 07 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-6140-203-23 P										ACTION insp ok									
										PID GONZALEZ		CAT F		HRS 1.0		PID		CAT	
ACFT HRS 6327.2				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY						WUC 00						TIPID ,				TI MANHOURS			
STATUS —		SYS E		DATE 04 Feb 20		NO 1		TIME 00:01		PID Generated, Com		DATE 28 Feb 20		TIME 11:22		ACFT HRS 6341.5			
												ROUNDS		ACTION CODE G		WUC 19			
FAULTS/REMARKS INSP E155 KY-58 BATTERY REPLACEMENT FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 08 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5810-262-23										ACTION BATTERY INSP/REPLACEMENT NOT REQUIRED (BATTERY NOT INSTALLED DUE TO MINIMAL MISSION REQUIERMENTS; SEE MAINT. AVIONICS MEMO									
										PID THOMAS,		CAT F		HRS 2.0		PID		CAT	
ACFT HRS 6327.2				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY						WUC 00						TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 49					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS E		DATE 04 Feb 20		NO 2		TIME 00:01		PID Generated, Cor		DATE 06 Feb 20		TIME 08:10		ACFT HRS 6333.2	
												ROUNDS		ACTION CODE G		WUC 19D01	
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 07 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5821-357-12P										ACTION BATTERY INSP/REPLACEMENT NOT REQUIRED (BATTERY NOT INSTALLED DUE TO MINIMAL MISSION REQUIERMENTS; SEE MAINT. AVIONICS MEMO DTD:)							
												PID GONZALEZ		CAT F		HRS 1.0	
ACFT HRS 6327.2		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS X		SYS A		DATE 04 Feb 20		NO 2		TIME 00:01		PID Generated, Com		DATE 04 Feb 20		TIME 08:24		ACFT HRS 6327.2	
												ROUNDS		ACTION CODE A		WUC 08F01	
FAULTS/REMARKS INSP A550 REPLACE IVHMMU AA LITHIUM BATTERY FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 03 FEB 2020 BY EXTENSION ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR1346R25/AWR1823R6										ACTION replaced ivhmu battery							
												PID THOMAS,		CAT F		HRS 2.0	
ACFT HRS 6327.2		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID MARTEL, DANIEL				TI MANHOURS 0.5					
STATUS —		SYS A		DATE 04 Feb 20		NO 3		TIME 00:01		PID Generated, Com		DATE 06 Feb 20		TIME 14:52		ACFT HRS 6333.2	
												ROUNDS		ACTION CODE 1		WUC 02	
FAULTS/REMARKS INSP A816 PERFORM FLIR TURRET UNIT DESICCANT CARTRIDGE INSPECTION / REPLACEMENT FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 06 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M										ACTION COMPLETE							
												PID SAMSON,		CAT F		HRS 1.0	
ACFT HRS 6327.2		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 50							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 04 Feb 20	NO 4	TIME 00:01	PID Generated, Cor		DATE 06 Feb 20	TIME 14:52	ACFT HRS 6333.2									
FAULTS/REMARKS INSP A815 PERFORM FLIR TURRET UNIT NITROGEN PURGE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 06 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M								ROUNDS		ACTION CODE 1		WUC 02							
								ACTION COMPLETE											
								PID SAMSON,	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6327.2		WHEN DISC O	HOW REC O	MAL EFF 1															
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS A	DATE 04 Feb 20	NO 5	TIME 07:49	PID Generated, Com		DATE 04 Feb 20	TIME 08:11	ACFT HRS									
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00							
								ACTION COMPLETED											
								PID GIORNO, N	CAT F	HRS 3.0	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6327.2		WHEN DISC O	HOW REC O	MAL EFF 1															
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS A	DATE 04 Feb 20	NO 6	TIME 07:49	PID Generated, Com		DATE 04 Feb 20	TIME 07:51	ACFT HRS									
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE		WUC 00							
								ACTION											
								CLOSED IN ERROR BY GIORNO, NATALE SSG Entry made in error.											
ACFT HRS 6327.2		WHEN DISC O	HOW REC G	MAL EFF 2															
DELAY				WUC 00				TIPID ,				TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 51					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		 SYS A		DATE 04 Feb 20		NO 7		TIME 08:19		PID Generated, Cor		DATE 06 Feb 20		TIME 14:00		ACFT HRS 6333.2	
												ROUNDS		ACTION CODE 3		WUC 02	
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN										ACTION complete							
ACFT HRS 6327.2		WHEN DISC X		HOW REC G		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		 SYS E		DATE 05 Feb 20		NO 1		TIME 07:11		PID Generated, Com		DATE 05 Feb 20		TIME 07:20		ACFT HRS 6327.2	
												ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 FEB 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6334.2 AIRCRAFT HOURS OR 14 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION completed during pmd							
ACFT HRS 6327.2		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		 SYS A		DATE 05 Feb 20		NO 1		TIME 07:11		PID Generated, Com		DATE 05 Feb 20		TIME 07:17		ACFT HRS 6327.2	
												ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 FEB 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6335.2 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PM										ACTION completed during pmd							
ACFT HRS 6327.2		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 52							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —				SYS A		DATE 05 Feb 20		NO 2		TIME 07:11		PID Generated, Cor		DATE 05 Feb 20		TIME 07:18		ACFT HRS 6327.2	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 FEB 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 15 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 6		WUC 00				ACTION completed			
								PID		CAT		HRS		PID					
								ALDRIDGE		F		0.3							
ACFT HRS 6327.2				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —				SYS A		DATE 05 Feb 20		NO 3		TIME 07:17		PID Generated, Com		DATE 06 Feb 20		TIME 14:07		ACFT HRS 6333.2	
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDCU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN								ROUNDS		ACTION CODE 3		WUC 02				ACTION complete			
								PID		CAT		HRS		PID					
								THIBEDEN		F		0.2							
ACFT HRS 6327.2				WHEN DISC X		HOW REC G		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —				SYS A		DATE 05 Feb 20		NO 4		TIME 16:58		PID Generated, Com		DATE 06 Feb 20		TIME 14:58		ACFT HRS 6333.2	
FAULTS/REMARKS INSP A110 PMS 40 HOUR INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6334.6 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMS								ROUNDS		ACTION CODE 3		WUC 02				ACTION COMPLETE			
								PID		CAT		HRS		PID					
								THIBEDEN		F		0.2							
ACFT HRS 6331.2				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 53				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS /		SYS E	DATE 05 Feb 20	NO 2	TIME 21:02	PID GIBLIN, RYAN		DATE 10 Jun 20	TIME 09:24	ACFT HRS 6352.8						
FAULTS/REMARKS LEFT SIDE HUD ALWAYS VERY BRIGHT DOES NOT DIM								ROUNDS	ACTION CODE G			WUC 02				
								ACTION moc complete no faults found								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								GONZALEZ	F	0.5						
ACFT HRS 6333.2			WHEN DISC G		HOW REC G		MAL EFF 1									
DELAY				WUC 19				TIPID ,			TI MANHOURS					
STATUS —		SYS A	DATE 06 Feb 20	NO 1	TIME 07:18	PID Generated, Com		DATE 06 Feb 20	TIME 14:08	ACFT HRS						
FAULTS/REMARKS PMD Due								ROUNDS	ACTION CODE 3			WUC 00				
								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								THIBEDEAU	F	2.0						
ACFT HRS 6333.2			WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,			TI MANHOURS					
STATUS X		SYS A	DATE 06 Feb 20	NO 2	TIME 10:27	PID Generated, Com		DATE 06 Feb 20	TIME 14:59	ACFT HRS 6333.2						
FAULTS/REMARKS INSP A110 (PMS) 40 HOUR INSPECTION (UH-60A MODEL)								ROUNDS	ACTION CODE 3			WUC 02				
								ACTION COMPLETE								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								THIBEDEAU	F	2.0	ALDRIDGE	F	2.0	SAMSON	F	2.0
ACFT HRS 6333.2			WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPID LIMOGES, MICHAEL			TI MANHOURS 0.1					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 54			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 06 Feb 20	NO 3	TIME 11:17	PID Generated, Com		DATE 06 Feb 20	TIME 11:23	ACFT HRS 6333.2					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 06 FEB 2020. INSP A103 AIRCRAFT WASH DUE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 24 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1500-344-23								ROUNDS		ACTION CODE 6		WUC 00			
								ACTION completed							
								PID SAMSON,	CAT F	HRS 0.5	PID THIBEDAL	CAT F	HRS 0.5	PID ALDRIDGE	CAT F
ACFT HRS 6333.2		WHEN DISC O	HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS X		SYS A	DATE 06 Feb 20	NO 4	TIME 12:27	PID Generated, Com		DATE 06 Feb 20	TIME 15:04	ACFT HRS 6333.2					
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HELICOPTER								ROUNDS		ACTION CODE 1		WUC 02			
								ACTION COMPLETE							
								PID THIBEDAL	CAT F	HRS 1.0	PID ALDRIDGE	CAT F	HRS 1.0		
ACFT HRS 6333.2		WHEN DISC O	HOW REC G		MAL EFF 2										
DELAY				WUC 00				TIPIID LIMOGES, MICHAEL				TI MANHOURS 0.1			
STATUS —		SYS A	DATE 06 Feb 20	NO 5	TIME 14:03	PID Generated, Com		DATE 06 Feb 20	TIME 14:12	ACFT HRS 6333.2					
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 02			
								ACTION complete							
								PID THIBEDAL	CAT F	HRS 0.2					
ACFT HRS 6333.2		WHEN DISC O	HOW REC G		MAL EFF 2										
DELAY				WUC 00				TIPIID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 55					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		 SYS A		DATE 06 Feb 20		NO 6		TIME 14:03		PID Generated, Cor		DATE 09 Feb 20		TIME 14:06		ACFT HRS 6339.5	
												ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN										ACTION COMPLETE							
ACFT HRS 6333.2		WHEN DISC X		HOW REC G		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		 SYS A		DATE 06 Feb 20		NO 7		TIME 14:08		PID Generated, Com		DATE 06 Feb 20		TIME 14:13		ACFT HRS 6333.2	
												ROUNDS		ACTION CODE 3		WUC 02	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 06 FEB 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6338.2 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD										ACTION complete							
ACFT HRS 6333.2		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		 SYS A		DATE 06 Feb 20		NO 8		TIME 14:09		PID Generated, Com		DATE 06 Feb 20		TIME 14:14		ACFT HRS 6333.2	
												ROUNDS		ACTION CODE 3		WUC 02	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 06 FEB 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 20 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION complete							
ACFT HRS 6333.2		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 56											
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION															
STATUS —				SYS E		DATE 06 Feb 20		NO 1		TIME 14:10		PID Generated, Cor		DATE 06 Feb 20		TIME 14:15		ACFT HRS 6333.2					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 06 FEB 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6337.2 AIRCRAFT HOURS OR 19 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ROUNDS		ACTION CODE 3		WUC 02				ACTION complete							
								PID		CAT		HRS		PID						CAT		HRS	
								THIBEDEN		F		0.2											
ACFT HRS 6333.2				WHEN DISC O		HOW REC O		MAL EFF 1															
DELAY				WUC 00		TIPID ,				TI MANHOURS													
STATUS /				SYS A		DATE 06 Feb 20		NO 9		TIME 14:19		PID ALDRIDGE, SCO		DATE 25 Feb 20		TIME 11:22		ACFT HRS 6341.5					
FAULTS/REMARKS seam between tail rotor quadrant support and gear box requires pro seal per wp 1373								ROUNDS		ACTION CODE 2		WUC 02				ACTION pro seal added							
								PID		CAT		HRS		PID						CAT		HRS	
								THIBEDEN		F		0.3											
ACFT HRS 6333.2				WHEN DISC X		HOW REC G		MAL EFF 1															
DELAY				WUC 00		TIPID ,				TI MANHOURS													
STATUS /				SYS A		DATE 06 Feb 20		NO 10		TIME 14:27		PID ALDRIDGE, SCO		DATE 11 Mar 20		TIME 14:29		ACFT HRS 6349.1					
FAULTS/REMARKS TAILROTOR DEICE BRUSH COVER CRACKED								ROUNDS		ACTION CODE A		WUC 00				ACTION cover replaced							
								PID		CAT		HRS		PID						CAT		HRS	
								ROMANO		F		1.0											
ACFT HRS 6333.2				WHEN DISC X		HOW REC G		MAL EFF 1															
DELAY				WUC 00		TIPID ,				TI MANHOURS													

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 57			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 06 Feb 20	NO 11	TIME 15:00	PID Generated, Cor		DATE 06 Feb 20	TIME 15:06	ACFT HRS 6333.2					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 06 FEB 2020. INSP A115 LUBE REQUIRMENTS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6349.9 AIRCRAFT HOURS OR 24 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 1		WUC 02			
								ACTION COMPLETE							
								PID THIBEDEAU	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT
ACFT HRS 6333.2		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 07 Feb 20	NO 1	TIME 00:00	PID Generated, Com		DATE 20 Mar 20	TIME 11:10	ACFT HRS 6349.1					
FAULTS/REMARKS INSP A211 APU OIL SAMPLE FOR AUXILIARY POWER UNIT CAGE: 99197 PN: 116305-302 NSN: 2835013692818 SN: 836171 IS DUE. STATUS WILL UPGRADE TO X ON: 6691.2 AIRCRAFT HOURS OR 07 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: H-60-10-AMAM-11								ROUNDS		ACTION CODE 1		WUC 00			
								ACTION sample taken							
								PID ROMANO,	CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT
ACFT HRS 6333.2		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS X		SYS A	DATE 07 Feb 20	NO 2	TIME 08:06	PID Generated, Com		DATE 07 Feb 20	TIME 08:38	ACFT HRS 6333.2					
FAULTS/REMARKS QUARTERLY HOIST INSP DUE								ROUNDS		ACTION CODE 6		WUC 14			
								ACTION ENTERED IN ERROR							
								PID TREMBLAY	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT
ACFT HRS 6333.2		WHEN DISC O	HOW REC G	MAL EFF 2											
DELAY				WUC 00				TIPID DILLER, MATTHEW				TI MANHOURS 0.1			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 58											
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION															
STATUS —				SYS A		DATE 08 Feb 20		NO 1		TIME 12:21		PID RIEMER, JASON		DATE 25 Jun 20		TIME 13:43		ACFT HRS 6370.6					
														ROUNDS		ACTION CODE 1		WUC 00					
FAULTS/REMARKS Inspect the Black M/R spindle elastomeric bearing (I/A/W WP 0750 INSPECT #4) for further deterioration or cracking during the PMS @ 6372.6 acft hours, fault found during PMD; see entry below												ACTION complete											
												PID ROMANO,		CAT F		HRS 0.3		PID		CAT		HRS	
ACFT HRS 6333.2				WHEN DISC G				HOW REC G				MAL EFF 2											
DELAY								WUC 05A01I				TIPID ,				TI MANHOURS							
STATUS /				SYS A		DATE 08 Feb 20		NO 2		TIME 16:34		PID LEVEILLEE, TODI		DATE 13 Feb 20		TIME 13:19		ACFT HRS 6339.5					
														ROUNDS		ACTION CODE 6		WUC 04A					
FAULTS/REMARKS #1 ENG HIT within 5, 2nd occurrence												ACTION engine washed 3x for performance recovery											
												PID RIEMER, J.		CAT F		HRS 1.0		PID		CAT		HRS	
ACFT HRS 6335.2				WHEN DISC G				HOW REC G				MAL EFF 2											
DELAY								WUC 04A				TIPID ,				TI MANHOURS							
STATUS —				SYS A		DATE 08 Feb 20		NO 3		TIME 21:17		PID Generated, Com		DATE 08 Feb 20		TIME 21:17		ACFT HRS 6337.2					
														ROUNDS		ACTION CODE 6		WUC 00					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 08 FEB 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 21 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P												ACTION Aircraft Flown											
												PID SCHULTZ,		CAT F		HRS 0.2		PID		CAT		HRS	
ACFT HRS 6337.2				WHEN DISC O				HOW REC O				MAL EFF 1											
DELAY								WUC 00				TIPID ,				TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 59					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 09 Feb 20		NO 1		TIME 13:33		PID Generated, Cor		DATE 09 Feb 20		TIME 13:54		ACFT HRS	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due										ACTION COMPLETED							
										ACFT HRS 6339.5		WHEN DISC O		HOW REC O		MAL EFF 1	
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS E		DATE 09 Feb 20		NO 1		TIME 13:36		PID Generated, Com		DATE 09 Feb 20		TIME 13:56		ACFT HRS 6339.5	
												ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 09 FEB 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6343.2 AIRCRAFT HOURS OR 20 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION INSP OK							
										ACFT HRS 6339.5		WHEN DISC O		HOW REC O		MAL EFF 1	
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A		DATE 09 Feb 20		NO 2		TIME 13:36		PID Generated, Com		DATE 09 Feb 20		TIME 13:55		ACFT HRS 6339.5	
												ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 09 FEB 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6344.2 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD										ACTION INSP OK							
										ACFT HRS 6339.5		WHEN DISC O		HOW REC O		MAL EFF 1	
DELAY				WUC 00				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 60							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —				SYS A		DATE 09 Feb 20		NO 3		TIME 13:37		PID Generated, Cor		DATE 09 Feb 20		TIME 13:53		ACFT HRS 6339.5	
FAULTS/REMARKS PMD DUE								ACTION PMD COMPLETE											
								ROUNDS		ACTION CODE 3		WUC 00							
								PID KINNES, J.	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6339.5				WHEN DISC O		HOW REC G		MAL EFF 2											
DELAY				WUC 00		TIPID ,				TI MANHOURS									
STATUS —				SYS A		DATE 09 Feb 20		NO 4		TIME 14:01		PID Generated, Com		DATE 20 Feb 20		TIME 09:48		ACFT HRS 6341.5	
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN								ACTION completed											
								ROUNDS		ACTION CODE 6		WUC 00							
								PID OHNECK, J.	CAT F	HRS 1.3	PID ALDRIDGE	CAT F	HRS 1.3	PID MONTI, J.	CAT F	HRS 1.3			
ACFT HRS 6339.5				WHEN DISC X		HOW REC G		MAL EFF 1											
DELAY				WUC 00		TIPID ,				TI MANHOURS									
STATUS —				SYS A		DATE 10 Feb 20		NO 1		TIME 00:01		PID Generated, Com		DATE 27 Feb 20		TIME 11:27		ACFT HRS 6341.5	
FAULTS/REMARKS INSP A501 MAIN ROTOR BLADE SPAR PRESSURE CHECK FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 17 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ACTION COMPLETE											
								ROUNDS		ACTION CODE 1		WUC 02							
								PID THIBEDEAU	CAT F	HRS 2.0	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6339.5				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00		TIPID ,				TI MANHOURS									




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 61																	
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																					
STATUS —				SYS A		DATE 10 Feb 20		NO 2		TIME 00:01		PID Generated, Cor		DATE 13 Feb 20		TIME 14:45		ACFT HRS 6339.5											
														ROUNDS		ACTION CODE 1		WUC 02											
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 16 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751												ACTION complete																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												THIBEDEN		F		0.2													
ACFT HRS 6339.5				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY				WUC 00				TIPID ,				TI MANHOURS																	
STATUS —				SYS A		DATE 11 Feb 20		NO 1		TIME 00:01		PID Generated, Com		DATE 20 Mar 20		TIME 11:08		ACFT HRS 6349.1											
														ROUNDS		ACTION CODE 1		WUC 00											
FAULTS/REMARKS INSP A117 TAIL GEARBOX OIL SAMPLE FOR TAIL ROTOR GEARBOX ASSY CAGE: 78286 PN: 70358-06600-046 NSN: 1615013765089 SN: A006-02976 IS DUE. STATUS WILL UPGRADE TO X ON: 11 APR 2020 OR 6691.2 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: H-60-10-AMAM-11												ACTION sample taken																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												ROMANO,		F		0.3													
ACFT HRS 6339.5				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY				WUC 00				TIPID ,				TI MANHOURS																	
STATUS —				SYS A		DATE 11 Feb 20		NO 2		TIME 00:01		PID Generated, Com		DATE 20 Mar 20		TIME 11:11		ACFT HRS 6349.1											
														ROUNDS		ACTION CODE 1		WUC 00											
FAULTS/REMARKS INSP A116 INTERMEDIATE GEARBOX OIL SAMPLE FOR INTERMEDIATE GEARBOX CAGE: 78286 PN: 70357-06300-042 NSN: 1680010745152 SN: A00502524 IS DUE. STATUS WILL UPGRADE TO X ON: 6691.2 AIRCRAFT HOURS OR 11 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: H-60-10-AMAM-11												ACTION sample taken																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												ROMANO,		F		0.3													
ACFT HRS 6339.5				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY				WUC 00				TIPID ,				TI MANHOURS																	




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 62																	
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																					
STATUS —				SYS E		DATE 12 Feb 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 18 Feb 20		TIME 09:31		ACFT HRS 6339.5											
														ROUNDS		ACTION CODE G		WUC 19											
FAULTS/REMARKS INSP E823 KY-100 FILL BATTERY REPLACEMENT DUE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 01 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5821-357-12												ACTION BATTERY INSP/REPLACEMENT NOT REQUIRED (BATTERY NOT INSTALLED DUE TO MINIMAL MISSION REQUIERMENTS; SEE MAINT. AVIONICS MEMO																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												GONZALEZ		F		1.0		THOMAS,		F		1.0							
ACFT HRS 6339.5				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY				WUC 00				TIPID ,				TI MANHOURS																	
STATUS —				SYS E		DATE 12 Feb 20		NO 2		TIME 00:01		PID Generated, Com		DATE 28 Feb 20		TIME 11:21		ACFT HRS 6341.5											
														ROUNDS		ACTION CODE G		WUC 19											
FAULTS/REMARKS INSP E854 SINGARS C-CELL BATTERY REPLACEMENT FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 01 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5841-33-12												ACTION Insp ok																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												THOMAS,		F		2.0													
ACFT HRS 6339.5				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY				WUC 00				TIPID ,				TI MANHOURS																	
STATUS X				SYS A		DATE 12 Feb 20		NO 1		TIME 08:39		PID THIBEDEAU, BRI		DATE 13 Feb 20		TIME 12:22		ACFT HRS 6339.5											
														ROUNDS		ACTION CODE 1		WUC 02											
FAULTS/REMARKS removed engine ignitors from #1 and #2 engine 2 each engine												ACTION reinstalled TQ to 150 inch lbs																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												THIBEDEAU		F		0.5													
ACFT HRS 6339.5				WHEN DISC O				HOW REC O				MAL EFF 2																	
DELAY				WUC 02				TIPID DEFREITAS, JESSIKA				TI MANHOURS 0.1																	




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 63			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 12 Feb 20	NO 2	TIME 11:11	PID GARLAND, JASC		DATE 19 Feb 20	TIME 13:47	ACFT HRS 6341.5					
FAULTS/REMARKS MTF REQUIRED FOR ENGINE PERFORMANCE RECOVERY ON #1 AND #2 ENGINES FOR COMPLETING ENGINE WASHES								ROUNDS		ACTION CODE 4		WUC 00			
								ACTION mtf completed							
								PID RIEMER, J.	CAT F	HRS 2.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6339.5		WHEN DISC B		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 13 Feb 20	NO 1	TIME 06:59	PID Generated, Com		DATE 25 Feb 20	TIME 09:12	ACFT HRS 6341.5					
FAULTS/REMARKS INSP A230 INSPECT BATTERY COMPARTMENT FOR CORROSION (SLAB) FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 08 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: MWO 1-1520-237-50-77								ROUNDS		ACTION CODE 1		WUC 02			
								ACTION complete							
								PID THIBIDEAU	CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT
ACFT HRS 6339.5		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS E	DATE 13 Feb 20	NO 1	TIME 06:59	PID Generated, Com		DATE 18 Feb 20	TIME 09:31	ACFT HRS 6339.5					
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6426.8 AIRCRAFT HOURS OR 19 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1516 R12								ROUNDS		ACTION CODE G		WUC 19			
								ACTION complete							
								PID GONZALEZ	CAT F	HRS 1.0	PID THOMAS,	CAT F	HRS 1.0	PID	CAT
ACFT HRS 6339.5		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 64											
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION															
STATUS —				SYS A		DATE 13 Feb 20		NO 2		TIME 13:30		PID Generated, Cor		DATE 13 Feb 20		TIME 14:50		ACFT HRS 6339.5					
FAULTS/REMARKS PMD DUE								ACTION complete															
								THIBED		F		2.0											
								ACFT HRS 6339.5		WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY								WUC 00				TIPID ,				TI MANHOURS							
STATUS —				SYS A		DATE 13 Feb 20		NO 3		TIME 13:30		PID Generated, Com		DATE 13 Feb 20		TIME 14:45		ACFT HRS					
FAULTS/REMARKS PMD Due								ACTION COMPLETED															
								THIBED		F		2.0											
								ACFT HRS 6339.5		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY								WUC 00				TIPID ,				TI MANHOURS							
STATUS —				SYS A		DATE 13 Feb 20		NO 1		TIME 13:38		PID Generated, Com		DATE 04 Mar 20		TIME 16:09		ACFT HRS 4552.0					
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-AMAM-03 DESCRIPTION: COMPLY WITH H-60-20-AMAM-03, T700 HYDRO-MECHANICAL CONTROL UNIT AND ANTI-ICING START AND BLEED VALVE LINKAGE QUICK DISCONNECT PINS, BY 12 MAR 20. FOR T700-GE-701D ENGINE ASSY CAGE: 99207 PN: 5130T00G01 NSN: 2840015031701 SN: GEE307495C IS DUE: 12 MAR 2020 CALENDAR								ACTION REPLACED QDP WITH NUT AND BOLT IAW H-60-20-AMAM-03															
								HARKER, C		F		0.2											
								ACFT HRS 4613		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY								WUC 04A				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 65			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 13 Feb 20	NO 1	TIME 13:39	PID Generated, Cor		DATE 04 Mar 20	TIME 16:08	ACFT HRS 5187.0					
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-AMAM-03 DESCRIPTION: COMPLY WITH H-60-20-AMAM-03, T700 HYDRO-MECHANICAL CONTROL UNIT AND ANTI-ICING START AND BLEED VALVE LINKAGE QUICK DISCONNECT PINS, BY 12 MAR 20. FOR T700-GE-701D ENGINE ASSY CAGE: 99207 PN: 5130T00G01 NSN: 2840015031701 SN: GEE307759C IS DUE: 12 MAR 2020 CALENDAR								ROUNDS		ACTION CODE A		WUC 04A			
								ACTION REPLACED QDP WITH NUT AND BOLT IAW H-60-20-AMAM-03							
								PID HARKER, C	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT
ACFT HRS 5146		WHEN DISC O	HOW REC O		MAL EFF 1										
DELAY				WUC 04A				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1			
STATUS —		SYS A	DATE 15 Feb 20	NO 1	TIME 00:01	PID Generated, Com		DATE 18 Feb 20	TIME 07:44	ACFT HRS 6339.5					
FAULTS/REMARKS INSP A108 AIRCRAFT BATTERY PMCS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 21 FEB 2020 OR 6360.9 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED IAW REGULATION REFERENCE: TM 11-6140-203-23								ROUNDS		ACTION CODE 1		WUC 02			
								ACTION complete							
								PID THIBEDEAU	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT
ACFT HRS 6339.5		WHEN DISC O	HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 16 Feb 20	NO 1	TIME 00:00	PID Generated, Com		DATE 17 Mar 20	TIME 20:09	ACFT HRS 6349.1					
FAULTS/REMARKS INSP A299 LUBRICATE SWASHPLATE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6691.2 AIRCRAFT HOURS OR 16 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 1		WUC 00			
								ACTION COMPLETED							
								PID THOMAS, F	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT
ACFT HRS 6339.5		WHEN DISC O	HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 66																	
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																					
STATUS —				SYS A		DATE 16 Feb 20		NO 2		TIME 00:00		PID Generated, Cor		DATE 25 Feb 20		TIME 09:20		ACFT HRS 6341.5											
														ROUNDS		ACTION CODE 1		WUC 02											
FAULTS/REMARKS INSP A800 30 DAY INSPECTION REQUIRED FOR LOOSE RIVETS FOUND IN CABIN CEILING BETWEEN STA 370- STA 398, RBL 20- RBL 30 ALLOWING WATER FROM OIL COOLER COMPARTMENT TO SEEP INTO CABIN FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 01 MAR 2020												ACTION complete																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												THIBED		EAL		F		0.2											
ACFT HRS 6339.5				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY								WUC 00				TIPID ,				TI MANHOURS													
STATUS —				SYS A		DATE 18 Feb 20		NO 1		TIME 07:35		PID Generated, Com		DATE 18 Feb 20		TIME 07:48		ACFT HRS 6339.5											
														ROUNDS		ACTION CODE 1		WUC 02											
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 18 FEB 2020. INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 17 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751												ACTION complete																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												THIBED		EAL		F		0.2											
ACFT HRS 6339.5				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY								WUC 00				TIPID ,				TI MANHOURS													
STATUS —				SYS A		DATE 20 Feb 20		NO 1		TIME 00:00		PID Generated, Com		DATE 27 Feb 20		TIME 06:53		ACFT HRS 6341.5											
														ROUNDS		ACTION CODE 1		WUC 02											
FAULTS/REMARKS INSP A851 30 DAY LOG BOOK RECON FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 27 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: FACILITY SOP												ACTION complete																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												THIBED		EAL		F		0.5											
ACFT HRS 6341.5				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY								WUC 00				TIPID ,				TI MANHOURS													




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 67							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 20 Feb 20	NO 2	TIME 08:07	PID Generated, Cor		DATE 20 Feb 20	TIME 09:45	ACFT HRS									
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00							
								ACTION COMPLETED											
								PID OHNECK, F	CAT F	HRS 1.5	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6341.5			WHEN DISC O		HOW REC O		MAL EFF 1												
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS A	DATE 20 Feb 20	NO 3	TIME 08:10	PID Generated, Com		DATE 20 Feb 20	TIME 09:35	ACFT HRS 6341.5									
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 00							
								ACTION completed											
								PID GIORNO, N	CAT F	HRS 1.5	PID ALDRIDGE	CAT F	HRS 1.5	PID MONTI, J.	CAT F	HRS 1.5			
ACFT HRS 6341.5			WHEN DISC O		HOW REC G		MAL EFF 2												
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS E	DATE 20 Feb 20	NO 1	TIME 08:12	PID Generated, Com		DATE 20 Feb 20	TIME 09:52	ACFT HRS 6341.5									
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 20 FEB 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6349.5 AIRCRAFT HOURS OR 23 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ROUNDS		ACTION CODE 6		WUC 00							
								ACTION complete											
								PID ALDRIDGE	CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6341.5			WHEN DISC O		HOW REC O		MAL EFF 1												
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 68															
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																			
STATUS —		 SYS A		DATE 20 Feb 20		NO 4		TIME 08:12		PID Generated, Cor		DATE 20 Feb 20		TIME 09:51		ACFT HRS 6341.5											
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 20 FEB 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6350.5 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PM								ROUNDS		ACTION CODE 6		WUC 00															
								ACTION completed								PID		CAT		HRS		PID		CAT		HRS	
																ALDRIDGE		F		0.3							
ACFT HRS 6341.5				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY				WUC 00				TIPID ,				TI MANHOURS															
STATUS —		 SYS A		DATE 20 Feb 20		NO 5		TIME 08:30		PID Generated, Com		DATE 20 Feb 20		TIME 08:42		ACFT HRS 6341.5											
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 20 FEB 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 23 FEB 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 1		WUC 02															
								ACTION complete								PID		CAT		HRS		PID		CAT		HRS	
																OHNECK, J		F		0.3							
ACFT HRS 6341.5				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY				WUC 00				TIPID ,				TI MANHOURS															
STATUS —		 SYS A		DATE 20 Feb 20		NO 6		TIME 09:44		PID Generated, Com		DATE 06 Mar 20		TIME 10:34		ACFT HRS 6345.6											
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN								ROUNDS		ACTION CODE 6		WUC 02															
								ACTION COMPLETED								PID		CAT		HRS		PID		CAT		HRS	
																MELLO, D.		F		0.1							
ACFT HRS 6341.5				WHEN DISC X		HOW REC G		MAL EFF 1																			
DELAY				WUC 00				TIPID ,				TI MANHOURS															




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 69																	
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																					
STATUS —				SYS A		DATE 21 Feb 20		NO 1		TIME 14:03		PID HARKER, CHRIS		DATE 04 Mar 20		TIME 16:08		ACFT HRS 6341.5											
														ROUNDS		ACTION CODE A		WUC 04A											
FAULTS/REMARKS ENGINE GE-E-307759C AI/SBV LINK ASSEMBLY AND THE AI/SBV SHAFT QDP REQUIRES REPLACEMENT PER H-60-20-AMAM-03 BY 31DEC21												ACTION REPLACED QDP WITH NUT AND BOLT IAW H-60-20-AMAM-03																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												HARKER, C		F		0.2													
ACFT HRS 6341.5				WHEN DISC O				HOW REC G				MAL EFF 1																	
DELAY								WUC 04A09A				TIPID ,				TI MANHOURS													
STATUS —				SYS A		DATE 21 Feb 20		NO 2		TIME 14:04		PID HARKER, CHRIS		DATE 04 Mar 20		TIME 16:07		ACFT HRS 6341.5											
														ROUNDS		ACTION CODE A		WUC 04A											
FAULTS/REMARKS ENGINE GE-E-307495C AI/SBV LINK ASSEMBLY AND THE AI/SBV SHAFT QDP REQUIRES REPLACEMENT PER H-60-20-AMAM-03 BY 31DEC21												ACTION REPLACED QDP WITH NUT AND BOLT IAW H-60-20-AMAM-03																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												HARKER, C		F		0.2													
ACFT HRS 6341.5				WHEN DISC O				HOW REC G				MAL EFF 1																	
DELAY								WUC 04A09A				TIPID ,				TI MANHOURS													
STATUS —				SYS A		DATE 21 Feb 20		NO 3		TIME 14:04		PID HARKER, CHRIS		DATE 04 Mar 20		TIME 16:06		ACFT HRS 6341.5											
														ROUNDS		ACTION CODE A		WUC 04A											
FAULTS/REMARKS ENGINE GE-E-307759C HMU CONTROL LINK AND THE VARIABLE GUIDE VANE ACTUATING SHAFT QDP REQUIRES REPLACEMENT PER H-60-20- AMAM-03 BY 31DEC21												ACTION REPLACED QDP WITH NUT AND BOLT IAW H-60-20-AMAM-03																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												HARKER, C		F		0.2													
ACFT HRS 6341.5				WHEN DISC O				HOW REC G				MAL EFF 1																	
DELAY								WUC 04A05A				TIPID ,				TI MANHOURS													




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 70				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 21 Feb 20	NO 4	TIME 14:05	PID HARKER, CHRIS		DATE 04 Mar 20	TIME 16:06	ACFT HRS 6341.5		WUC 04A				
FAULTS/REMARKS ENGINE GE-E-307495C HMU CONTROL LINK AND THE VARIABLE GUIDE VANE ACTUATING SHAFT QDP REQUIRES REPLACEMENT PER H-60-20-AMAM-03 BY 31DEC21								ACTION REPLACED QDP WITH NUT AND BOLT IAW H-60-20-AMAM-03								
								PID HARKER, C	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6341.5			WHEN DISC O		HOW REC G		MAL EFF 1									
DELAY				WUC 04A05A				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 25 Feb 20	NO 1	TIME 09:24	PID THIBEDEAU, BRI		DATE 25 Feb 20	TIME 11:49	ACFT HRS 6341.5		WUC 02				
FAULTS/REMARKS INSP A800 30 DAY INSPECTION REQUIRED FOR LOOSE RIVETS FOUND IN CABIN CEILING BETWEEN STA 370- STA 398, RBL 20- RBL 30 ALLOWING WATER FROM OIL COOLER COMPARTMENT TO SEEP INTO CABIN FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 01 MAR 2020								ACTION complete								
								PID THIBEDEAU	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6341.5			WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 02				TIPIID ,				TI MANHOURS				
STATUS —		SYS A	DATE 25 Feb 20	NO 2	TIME 11:52	PID THIBEDEAU, BRI		DATE 17 Mar 20	TIME 13:27	ACFT HRS 6349.1		WUC 00				
FAULTS/REMARKS INSP A800 30 DAY INSPECTION REQUIRED FOR LOOSE RIVETS FOUND IN CABIN CEILING BETWEEN STA 370- STA 398, RBL 20- RBL 30 ALLOWING WATER FROM OIL COOLER COMPARTMENT TO SEEP INTO CABIN FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 26 MAR 2020								ACTION complete								
								PID EDDY, C.	CAT F	HRS 0.4	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6341.5			WHEN DISC K		HOW REC G		MAL EFF 2									
DELAY				WUC 02				TIPIID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 71									
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION													
STATUS —				SYS E		DATE 26 Feb 20		NO 1		TIME 00:00		PID Generated, Cor		DATE 21 Apr 20		TIME 10:03		ACFT HRS 6349.1			
														ROUNDS		ACTION CODE G		WUC 19R			
FAULTS/REMARKS INSP E320 EMERGENCY LOCATOR TRANSMITTER G-SWITCH (EBC-406HM) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 26 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1516 R12												ACTION insp ok									
												PID		CAT		HRS		PID		CAT	
ACFT HRS 6341.5				WHEN DISC O				HOW REC O				MAL EFF 1									
DELAY								WUC 00				TIPID ,				TI MANHOURS					
STATUS X				SYS A		DATE 27 Feb 20		NO 1		TIME 10:22		PID THIBEDEAU, BRI		DATE 27 Feb 20		TIME 11:22		ACFT HRS 6341.5			
														ROUNDS		ACTION CODE 1		WUC 02			
FAULTS/REMARKS M/R blade spar pressure test												ACTION M/R BLACK BLADE 9.31 PSI M/R RED BLADE 9.41 PSI M/R BLUE BLADE 9.32 PSI M/R YELLOW BLADE 9.31 PSI AT 63 DEGREES F. 8.25 PSI THE MIN. TEST COMPLETE									
												PID		CAT		HRS		PID		CAT	
ACFT HRS 6341.5				WHEN DISC O				HOW REC O				MAL EFF 2									
DELAY								WUC 02				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1					
STATUS —				SYS A		DATE 27 Feb 20		NO 2		TIME 12:58		PID Generated, Com		DATE 27 Feb 20		TIME 13:32		ACFT HRS			
														ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS PMD Due												ACTION COMPLETED									
												PID		CAT		HRS		PID		CAT	
ACFT HRS 6341.5				WHEN DISC O				HOW REC O				MAL EFF 1									
DELAY								WUC 00				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 72				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 27 Feb 20	NO 3	TIME 13:25	PID Generated, Cor		DATE 27 Feb 20	TIME 13:36	ACFT HRS 6341.5						
FAULTS/REMARKS PMD DUE								ACTION complete								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								THIBEDEN	F	0.5						
ACFT HRS 6341.5			WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS —		SYS E	DATE 27 Feb 20	NO 1	TIME 13:33	PID Generated, Com		DATE 27 Feb 20	TIME 13:39	ACFT HRS 6341.5						
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 27 FEB 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6351.5 AIRCRAFT HOURS OR 05 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ACTION complete								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								THIBEDEN	F	0.2						
ACFT HRS 6341.5			WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS X		SYS A	DATE 28 Feb 20	NO 1	TIME 11:22	PID THOMAS, TRAC		DATE 28 Feb 20	TIME 13:29	ACFT HRS 6341.5						
FAULTS/REMARKS Replacement of digital clock batteries in process								ACTION Replaced pilot and copilot clock batteries. moc ok								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								THOMAS,	F	3.0						
ACFT HRS 6341.5			WHEN DISC Z		HOW REC G		MAL EFF 2									
DELAY				WUC 08A05				TIPIID MARTEL, DANIEL				TI MANHOURS 1				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 73							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		 SYS A		DATE 02 Mar 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 04 Mar 20		TIME 16:00		ACFT HRS 6341.5			
												ROUNDS		ACTION CODE G		WUC 19			
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 08 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-6140-203-23 P										ACTION insp ok									
										PID THOMAS,		CAT F		HRS 1.0		PID		CAT	
ACFT HRS 6341.5				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		 SYS E		DATE 02 Mar 20		NO 1		TIME 00:01		PID Generated, Com		DATE 04 Mar 20		TIME 16:01		ACFT HRS 6341.5			
												ROUNDS		ACTION CODE G		WUC 19			
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 08 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5821-357-12P										ACTION BATTERY INSP/REPLACEMENT NOT REQUIRED (BATTERY NOT INSTALLED DUE TO MINIMAL MISSION REQUIERMENTS; SEE MAINT. AVIONICS MEMO									
										PID THOMAS,		CAT F		HRS 1.0		PID		CAT	
ACFT HRS 6341.5				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		 SYS A		DATE 03 Mar 20		NO 1		TIME 15:05		PID Generated, Com		DATE 03 Mar 20		TIME 16:00		ACFT HRS 6341.5			
												ROUNDS		ACTION CODE 1		WUC 16S05			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 03 MAR 2020. INSP A815 PERFORM FLIR TURRET UNIT NITROGEN PURGE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 07 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M										ACTION Completed									
										PID GIORNO, R		CAT F		HRS 1.0		PID		CAT	
ACFT HRS 6341.5				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 74							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		G CLOSED		SYS A		DATE 03 Mar 20		NO 2		TIME 15:05		PID Generated, Cor		DATE 03 Mar 20		TIME 16:00		ACFT HRS 6341.5	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 03 MAR 2020. INSP A816 PERFORM FLIR TURRET UNIT DESICCANT CARTRIDGE INSPECTION / REPLACEMENT FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 07 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M								ROUNDS		ACTION CODE 1		WUC 16S05							
								ACTION Completed											
								PID		CAT		HRS		PID		CAT		HRS	
								GIORNO, N		F		0.5							
ACFT HRS 6341.5				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS X		L CLOSED		SYS A		DATE 03 Mar 20		NO 3		TIME 15:13		PID GIORNO, NATAL		DATE 03 Mar 20		TIME 16:29		ACFT HRS 6341.5	
FAULTS/REMARKS INSP A815 PERFORM FLIR TURRET UNIT NITROGEN PURGE IN PROCESS								ROUNDS		ACTION CODE 1		WUC 00							
								ACTION COMPLETED											
								PID		CAT		HRS		PID		CAT		HRS	
								GIORNO, N		F		2.0							
ACFT HRS 6341.5				WHEN DISC O		HOW REC G		MAL EFF 1											
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1							
STATUS X		L CLOSED		SYS A		DATE 03 Mar 20		NO 4		TIME 15:16		PID GIORNO, NATAL		DATE 03 Mar 20		TIME 16:21		ACFT HRS 6341.5	
FAULTS/REMARKS INSP A816 PERFORM FLIR TURRET UNIT DESICCANT CARTRIDGE INSPECTION IN PROCESS								ROUNDS		ACTION CODE 1		WUC 00							
								ACTION COMPLETED											
								PID		CAT		HRS		PID		CAT		HRS	
								GIORNO, N		F		2.0							
ACFT HRS 6341.5				WHEN DISC O		HOW REC G		MAL EFF 1											
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 75			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 04 Mar 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 04 Mar 20	TIME 16:58	ACFT HRS 6341.5					
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 10 MAR 2020 OR 6377.2 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 6		WUC 00			
								ACTION COMPLETED							
								PID VASQUEZ,	CAT F	HRS 1.5	PID ALDRIDGE,	CAT F	HRS 1.5	PID	CAT
ACFT HRS 6341.5		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 04 Mar 20	NO 2	TIME 00:01	PID Generated, Com		DATE 04 Mar 20	TIME 15:26	ACFT HRS 6341.5					
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 10 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1500-344-23								ROUNDS		ACTION CODE 6		WUC 00			
								ACTION completed							
								PID HALL, G.	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6341.5		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 04 Mar 20	NO 3	TIME 00:01	PID Generated, Com		DATE 05 Mar 20	TIME 00:00	ACFT HRS 6343.6					
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 06 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 1		WUC 00			
								ACTION completed							
								PID JONES, G.	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT
ACFT HRS 6341.5		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 76			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS X		SYS A	DATE 04 Mar 20	NO 4	TIME 15:21	PID Generated, Cor		DATE 04 Mar 20	TIME 15:36	ACFT HRS 6341.5					
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HELICOPTER								ROUNDS		ACTION CODE 6		WUC 00			
								ACTION LUBE COMPLETE							
								PID ALDRIDGE	CAT F	HRS 1.3	PID VASQUEZ,	CAT F	HRS 1.3	PID	CAT
ACFT HRS 6341.5		WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1			
STATUS X		SYS A	DATE 04 Mar 20	NO 5	TIME 15:27	PID ALDRIDGE, SCO		DATE 04 Mar 20	TIME 15:47	ACFT HRS 6341.5					
FAULTS/REMARKS APU ACCUMULATOR PRE CHARGE LOW BACKUP PUMP WILL TRUN OFF								ROUNDS		ACTION CODE E		WUC 00			
								ACTION serviced per w/p 0213							
								PID ALDRIDGE	CAT F	HRS 2.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6341.5		WHEN DISC O		HOW REC G		MAL EFF 1									
DELAY				WUC 07B11				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1			
STATUS X		SYS A	DATE 04 Mar 20	NO 6	TIME 15:54	PID HARKER, CHRIS		DATE 04 Mar 20	TIME 16:13	ACFT HRS 6341.5					
FAULTS/REMARKS #1 AND #2 ENG HMU AND AI/SBV QDP REPLACEMENT IN PROCESS IAW H-60-20-AMAM-03								ROUNDS		ACTION CODE A		WUC 04A			
								ACTION REPLACED QDP WITH NUT AND BOLT IAW H-60-20-AMAM-03							
								PID HARKER, C	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT
ACFT HRS 6341.5		WHEN DISC O		HOW REC G		MAL EFF 1									
DELAY				WUC 04A				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 77			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 04 Mar 20	NO 7	TIME 16:16	PID Generated, Cor		DATE 04 Mar 20	TIME 16:54	ACFT HRS		WUC 00			
FAULTS/REMARKS PMD Due								ROUNDS							
								ACTION COMPLETED							
								PID VASQUEZ,	CAT F	HRS 1.5	PID	CAT	HRS	PID	CAT
ACFT HRS 6341.5			WHEN DISC O		HOW REC O		MAL EFF 1								
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 04 Mar 20	NO 8	TIME 16:17	PID Generated, Com		DATE 04 Mar 20	TIME 16:56	ACFT HRS 6341.5		WUC 00			
FAULTS/REMARKS PMD DUE								ROUNDS							
								ACTION PMD COMPLETE							
								PID ALDRIDGE	CAT F	HRS 1.3	PID MELLO, D.	CAT F	HRS 1.3	PID HALL, G.	CAT F
ACFT HRS 6341.5			WHEN DISC O		HOW REC G		MAL EFF 2		VASQUEZ,	F	1.3				
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS E	DATE 05 Mar 20	NO 1	TIME 07:05	PID Generated, Com		DATE 05 Mar 20	TIME 07:17	ACFT HRS 6341.5		WUC 00			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 MAR 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6351.5 AIRCRAFT HOURS OR 12 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ROUNDS							
								ACTION completed during pmd							
								PID ALDRIDGE	CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT
ACFT HRS 6341.5			WHEN DISC O		HOW REC O		MAL EFF 1								
DELAY				WUC 00				TIPID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 78																	
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																					
STATUS —		 SYS A		DATE 06 Mar 20		NO 1		TIME 07:04		PID Generated, Cor		DATE 06 Mar 20		TIME 12:30		ACFT HRS													
												ROUNDS		ACTION CODE 3		WUC 00													
FAULTS/REMARKS PMD Due										ACTION COMPLETED																			
																		PID		CAT		HRS		PID		CAT		HRS	
																		MELLO, D.		F		2.0							
ACFT HRS 6345.6				WHEN DISC O		HOW REC O		MAL EFF 1																					
DELAY				WUC 00		TIPID ,				TI MANHOURS																			
STATUS —		 SYS E		DATE 06 Mar 20		NO 1		TIME 07:08		PID Generated, Com		DATE 06 Mar 20		TIME 09:40		ACFT HRS 6345.6													
												ROUNDS		ACTION CODE 6		WUC 02													
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 06 MAR 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6351.5 AIRCRAFT HOURS OR 19 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION COMPLETE																			
																		PID		CAT		HRS		PID		CAT		HRS	
																		SAMSON,		F		0.3							
ACFT HRS 6345.6				WHEN DISC O		HOW REC O		MAL EFF 1																					
DELAY				WUC 00		TIPID ,				TI MANHOURS																			
STATUS —		 SYS A		DATE 06 Mar 20		NO 2		TIME 07:08		PID Generated, Com		DATE 06 Mar 20		TIME 09:48		ACFT HRS 6345.6													
												ROUNDS		ACTION CODE 6		WUC 02													
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 06 MAR 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6352.5 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD										ACTION COMPLETE																			
																		PID		CAT		HRS		PID		CAT		HRS	
																		SAMSON,		F		0.4							
ACFT HRS 6345.6				WHEN DISC O		HOW REC O		MAL EFF 1																					
DELAY				WUC 00		TIPID ,				TI MANHOURS																			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 79			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 06 Mar 20	NO 3	TIME 07:09	PID Generated, Cor		DATE 06 Mar 20	TIME 11:43	ACFT HRS 6345.6					
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 02			
								ACTION COMPLETED							
								PID SAMSON,	CAT F	HRS 0.1	PID MELLO, D.	CAT F	HRS 0.1	PID VASQUEZ,	CAT F
ACFT HRS 6345.6		WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS X		SYS A	DATE 06 Mar 20	NO 4	TIME 09:34	PID MELLO, DAVID		DATE 06 Mar 20	TIME 12:42	ACFT HRS 6345.6					
FAULTS/REMARKS LEFT REAR LATCH ON OIL COOLER PANEL BROKEN								ROUNDS		ACTION CODE A		WUC 02B38			
								ACTION REPLACED OIL COOLER LATCH							
								PID MELLO, D.	CAT F	HRS 0.3	PID BRAY, C.	CAT F	HRS 1.0		
ACFT HRS 6345.6		WHEN DISC X		HOW REC G		MAL EFF 1									
DELAY				WUC 02B38				TIPID DILLER, MATTHEW				TI MANHOURS 0.2			
STATUS —		SYS A	DATE 06 Mar 20	NO 5	TIME 12:33	PID Generated, Com		DATE 08 Mar 20	TIME 10:07	ACFT HRS 6349.1					
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN								ROUNDS		ACTION CODE 3		WUC 00			
								ACTION COMPLETED							
								PID KINNES, J.	CAT F	HRS 0.1					
ACFT HRS 6345.6		WHEN DISC X		HOW REC G		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 80							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		G CLOSED		SYS A		DATE 07 Mar 20		NO 1		TIME 00:00		PID Generated, Cor		DATE 01 Apr 20		TIME 08:44		ACFT HRS 6349.1	
FAULTS/REMARKS INSP A502 INSPECT AND TEST GROUND RECEPTACLE IAW TM 1-1500-204-23 FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 12 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE G				WUC 10U					
								ACTION insp ok											
ACFT HRS 6345.6		WHEN DISC O		HOW REC O		MAL EFF 1		PID GONZALEZ		CAT F		HRS 1.0		PID		CAT		HRS	
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		K CLOSED		SYS A		DATE 07 Mar 20		NO 2		TIME 17:53		PID Generated, Com		DATE 07 Mar 20		TIME 21:30		ACFT HRS 6349.1	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 07 MAR 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 20 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 6				WUC 02					
								ACTION COMPLETED											
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1		PID KINNES, J.		CAT F		HRS 0.2		PID		CAT		HRS	
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		CLOSED		SYS A		DATE 08 Mar 20		NO 1		TIME 08:38		PID Generated, Com		DATE 08 Mar 20		TIME 09:57		ACFT HRS	
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3				WUC 00					
								ACTION COMPLETED											
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1		PID KINNES, J.		CAT F		HRS 0.1		PID		CAT		HRS	
DELAY				WUC 00				TIPID ,				TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 81													
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																	
STATUS —		K CLOSED		SYS A		DATE 08 Mar 20		NO 2		TIME 08:46		PID KINNES, JOSHU		DATE 08 Mar 20		TIME 10:02		ACFT HRS 6349.1							
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00		ACTION PMD COMPLETE											
								PID		CAT		HRS								PID		CAT		HRS	
								KINNES, J.		F		0.1													
ACFT HRS 6349.1				WHEN DISC X		HOW REC G		MAL EFF 2																	
DELAY				WUC 00		TIPID ,				TI MANHOURS															
STATUS —		M CLOSED		SYS A		DATE 08 Mar 20		NO 3		TIME 10:02		PID Generated, Com		DATE 13 Mar 20		TIME 11:56		ACFT HRS 6349.1							
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN								ROUNDS		ACTION CODE 6		WUC 00		ACTION COMPLETED											
								PID		CAT		HRS								PID		CAT		HRS	
								MELLO, D.		F		0.1													
ACFT HRS 6349.1				WHEN DISC X		HOW REC G		MAL EFF 1																	
DELAY				WUC 00		TIPID ,				TI MANHOURS															
STATUS —		R CLOSED		SYS A		DATE 09 Mar 20		NO 1		TIME 00:00		PID Generated, Com		DATE 17 Mar 20		TIME 13:20		ACFT HRS 6349.1							
FAULTS/REMARKS INSP A160 90 DAY CORROSION INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 27 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 1		WUC 00		ACTION complete											
								PID		CAT		HRS								PID		CAT		HRS	
								ROMANO,		F		0.2													
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1																	
DELAY				WUC 00		TIPID ,				TI MANHOURS															

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 82							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS X		L CLOSED		SYS A		DATE 10 Mar 20		NO 1		TIME 13:36		PID DEFREITAS, JESS		DATE 11 Mar 20		TIME 13:17		ACFT HRS 6349.1	
								ROUNDS						ACTION CODE A		WUC 00			
FAULTS/REMARKS T/R BLADE DE-ICE SLIPRING BRUSH ASSEMBLY HOUSING COVER HAS MULTIPLE CRACKS STEAMING FROM BOLT TO EDGE OF COVER (CRACK GOES ALL THE WAY THROUGH THE COVER TO THE EDGE)								ACTION replaced the cover											
								PID ROMANO,		CAT F		HRS 0.3		PID		CAT		HRS	
ACFT HRS 6349.1				WHEN DISC X		HOW REC G		MAL EFF 2											
DELAY				WUC 12E08				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1							
STATUS —		L CLOSED		SYS E		DATE 12 Mar 20		NO 1		TIME 10:23		PID LIMOGES, MICH		DATE 16 Mar 20		TIME 09:00		ACFT HRS 6349.1	
								ROUNDS						ACTION CODE 6		WUC 02			
FAULTS/REMARKS COMPLY WITH H-60-20-AMAM-04 " ATTITUDE HEADING AND REFERENCE (AHRS) PIN FILTER ADAPTER (PFA) REMOVAL BY 03 APR 20 "								ACTION COMPLIED WITH											
								PID LIMOGES,		CAT F		HRS 1.0		PID		CAT		HRS	
ACFT HRS 6349.1				WHEN DISC O		HOW REC G		MAL EFF 2											
DELAY				WUC 02				TIPID ,				TI MANHOURS							
STATUS ⊗		D CLOSED		SYS A		DATE 12 Mar 20		NO 1		TIME 11:13		PID DEFREITAS, JESS		DATE 16 Apr 20		TIME 10:21		ACFT HRS 6349.1	
								ROUNDS						ACTION CODE B		WUC 00			
FAULTS/REMARKS OPERATE WITHIN LIMITATIONS PRESCRIBED IN ENCLOSED AWRs DATED AWR 980 (FP SKED RESCUE SYS) R23 21 JUN 19; AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1452 (LC6 CLOCK) R7 22 APR 19; AWR 1455 (BATTELLE C/A PANEL) R8 31 OCT19; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1566 (CABLE GUARD) R7 05 FEB 19; AWR 1594 (H-60L W/ 701D) R7 22 NOV 19; AWR 1607 (LED								ACTION updated											
								PID DILLER, M		CAT F		HRS 0.1		PID		CAT		HRS	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID DEFREITAS, JESSIKA				TI MANHOURS 0.1							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 83					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 13 Mar 20		NO 1		TIME 11:12		PID Generated, Cor		DATE 13 Mar 20		TIME 11:57		ACFT HRS 6349.1	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due										ACTION COMPLETED							
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A		DATE 13 Mar 20		NO 2		TIME 11:13		PID Generated, Com		DATE 13 Mar 20		TIME 11:48		ACFT HRS 6349.1	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD DUE										ACTION COMPLETED							
ACFT HRS 6349.1		WHEN DISC O		HOW REC G		MAL EFF 2											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A		DATE 13 Mar 20		NO 3		TIME 11:16		PID Generated, Com		DATE 13 Mar 20		TIME 11:47		ACFT HRS 6349.1	
												ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R10 28 MAR 18; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R7 30 SEP 19; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11 JAN										ACTION COMPLETED							
ACFT HRS 6349.1		WHEN DISC X		HOW REC G		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 84							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		 SYS A		DATE 13 Mar 20		NO 4		TIME 11:46		PID Generated, Cor		DATE 13 Mar 20		TIME 11:46		ACFT HRS WUC 00			
FAULTS/REMARKS PMD Due								ACTION COMPLETED											
								PID		CAT		HRS		PID		CAT		HRS	
								MELLO, D.		F		2.0							
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		 SYS A		DATE 13 Mar 20		NO 5		TIME 11:48		PID Generated, Com		DATE 13 Mar 20		TIME 13:24		ACFT HRS 6349.1			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 13 MAR 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6356.6 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD								ACTION COMPLETED											
								PID		CAT		HRS		PID		CAT		HRS	
								MELLO, D.		F		0.1							
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		 SYS E		DATE 13 Mar 20		NO 1		TIME 11:49		PID Generated, Com		DATE 13 Mar 20		TIME 13:23		ACFT HRS 6349.1			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 13 MAR 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6355.6 AIRCRAFT HOURS OR 20 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ACTION COMPLETED											
								PID		CAT		HRS		PID		CAT		HRS	
								MELLO, D.		F		0.1							
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 85					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 13 Mar 20		NO 6		TIME 13:23		PID Generated, Cor		DATE 13 Mar 20		TIME 13:31		ACFT HRS 6349.1	
												ROUNDS		ACTION CODE 1		WUC 02	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 13 MAR 2020. INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 22 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751										ACTION complete							
												PID SAMSON,		CAT F		HRS 1.0	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00		TIPID ,				TI MANHOURS							
STATUS —		SYS E		DATE 14 Mar 20		NO 1		TIME 00:01		PID Generated, Com		DATE 19 Mar 20		TIME 11:11		ACFT HRS 6349.1	
												ROUNDS		ACTION CODE G		WUC 19	
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6464.5 AIRCRAFT HOURS OR 20 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1516 R12										ACTION complete							
												PID THOMAS,		CAT F		HRS 1.0	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00		TIPID ,				TI MANHOURS							
STATUS —		SYS A		DATE 16 Mar 20		NO 1		TIME 00:01		PID Generated, Com		DATE 17 Mar 20		TIME 13:28		ACFT HRS 6349.1	
												ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS INSP A108 AIRCRAFT BATTERY PMCS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6394.5 AIRCRAFT HOURS OR 22 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED IAW REGULATION REFERENCE: TM 11-6140-203-23										ACTION complete							
												PID ROMANO,		CAT F		HRS 0.2	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00		TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 86													
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																	
STATUS —				SYS A		DATE 16 Mar 20		NO 2		TIME 08:13		PID Generated, Cor		DATE 16 Mar 20		TIME 08:59		ACFT HRS 6349.1							
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-AMAM-04 DESCRIPTION: COMPLY WITH H-60-20-AMAM-04, ATTITUDE HEADING AND REFERENCE SYSTEM (AHRS) PIN FILTER ADAPTER (PFA) REMOVAL BY 03 APR 20. IS DUE: 04 MAR 2021 CALENDAR								ROUNDS		ACTION CODE 6		WUC 02		ACTION COMPLIED WITH											
								PID		CAT		HRS								PID		CAT		HRS	
								LIMOGES,		F		1.0													
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1																	
DELAY				WUC 00		TIPID DEFREITAS, JESSIKA				TI MANHOURS 0.1															
STATUS —				SYS E		DATE 17 Mar 20		NO 1		TIME 00:01		PID Generated, Com		DATE 22 Apr 20		TIME 13:55		ACFT HRS 6349.1							
FAULTS/REMARKS INSP E165 KIT-1C BATTERY REPLACEMENT FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 22 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5810-389-13								ROUNDS		ACTION CODE G		WUC 19F01		ACTION completed											
								PID		CAT		HRS								PID		CAT		HRS	
								GONZALEZ		F		1.0													
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1																	
DELAY				WUC 00		TIPID ,				TI MANHOURS															
STATUS —				SYS A		DATE 17 Mar 20		NO 1		TIME 09:23		PID Generated, Com		DATE 17 Mar 20		TIME 13:19		ACFT HRS							
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00		ACTION COMPLETED											
								PID		CAT		HRS								PID		CAT		HRS	
								ROMANO,		F		2.0													
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1																	
DELAY				WUC 00		TIPID ,				TI MANHOURS															




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 87													
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																	
STATUS —				SYS A		DATE 17 Mar 20		NO 2		TIME 09:24		PID Generated, Cor		DATE 17 Mar 20		TIME 13:24		ACFT HRS 6349.1							
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 00		ACTION complete											
								PID		CAT		HRS								PID		CAT		HRS	
								ROMANO,		F		0.2													
ACFT HRS 6349.1				WHEN DISC O				HOW REC G				MAL EFF 2													
DELAY				WUC 00				TIPID ,				TI MANHOURS													
STATUS —				SYS A		DATE 17 Mar 20		NO 3		TIME 09:42		PID Generated, Com		DATE 20 Mar 20		TIME 11:09		ACFT HRS 6349.1							
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 17 MAR 2020. INSP A118 MAIN GEARBOX OIL SAMPLE -ALL EXCEPT 073,074,076 FOR MAIN TRANSMISSION MODULE CAGE: 78286 PN: 70351-48100-042 NSN: 1615015389786 SN: A80301459 IS DUE. STATUS WILL UPGRADE TO X ON: 6411.4 AIRCRAFT HOURS BY EXTENSION ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: H-60-10-AMAM-11								ROUNDS		ACTION CODE 1		WUC 00		ACTION sample taken											
								PID		CAT		HRS								PID		CAT		HRS	
								ROMANO,		F		0.3													
ACFT HRS 6349.1				WHEN DISC O				HOW REC O				MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS													
STATUS X				SYS A		DATE 17 Mar 20		NO 4		TIME 11:03		PID Generated, Com		DATE 17 Mar 20		TIME 13:18		ACFT HRS 6349.1							
FAULTS/REMARKS INSP A160 90 DAY CPC INSPECTION								ROUNDS		ACTION CODE 1		WUC 00		ACTION complete											
								PID		CAT		HRS								PID		CAT		HRS	
								ALDRIDGE,		F		0.2								EDDY, C.		F		0.2	
ACFT HRS 6349.1				WHEN DISC O				HOW REC G				MAL EFF 2													
DELAY				WUC 00				TIPID DEFREITAS, JESSIKA				TI MANHOURS 0.1													




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 88							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS X		SYS A	DATE 17 Mar 20	NO 5	TIME 11:24	PID Generated, Cor		DATE 17 Mar 20	TIME 13:54	ACFT HRS 6349.1									
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HELICOPTER								ROUNDS		ACTION CODE 6		WUC 00							
								ACTION lube complete											
								PID ALDRIDGE	CAT F	HRS 1.3	PID EDDY, C.	CAT F	HRS 1.3	PID	CAT	HRS			
ACFT HRS 6349.1			WHEN DISC O		HOW REC G		MAL EFF 2												
DELAY				WUC 00				TIPID DEFREITAS, JESSIKA				TI MANHOURS 0.1							
STATUS —		SYS A	DATE 17 Mar 20	NO 6	TIME 13:23	PID Generated, Com		DATE 17 Mar 20	TIME 13:30	ACFT HRS 6349.1									
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 17 MAR 2020. INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 09 APR 2020 OR 6385.5 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 1		WUC 00							
								ACTION complete											
								PID ROMANO,	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6349.1			WHEN DISC O		HOW REC O		MAL EFF 1												
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS A	DATE 17 Mar 20	NO 7	TIME 13:23	PID Generated, Com		DATE 17 Mar 20	TIME 13:31	ACFT HRS 6349.1									
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 17 MAR 2020. INSP A103 AIRCRAFT WASH DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 09 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1500-344-23								ROUNDS		ACTION CODE 1		WUC 00							
								ACTION complete											
								PID ROMANO,	CAT F	HRS 0.5	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6349.1			WHEN DISC O		HOW REC O		MAL EFF 1												
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 89			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 17 Mar 20	NO 8	TIME 13:29	PID ROMANO, DON		DATE 14 Apr 20	TIME 16:52		ACFT HRS 6349.1				
FAULTS/REMARKS INSP A800 30 DAY INSPECTION REQUIRED FOR LOOSE RIVETS FOUND IN CABIN CEILING BETWEEN STA 370- STA 398, RBL 20- RBL 30 ALLOWING WATER FROM OIL COOLER COMPARTMENT TO SEEP INTO CABIN FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 26 MAR 2020								ROUNDS		ACTION CODE 1		WUC 00			
								ACTION complete							
								PID ROMANO,	CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1		WHEN DISC O		HOW REC G		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS X		SYS A	DATE 17 Mar 20	NO 9	TIME 20:03	PID THOMAS, STEPH		DATE 17 Mar 20	TIME 20:43		ACFT HRS 6349.1				
FAULTS/REMARKS SWASHPLATE LUBE IN PROCESS								ROUNDS		ACTION CODE 1		WUC 00			
								ACTION COMPLETED							
								PID THOMAS,	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1		WHEN DISC Q		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPID DILLER, MATTHEW				TI MANHOURS 0.4			
STATUS —		SYS A	DATE 18 Mar 20	NO 1	TIME 00:00	PID Generated, Com		DATE 18 May 20	TIME 00:01		ACFT HRS 6349.1				
FAULTS/REMARKS INSP A533 PITOT STATIC SYSTEM INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 17 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE		WUC 00			
								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON MAY 18 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 90																	
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																					
STATUS —		M CLOSED		SYS A		DATE 19 Mar 20		NO 1		TIME 00:00		PID Generated, Cor		DATE 24 Mar 20		TIME 13:04		ACFT HRS 6349.1											
														ROUNDS		ACTION CODE 6		WUC 00											
FAULTS/REMARKS INSP A800 30 DAY INSPECTION REQUIRED FOR LOOSE RIVETS FOUND IN CABIN CEILING BETWEEN STA 370- STA 398, RBL 20- RBL 30 ALLOWING WATER FROM OIL COOLER COMPARTMENT TO SEEP INTO CABIN FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 02 APR 2020												ACTION duplicate writeup, see writeup below dated March 17th, 2020																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												MONTI, J.		F		0.1													
ACFT HRS 6349.1				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY				WUC 00				TIPID ,				TI MANHOURS																	
STATUS —		R CLOSED		SYS A		DATE 20 Mar 20		NO 1		TIME 00:00		PID Generated, Com		DATE 24 Mar 20		TIME 15:08		ACFT HRS 6349.1											
														ROUNDS		ACTION CODE 1		WUC 00											
FAULTS/REMARKS INSP A851 30 DAY LOG BOOK RECON FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 27 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: FACILITY SOP												ACTION complete																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												MONTI, J.		F		1.0													
ACFT HRS 6349.1				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY				WUC 00				TIPID ,				TI MANHOURS																	
STATUS —		R CLOSED		SYS A		DATE 20 Mar 20		NO 2		TIME 19:55		PID Generated, Com		DATE 20 Mar 20		TIME 20:02		ACFT HRS 6349.1											
														ROUNDS		ACTION CODE 6		WUC 00											
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 20 MAR 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 23 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P												ACTION Due to global pandemic situation and LMO guidance, the run up will be accomplished one in a 30 day period. This inspection is deferred. See DA Form 2408-18 for next due																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												RIEMER, J.		F		0.2													
ACFT HRS 6349.1				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY				WUC 00				TIPID ,				TI MANHOURS																	




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 91													
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																	
STATUS —				SYS A		DATE 20 Mar 20		NO 3		TIME 19:56		PID Generated, Cor		DATE 01 Apr 20		TIME 11:29		ACFT HRS 6349.1							
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 20 MAR 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 04 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 1		WUC 00				ACTION complete									
								PID ROMANO,		CAT F		HRS 0.2		PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1																	
DELAY will complete						WUC 00				TIPID ,				TI MANHOURS											
STATUS —				SYS A		DATE 24 Mar 20		NO 1		TIME 14:56		PID Generated, Com		DATE 24 Mar 20		TIME 15:03		ACFT HRS							
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00				ACTION COMPLETED									
								PID ROMANO,		CAT F		HRS 2.0		PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1																	
DELAY						WUC 00				TIPID ,				TI MANHOURS											
STATUS —				SYS A		DATE 24 Mar 20		NO 2		TIME 14:57		PID Generated, Com		DATE 24 Mar 20		TIME 15:07		ACFT HRS 6349.1							
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 00				ACTION complete									
								PID ROMANO,		CAT F		HRS 0.2		PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6349.1				WHEN DISC O		HOW REC G		MAL EFF 2																	
DELAY						WUC 00				TIPID ,				TI MANHOURS											




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 92							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —				SYS E		DATE 25 Mar 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 28 Mar 20		TIME 00:01		ACFT HRS 6349.1	
FAULTS/REMARKS INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6359.1 AIRCRAFT HOURS OR 27 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ROUNDS		ACTION CODE		WUC 00							
								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON MAR 28 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT											
								PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —				SYS E		DATE 27 Mar 20		NO 1		TIME 00:01		PID Generated, Com		DATE 01 Apr 20		TIME 08:44		ACFT HRS 6349.1	
FAULTS/REMARKS INSP E040 APR-39 RADAR/LASER WARNING OPNL CHECK, 5841-01-236-8951 FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 14 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5841-294-12								ROUNDS		ACTION CODE G		WUC 76A							
								ACTION moc ok											
								PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —				SYS E		DATE 27 Mar 20		NO 2		TIME 00:01		PID Generated, Com		DATE 01 Apr 20		TIME 08:45		ACFT HRS 6349.1	
FAULTS/REMARKS INSP E125 KY-58 PMCS/OPNL CHECK FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 14 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5810-262-23								ROUNDS		ACTION CODE G		WUC 19C02							
								ACTION moc ok											
								PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 93					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS X		SYS E	DATE 28 Mar 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 31 Mar 20	TIME 14:55	ACFT HRS 6349.1							
								ROUNDS	ACTION CODE 3		WUC 00						
FAULTS/REMARKS INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 6359.1 AIRCRAFT HOURS OR 27 MAR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ACTION INSP OK									
								PID THOMAS,	CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1					
STATUS —		SYS A	DATE 31 Mar 20	NO 1	TIME 14:39	PID Generated, Com		DATE 31 Mar 20	TIME 14:39	ACFT HRS							
								ROUNDS	ACTION CODE 3		WUC 00						
FAULTS/REMARKS PMD Due								ACTION COMPLETED									
								PID THOMAS,	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A	DATE 31 Mar 20	NO 2	TIME 14:41	PID Generated, Com		DATE 31 Mar 20	TIME 14:54	ACFT HRS 6349.1							
								ROUNDS	ACTION CODE 3		WUC 00						
FAULTS/REMARKS PMD DUE								ACTION COMPLETED									
								PID THOMAS,	CAT F	HRS 0.4	PID	CAT	HRS	PID	CAT	HRS	
ACFT HRS 6349.1		WHEN DISC O		HOW REC G		MAL EFF 2											
DELAY				WUC 00				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 94			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 31 Mar 20	NO 3	TIME 15:22	PID Generated, Cor		DATE 31 Mar 20	TIME 15:29	ACFT HRS 6349.1					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 31 MAR 2020. INSP A815 PERFORM FLIR TURRET UNIT NITROGEN PURGE FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 06 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M								ROUNDS		ACTION CODE 6		WUC 00			
								ACTION COMPLETED							
								PID THOMAS,	CAT F	HRS 1.5	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 01 Apr 20	NO 1	TIME 00:00	PID Generated, Com		DATE 01 Apr 20	TIME 08:41	ACFT HRS 6349.1					
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 07 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-6140-203-23 P								ROUNDS		ACTION CODE G		WUC 09B01A			
								ACTION insp ok							
								PID GONZALEZ	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS E	DATE 01 Apr 20	NO 1	TIME 00:00	PID Generated, Com		DATE 01 Apr 20	TIME 08:42	ACFT HRS 6349.1					
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 07 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5821-357-12P								ROUNDS		ACTION CODE G		WUC 19D01			
								ACTION BATTERY INSP/REPLACEMENT NOT REQUIRED (BATTERY NOT INSTALLED DUE TO MINIMAL MISSION REQUIERMENTS; SEE MAINT. AVIONICS MEMO DTD:)							
								PID GONZALEZ	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 95					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 01 Apr 20		NO 2		TIME 07:30		PID Generated, Cor		DATE 01 Apr 20		TIME 07:37		ACFT HRS 6349.1	
												ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 01 APR 2020. INSP A816 PERFORM FLIR TURRET UNIT DESICCANT CARTRIDGE INSPECTION / REPLACEMENT FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 06 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M										ACTION complete							
												PID ROMANO,		CAT F		HRS 0.3	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS E		DATE 01 Apr 20		NO 2		TIME 08:32		PID Generated, Com		DATE 01 Apr 20		TIME 08:43		ACFT HRS 6349.1	
												ROUNDS		ACTION CODE G		WUC 19R	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 01 APR 2020. INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6474.1 AIRCRAFT HOURS OR 19 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1516 R12										ACTION moc ok							
												PID GONZALEZ		CAT F		HRS 1.0	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A		DATE 05 Apr 20		NO 1		TIME 00:01		PID Generated, Com		DATE 07 Apr 20		TIME 12:51		ACFT HRS 6349.1	
												ROUNDS		ACTION CODE 6		WUC 02	
FAULTS/REMARKS INSP A177 90 DAY REVIEW/UPDATE OF 365-4 ENTRIES FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 23 APR 2020 REFERENCE: AR 95-1										ACTION COMPLETED							
												PID LIMOGES,		CAT F		HRS 1.0	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 96							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 07 Apr 20	NO 1	TIME 12:35	PID Generated, Cor		DATE 07 Apr 20	TIME 13:25	ACFT HRS 6349.1									
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 00							
								ACTION COMPLETED											
								PID THOMAS,	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6349.1		WHEN DISC O		HOW REC G		MAL EFF 2													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS A	DATE 07 Apr 20	NO 2	TIME 12:35	PID Generated, Com		DATE 07 Apr 20	TIME 13:19	ACFT HRS									
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00							
								ACTION COMPLETED											
								PID THOMAS,	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS E	DATE 07 Apr 20	NO 1	TIME 13:21	PID Generated, Com		DATE 07 Apr 20	TIME 13:28	ACFT HRS 6349.1									
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 07 APR 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6359.1 AIRCRAFT HOURS OR 14 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ROUNDS		ACTION CODE 3		WUC 00							
								ACTION INSP OK											
								PID THOMAS,	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 97					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS E		DATE 08 Apr 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 06 May 20		TIME 09:41		ACFT HRS 6349.1	
												ROUNDS		ACTION CODE G		WUC 08F01A	
FAULTS/REMARKS INSP E331 UNDER WATER ACOUSTIC BEACON TEST AND CLEAN FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6745.5 AIRCRAFT HOURS OR 14 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23_P										ACTION insp ok							
												PID		CAT		HRS	
												MARTEL, D		F		1.0	
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A		DATE 09 Apr 20		NO 1		TIME 00:00		PID Generated, Com		DATE 15 Apr 20		TIME 15:51		ACFT HRS 6349.1	
												ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 15 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751										ACTION completed							
												PID		CAT		HRS	
												MONTI, J.		F		0.5	
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A		DATE 10 Apr 20		NO 1		TIME 09:58		PID Generated, Com		DATE 10 Apr 20		TIME 10:18		ACFT HRS 6349.1	
												ROUNDS		ACTION CODE B		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 10 APR 2020. INSP A553 AIRCRAFT WEIGHING INVENTORY (365-1) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 22 FEB 2021 REFERENCE: AR 95-1										ACTION UPDATED TO FIX SCHEDULER ON AWBS							
												PID		CAT		HRS	
												DEFREITAS		F		0.1	
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 98															
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																			
STATUS —				SYS A		DATE 13 Apr 20		NO 1		TIME 00:00		PID Generated, Cor		DATE 14 Apr 20		TIME 16:27		ACFT HRS 6349.1									
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 19 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1500-344-23								ROUNDS				ACTION CODE 1				WUC 00											
								ACTION COMPLETED								PID		CAT		HRS		PID		CAT		HRS	
																THOMAS,		F		1.5							
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY				WUC 00				TIPID ,				TI MANHOURS															
STATUS —				SYS A		DATE 13 Apr 20		NO 2		TIME 00:00		PID Generated, Com		DATE 14 Apr 20		TIME 16:51		ACFT HRS 6349.1									
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 19 APR 2020 OR 6393.1 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS				ACTION CODE 1				WUC 00											
								ACTION complete								PID		CAT		HRS		PID		CAT		HRS	
																ROMANO,		F		0.3							
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY				WUC 00				TIPID ,				TI MANHOURS															
STATUS —				SYS E		DATE 14 Apr 20		NO 1		TIME 00:00		PID Generated, Com		DATE 20 May 20		TIME 12:39		ACFT HRS 6350.4									
FAULTS/REMARKS INSP E135 AN/ARC-201(V) SINGGARS RADIO HUB BATT REPL FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 20 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5821-333-12								ROUNDS				ACTION CODE A				WUC 19C02											
								ACTION replaced								PID		CAT		HRS		PID		CAT		HRS	
																GONZALEZ		F		1.0							
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY				WUC 00				TIPID ,				TI MANHOURS															




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 99				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 14 Apr 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 17 Apr 20	TIME 00:00	ACFT HRS 6349.1						
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 16 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE		WUC 00				
								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON APR 17 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,			TI MANHOURS					
STATUS —		SYS A	DATE 14 Apr 20	NO 2	TIME 15:15	PID Generated, Com		DATE 14 Apr 20	TIME 16:22	ACFT HRS 6349.1						
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00				
								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								THOMAS,	F	0.1						
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,			TI MANHOURS					
STATUS X		SYS A	DATE 14 Apr 20	NO 3	TIME 15:16	PID Generated, Com		DATE 14 Apr 20	TIME 16:50	ACFT HRS 6349.1						
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HELICOPTER								ROUNDS		ACTION CODE 1		WUC 00				
								ACTION complete								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ROMANO,	F	0.3						
ACFT HRS 6349.1		WHEN DISC O		HOW REC G		MAL EFF 2										
DELAY				WUC 00				TIPID HARKER, CHRISTOPHER			TI MANHOURS 0.1					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 100															
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																			
STATUS —				SYS A		DATE 14 Apr 20		NO 4		TIME 15:16		PID Generated, Cor		DATE 14 Apr 20		TIME 16:21		ACFT HRS 6349.1									
FAULTS/REMARKS PMD DUE								ROUNDS								ACTION CODE 3		WUC 00									
								ACTION COMPLETED								PID		CAT		HRS		PID		CAT		HRS	
																THOMAS,		F		0.2							
ACFT HRS 6349.1				WHEN DISC O				HOW REC G				MAL EFF 2															
DELAY				WUC 00				TIPID ,				TI MANHOURS															
STATUS —				SYS A		DATE 14 Apr 20		NO 5		TIME 16:14		PID Generated, Com		DATE 14 Apr 20		TIME 16:14		ACFT HRS									
FAULTS/REMARKS PMD Due								ROUNDS								ACTION CODE 3		WUC 00									
								ACTION COMPLETED								PID		CAT		HRS		PID		CAT		HRS	
																THOMAS,		F		1.0							
ACFT HRS 6349.1				WHEN DISC O				HOW REC O				MAL EFF 1															
DELAY				WUC 00				TIPID ,				TI MANHOURS															
STATUS —				SYS E		DATE 14 Apr 20		NO 2		TIME 16:16		PID Generated, Com		DATE 14 Apr 20		TIME 16:30		ACFT HRS 6349.1									
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 14 APR 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6359.1 AIRCRAFT HOURS OR 21 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ROUNDS								ACTION CODE 3		WUC 00									
								ACTION INSP OK								PID		CAT		HRS		PID		CAT		HRS	
																THOMAS,		F		0.2							
ACFT HRS 6349.1				WHEN DISC O				HOW REC O				MAL EFF 1															
DELAY				WUC 00				TIPID ,				TI MANHOURS															

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 101					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		G CLOSED	SYS A	DATE 15 Apr 20		NO 1	TIME 00:00		PID Generated, Cor		DATE 21 Apr 20		TIME 10:02		ACFT HRS 6349.1		
								ROUNDS		ACTION CODE G				WUC 09B01A			
FAULTS/REMARKS INSP A108 AIRCRAFT BATTERY PMCS FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6404.1 AIRCRAFT HOURS OR 21 APR 2020 ADDENDUM: EXTENSION AUTHORIZED IAW REGULATION REFERENCE: TM 11-6140-203-23								ACTION insp ok									
								PID GONZALEZ		CAT F	HRS 1.0	PID		CAT	HRS	PID	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		D CLOSED	SYS A	DATE 16 Apr 20		NO 1	TIME 00:00		PID Generated, Com		DATE 01 May 20		TIME 00:00		ACFT HRS 6349.1		
								ROUNDS		ACTION CODE				WUC 00			
FAULTS/REMARKS INSP A800 30 DAY INSPECTION REQUIRED FOR LOOSE RIVETS FOUND IN CABIN CEILING BETWEEN STA 370- STA 398, RBL 20- RBL 30 ALLOWING WATER FROM OIL COOLER COMPARTMENT TO SEEP INTO CABIN FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 30 APR 2020								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON MAY 1 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
								PID		CAT	HRS	PID		CAT	HRS	PID	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS ⊗		D CLOSED	SYS A	DATE 16 Apr 20		NO 2	TIME 11:11		PID DEFREITAS, JESS		DATE 19 May 20		TIME 11:30		ACFT HRS 6349.1		
								ROUNDS		ACTION CODE B				WUC 00			
FAULTS/REMARKS OPERATE WITHIN LIMITATIONS PRESCRIBED IN ENCLOSED AWRs DATED AWR 980 (FP SKED RESCUE SYS) R23 21 JUN 19; AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1452 (LC6 CLOCK) R7 22 APR 19; AWR 1455 (BATTELLE C/A PANEL) R8 31 OCT19; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1566 (CABLE GUARD) R7 05 FEB 19; AWR 1594 (H-60L W/ 701D) R7 22 NOV 19; AWR 1607 (LED								ACTION updated									
								PID DILLER, M		CAT F	HRS 0.1	PID		CAT	HRS	PID	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID DEFREITAS, JESSIKA				TI MANHOURS 0.1					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 102			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS X		SYS A	DATE 17 Apr 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 21 Apr 20	TIME 12:12	ACFT HRS 6349.1					
								ROUNDS	ACTION CODE 4			WUC 00			
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 16 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ACTION Acft run up no issues							
								PID JONES, G.	CAT F	HRS 0.5	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1			WHEN DISC O	HOW REC O	MAL EFF 1										
DELAY				WUC 00				TIPID LIMOGES, MICHAEL			TI MANHOURS 0.1				
STATUS —		SYS A	DATE 20 Apr 20	NO 1	TIME 00:01	PID Generated, Com		DATE 27 Apr 20	TIME 10:21	ACFT HRS 6349.1					
								ROUNDS	ACTION CODE 6			WUC 02			
FAULTS/REMARKS INSP A851 30 DAY LOG BOOK RECON FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 27 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: FACILITY SOP								ACTION COMPLETED							
								PID LIMOGES,	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1			WHEN DISC O	HOW REC O	MAL EFF 1										
DELAY				WUC 00				TIPID ,			TI MANHOURS				
STATUS —		SYS A	DATE 21 Apr 20	NO 1	TIME 11:11	PID Generated, Com		DATE 22 Apr 20	TIME 09:54	ACFT HRS 6349.1					
								ROUNDS	ACTION CODE 6			WUC 02			
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-04 DESCRIPTION: COMPLY WITH H-60-20-ASAM-04, MAIN ROTOR BLADE TAP TEST INSPECTION. IS DUE: 27 APR 2020 CALENDAR								ACTION COMPLIED WITH							
								PID LIMOGES,	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1			WHEN DISC O	HOW REC O	MAL EFF 1										
DELAY				WUC 00				TIPID DILLER, MATTHEW			TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 103			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 21 Apr 20	NO 2	TIME 14:58	PID Generated, Cor		DATE 21 Apr 20	TIME 15:45	ACFT HRS 6349.1					
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 00			
								ACTION complete							
								PID ROMANO,	CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1		WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 21 Apr 20	NO 3	TIME 14:58	PID Generated, Com		DATE 22 Apr 20	TIME 14:59	ACFT HRS					
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00			
								ACTION COMPLETED							
								PID ROMANO,	CAT F	HRS 2.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 22 Apr 20	NO 1	TIME 10:32	PID LIMOGES, MICH		DATE 11 Dec 20	TIME 13:55	ACFT HRS 6395.1					
FAULTS/REMARKS COMPLY WITH REQUIREMENT OF H-60-20-ASAM-04 MAIN ROTOR BLADE TAP TEST INSPECTION @ 6411.4 ACFT HRS BUT NLT 20 APR 22								ROUNDS		ACTION CODE G		WUC 00			
								ACTION SEE FAULT # 1 DATED 21 APR 2020.							
								PID BRIDGES, R	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1		WHEN DISC H		HOW REC G		MAL EFF 2									
DELAY				WUC 02				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 104															
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																			
STATUS —		SYS E		DATE 26 Apr 20		NO 1		TIME 00:00		PID Generated, Com		DATE 29 Apr 20		TIME 00:00		ACFT HRS 6349.1											
												ROUNDS		ACTION CODE		WUC 00											
FAULTS/REMARKS INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6359.1 AIRCRAFT HOURS OR 28 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON APR 29 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													
STATUS —		SYS A		DATE 27 Apr 20		NO 1		TIME 00:00		PID Generated, Com		DATE 29 Apr 20		TIME 12:57		ACFT HRS 6349.1											
												ROUNDS		ACTION CODE 6		WUC 00											
FAULTS/REMARKS INSP A815 PERFORM FLIR TURRET UNIT NITROGEN PURGE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 30 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M										ACTION completed inspection, found ok																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										MONTI, J.		F		1.2													
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													
STATUS —		SYS E		DATE 28 Apr 20		NO 1		TIME 00:00		PID Generated, Com		DATE 05 May 20		TIME 00:01		ACFT HRS 6349.1											
												ROUNDS		ACTION CODE		WUC 00											
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6474.1 AIRCRAFT HOURS OR 04 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1516 R12										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON MAY 5 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 105							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —				SYS A		DATE 28 Apr 20		NO 1		TIME 00:00		PID Generated, Cor		DATE 29 Apr 20		TIME 16:07		ACFT HRS 6349.1	
FAULTS/REMARKS INSP A816 PERFORM FLIR TURRET UNIT DESICCANT CARTRIDGE INSPECTION / REPLACEMENT FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 01 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M								ROUNDS		ACTION CODE 6		WUC 00		ACTION completed					
								PID		CAT		HRS							
								ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1		MONTI, J.		F	
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS X				SYS E		DATE 29 Apr 20		NO 1		TIME 00:00		PID Generated, Com		DATE 29 Apr 20		TIME 09:12		ACFT HRS 6349.1	
FAULTS/REMARKS INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 6359.1 AIRCRAFT HOURS OR 28 APR 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ROUNDS		ACTION CODE 6		WUC 00		ACTION completed					
								PID		CAT		HRS							
								ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1		MONTI, J.		F	
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1							
STATUS —				SYS A		DATE 29 Apr 20		NO 1		TIME 07:43		PID Generated, Com		DATE 29 Apr 20		TIME 09:08		ACFT HRS	
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00		ACTION COMPLETED					
								PID		CAT		HRS							
								ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1		MONTI, J.		F	
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 106			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 29 Apr 20	NO 2	TIME 07:44	PID Generated, Cor		DATE 29 Apr 20	TIME 09:15	ACFT HRS 6349.1					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 29 APR 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6360.1 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMO								ROUNDS		ACTION CODE 3		WUC 00			
								ACTION completed							
								PID MONTI, J.	CAT F	HRS 0.5	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 29 Apr 20	NO 3	TIME 07:44	PID Generated, Com		DATE 29 Apr 20	TIME 09:10	ACFT HRS 6349.1					
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 00			
								ACTION completed							
								PID MONTI, J.	CAT F	HRS 1.5	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1		WHEN DISC O	HOW REC G	MAL EFF 2											
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 30 Apr 20	NO 1	TIME 08:48	PID Generated, Com		DATE 30 Apr 20	TIME 11:10	ACFT HRS 6349.1					
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-ASAM-05 DESCRIPTION: COMPLY WITH H-60-20-ASAM-05, FIRE EXTINGUISHING SYSTEM FORWARD DISTRIBUTION TUBE, BY 11 MAY 20.. IS DUE: 11 MAY 2020 CALENDAR								ROUNDS		ACTION CODE T		WUC 00			
								ACTION COMPLIED WITH							
								PID DEFREITAS	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID DILLER, MATTHEW				TI MANHOURS 0.1			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 107							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		G CLOSED SYS A		DATE 01 May 20		NO 1		TIME 00:00		PID Generated, Cor		DATE 06 May 20		TIME 09:32		ACFT HRS 6349.1			
												ROUNDS		ACTION CODE G		WUC 09B01A			
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 07 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-6140-203-23 P										ACTION insp ok									
										PID MARTEL, D		CAT F		HRS 1.0		PID		CAT	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		G CLOSED SYS E		DATE 01 May 20		NO 1		TIME 00:00		PID Generated, Com		DATE 06 May 20		TIME 09:39		ACFT HRS 6349.1			
												ROUNDS		ACTION CODE G		WUC 19D01			
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 07 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5821-357-12P										ACTION BATTERY INSP/REPLACEMENT NOT REQUIRED (BATTERY NOT INSTALLED DUE TO MINIMAL MISSION REQUIERMENTS; SEE MAINT. AVIONICS MEMO DTD:)									
										PID GONZALEZ		CAT F		HRS 0.1		PID		CAT	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS X		L CLOSED SYS A		DATE 01 May 20		NO 2		TIME 00:00		PID Generated, Com		DATE 05 May 20		TIME 08:04		ACFT HRS 6349.1			
												ROUNDS		ACTION CODE 1		WUC 00			
FAULTS/REMARKS INSP A800 30 DAY INSPECTION REQUIRED FOR LOOSE RIVETS FOUND IN CABIN CEILING BETWEEN STA 370- STA 398, RBL 20- RBL 30 ALLOWING WATER FROM OIL COOLER COMPARTMENT TO SEEP INTO CABIN FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 30 APR 2020										ACTION insp ok									
										PID ROMANO, F		CAT F		HRS 0.5		PID		CAT	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 108					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 04 May 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 06 May 20		TIME 13:26		ACFT HRS 6349.1	
												ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 06 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION complete							
												PID		CAT		HRS	
												ROMANO,		F		0.2	
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS X		SYS E		DATE 05 May 20		NO 1		TIME 00:01		PID Generated, Com		DATE 05 May 20		TIME 08:39		ACFT HRS 6349.1	
												ROUNDS		ACTION CODE G		WUC 02	
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 6474.1 AIRCRAFT HOURS OR 04 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1516 R12										ACTION complete no faults found							
												PID		CAT		HRS	
												GONZALEZ		F		1.0	
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID MARTEL, DANIEL				TI MANHOURS 0.3					
STATUS —		SYS A		DATE 06 May 20		NO 1		TIME 13:16		PID Generated, Com		DATE 06 May 20		TIME 15:41		ACFT HRS	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due										ACTION COMPLETED							
												PID		CAT		HRS	
												ROMANO,		F		2.0	
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 109							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 06 May 20	NO 2	TIME 13:17	PID Generated, Cor		DATE 06 May 20	TIME 15:55	ACFT HRS 6349.1									
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 00							
								ACTION insp ok											
								PID ROMANO,	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6349.1		WHEN DISC O		HOW REC G		MAL EFF 2													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS ⊗		SYS A	DATE 06 May 20	NO 3	TIME 16:17	PID ROMANO, DON		DATE 19 May 20	TIME 17:17	ACFT HRS 6349.1									
FAULTS/REMARKS acft restricted from hoist operations due to quaterly insp being over due								ROUNDS		ACTION CODE E		WUC 14							
								ACTION completed											
								PID ROMANO,	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6349.1		WHEN DISC Q		HOW REC G		MAL EFF 1													
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1							
STATUS —		SYS A	DATE 09 May 20	NO 1	TIME 00:01	PID Generated, Com		DATE 13 May 20	TIME 11:43	ACFT HRS 6349.1									
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 15 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751								ROUNDS		ACTION CODE 1		WUC 00							
								ACTION complete											
								PID ROMANO,	CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 110					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		 SYS E		DATE 10 May 20		NO 1		TIME 00:00		PID Generated, Cor		DATE 12 May 20		TIME 07:18		ACFT HRS 6349.1	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6359.1 AIRCRAFT HOURS OR 12 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION INSP OK							
												PID THOMAS,		CAT F		HRS 0.2	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			
STATUS —		 SYS A		DATE 12 May 20		NO 1		TIME 09:22		PID Generated, Com		DATE 12 May 20		TIME 09:31		ACFT HRS 6349.1	
												ROUNDS		ACTION CODE E		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 12 MAY 2020. INSP A103 AIRCRAFT WASH DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 19 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1500-344-23										ACTION COMPLETED							
												PID THOMAS,		CAT F		HRS 1.5	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			
STATUS —		 SYS A		DATE 12 May 20		NO 2		TIME 09:22		PID Generated, Com		DATE 12 May 20		TIME 11:16		ACFT HRS 6349.1	
												ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 12 MAY 2020. INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6393.1 AIRCRAFT HOURS OR 19 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION complete							
												PID THOMAS,		CAT F		HRS 0.3	
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 111			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS X		SYS A	DATE 12 May 20	NO 3	TIME 09:24	PID Generated, Cor		DATE 12 May 20	TIME 13:47	ACFT HRS 6349.1					
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HELICOPTER								ROUNDS		ACTION CODE 1		WUC 00			
								ACTION COMPLETED							
								PID THOMAS,	CAT F	HRS 0.3	PID ROMANO,	CAT F	HRS 0.3	PID	CAT
ACFT HRS 6349.1		WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1			
STATUS —		SYS A	DATE 12 May 20	NO 4	TIME 09:24	PID Generated, Com		DATE 12 May 20	TIME 13:45	ACFT HRS 6349.1					
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 00			
								ACTION COMPLETED							
								PID THOMAS,	CAT F	HRS 0.3	PID ROMANO,	CAT F	HRS 0.3	PID	CAT
ACFT HRS 6349.1		WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 12 May 20	NO 5	TIME 09:25	PID Generated, Com		DATE 12 May 20	TIME 13:41	ACFT HRS					
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00			
								ACTION COMPLETED							
								PID ROMANO,	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 112													
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																	
STATUS —				SYS A		DATE 13 May 20		NO 1		TIME 00:00		PID Generated, Cor		DATE 05 Jun 20		TIME 08:18		ACFT HRS 6350.4							
FAULTS/REMARKS INSP A298 LUBRICATE TAIL WHEEL BEARINGS FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 12 JUL 2020 OR 6708.3 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 1		WUC 00				ACTION complete									
								PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
								ROMANO,		F		0.2													
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1																	
DELAY				WUC 00		TIPID ,				TI MANHOURS															
STATUS X				SYS A		DATE 13 May 20		NO 2		TIME 16:36		PID LIMOGES, MICH		DATE 19 May 20		TIME 16:01		ACFT HRS 6349.1							
FAULTS/REMARKS CRACK FOUND ON STABILATOR PRIMARY SKIN BEADED PANEL AT RH BL 7.0 (APPROX) WITH AN APPROXIMATE LEGNTH OF 1.75 INCHES.								ROUNDS		ACTION CODE A		WUC 00				ACTION REPLACED STABILATOR									
								PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
								THOMAS,		F		0.2													
ACFT HRS 6349.1				WHEN DISC K		HOW REC G		MAL EFF 2																	
DELAY				WUC 02		TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1															
STATUS —				SYS A		DATE 15 May 20		NO 1		TIME 00:00		PID Generated, Com		DATE 20 May 20		TIME 12:40		ACFT HRS 6350.4							
FAULTS/REMARKS INSP A108 AIRCRAFT BATTERY PMCS FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 21 MAY 2020 OR 6404.1 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED IAW REGULATION REFERENCE: TM 11-6140-203-23								ROUNDS		ACTION CODE G		WUC 09B01A				ACTION moc ok									
								PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
								GONZALEZ,		F		1.0													
ACFT HRS 6349.1				WHEN DISC O		HOW REC O		MAL EFF 1																	
DELAY				WUC 00		TIPID ,				TI MANHOURS															

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 113							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		 SYS E		DATE 16 May 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 18 Jun 20		TIME 10:58		ACFT HRS 6366.5			
												ROUNDS		ACTION CODE A		WUC 19			
FAULTS/REMARKS INSP E015 ASN 128D DOPPLER GPS BATTERY REPLACEMENT FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 21 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: MWO 1-1520-237-50-92										ACTION replaced									
										PID		CAT		HRS		PID		CAT	
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1		THOMAS,		F		1.0							
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS X		 SYS A		DATE 18 May 20		NO 1		TIME 00:01		PID Generated, Com		DATE 19 May 20		TIME 15:58		ACFT HRS 6349.1			
												ROUNDS		ACTION CODE 5		WUC 08C			
FAULTS/REMARKS INSP A533 PITOT STATIC SYSTEM INSPECTION FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 17 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION complete no faults found									
										PID		CAT		HRS		PID		CAT	
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1		GONZALEZ		F		2.0		THOMAS,		F		2.0	
DELAY				WUC 00				TIPID MARTEL, DANIEL				TI MANHOURS 0.5							
STATUS —		 SYS A		DATE 18 May 20		NO 2		TIME 00:01		PID Generated, Com		DATE 19 May 20		TIME 19:56		ACFT HRS 6350.4			
												ROUNDS		ACTION CODE 4		WUC 00			
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 20 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION flown									
										PID		CAT		HRS		PID		CAT	
ACFT HRS 6349.1		WHEN DISC O		HOW REC O		MAL EFF 1		RIEMER, J.		F		0.2							
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 114			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS X		SYS A	DATE 19 May 20	NO 1	TIME 08:29	PID Generated, Cor		DATE 19 May 20	TIME 14:48	ACFT HRS 6349.1					
FAULTS/REMARKS STABILATOR REMOVED								ROUNDS			ACTION CODE A			WUC 00	
								ACTION REPLACED STABILATOR							
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1								WHEN DISC O		HOW REC G		MAL EFF 2			
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1			
STATUS ⊗		SYS A	DATE 19 May 20	NO 2	TIME 12:08	PID DEFREITAS, JESS		DATE 21 Jul 20	TIME 14:59	ACFT HRS 6374.1					
FAULTS/REMARKS OPERATE WITHIN LIMITATIONS PRESCRIBED IN ENCLOSED AWRs DATED AWR 980 (FP SKED RESCUE SYS) R23 21 JUN 19; AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1452 (LC6 CLOCK) R7 22 APR 19; AWR 1455 (BATTLE C/A PANEL) R8 31 OCT19; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1566 (CABLE GUARD) R7 05 FEB 19; AWR 1594 (H-60L W/ 701D) R7 22 NOV 19; AWR 1607 (LED								ROUNDS			ACTION CODE B			WUC 00	
								ACTION updated							
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1								WHEN DISC O		HOW REC O		MAL EFF 1			
DELAY				WUC 00				TIPID DEFREITAS, JESSIKA				TI MANHOURS 0.1			
STATUS ⊗		SYS A	DATE 19 May 20	NO 3	TIME 15:52	PID THOMAS, STEPH		DATE 20 May 20	TIME 07:36	ACFT HRS 6350.4					
FAULTS/REMARKS AIRCRAFT RESTRICTED TO MAINTENANCE TEST FLIGHTS ONLY DUE TO REPLACEMENT OF STABILATOR								ROUNDS			ACTION CODE 4			WUC 00	
								ACTION mtf completed							
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT
ACFT HRS 6349.1								WHEN DISC M		HOW REC G		MAL EFF 1			
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 115							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 19 May 20	NO 4	TIME 15:54	PID THOMAS, STEPHEN		DATE 19 May 20	TIME 19:54	ACFT HRS 6350.4									
FAULTS/REMARKS MAINTENANCE TEST FLIGHT DUE FOR REPLACEMENT OF STABILATOR								ROUNDS		ACTION CODE 4		WUC 00							
								ACTION mtf completed											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
								THOMAS, J.	F	1.3									
ACFT HRS 6349.1		WHEN DISC M		HOW REC G		MAL EFF 1													
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS A	DATE 19 May 20	NO 5	TIME 22:12	PID RIEMER, JASON		DATE 20 May 20	TIME 15:11	ACFT HRS 6350.4									
FAULTS/REMARKS fuel servicing due								ROUNDS		ACTION CODE 2		WUC 00							
								ACTION COMPLETED											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
								THOMAS, J.	F	0.2									
ACFT HRS 6350.4		WHEN DISC G		HOW REC G		MAL EFF 2													
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS A	DATE 20 May 20	NO 1	TIME 10:28	PID Generated, Com		DATE 20 May 20	TIME 15:07	ACFT HRS 6350.4									
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00							
								ACTION COMPLETED											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
								THOMAS, J.	F	0.1									
ACFT HRS 6350.4		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPIID ,				TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 116				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 20 May 20	NO 2	TIME 10:30	PID Generated, Cor		DATE 20 May 20		TIME 15:05		ACFT HRS 6350.4				
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 00				
								ACTION INSP OK								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								THOMAS,	F	1.0						
ACFT HRS 6350.4		WHEN DISC O		HOW REC G		MAL EFF 2										
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 20 May 20	NO 3	TIME 15:04	PID Generated, Com		DATE 20 May 20		TIME 15:04		ACFT HRS				
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00				
								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								THOMAS,	F	1.0						
ACFT HRS 6350.4		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 20 May 20	NO 4	TIME 15:06	PID Generated, Com		DATE 20 May 20		TIME 15:14		ACFT HRS 6350.4				
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 20 MAY 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6360.1 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD								ROUNDS		ACTION CODE 3		WUC 00				
								ACTION insp ok								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								THOMAS,	F	0.3						
ACFT HRS 6350.4		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 117					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		 SYS E		DATE 20 May 20		NO 1		TIME 15:07		PID Generated, Cor		DATE 20 May 20		TIME 15:15		ACFT HRS 6350.4	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 20 MAY 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6359.1 AIRCRAFT HOURS OR 26 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION insp ok							
										PID THOMAS,		CAT F		HRS 0.2		PID	
ACFT HRS 6350.4				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00		TIPID ,				TI MANHOURS					
STATUS —		 SYS A		DATE 22 May 20		NO 1		TIME 00:01		PID Generated, Com		DATE 28 May 20		TIME 14:20		ACFT HRS 6350.4	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSP A851 30 DAY LOG BOOK RECON FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 29 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: FACILITY SOP										ACTION COMPLETED							
										PID THOMAS,		CAT F		HRS 0.3		PID	
ACFT HRS 6350.4				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00		TIPID ,				TI MANHOURS					
STATUS —		 SYS A		DATE 27 May 20		NO 1		TIME 00:00		PID Generated, Com		DATE 31 May 20		TIME 00:00		ACFT HRS 6350.4	
												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A815 PERFORM FLIR TURRET UNIT NITROGEN PURGE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 30 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON MAY 31 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
										PID		CAT		HRS		PID	
ACFT HRS 6350.4				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00		TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 118				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 28 May 20	NO 1	TIME 00:00	PID Generated, Cor		DATE 01 Jun 20	TIME 00:00	ACFT HRS 6350.4						
FAULTS/REMARKS INSP A816 PERFORM FLIR TURRET UNIT DESICCANT CARTRIDGE INSPECTION / REPLACEMENT FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 31 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M								ROUNDS	ACTION CODE			WUC 00				
								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JUN 1 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6350.4			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,			TI MANHOURS					
STATUS —		SYS A	DATE 28 May 20	NO 2	TIME 00:00	PID Generated, Com		DATE 05 Jun 20	TIME 08:21	ACFT HRS 6350.4						
FAULTS/REMARKS INSP A800 30 DAY INSPECTION REQUIRED FOR LOOSE RIVETS FOUND IN CABIN CEILING BETWEEN STA 370- STA 398, RBL 20- RBL 30 ALLOWING WATER FROM OIL COOLER COMPARTMENT TO SEEP INTO CABIN FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 11 JUN 2020								ROUNDS	ACTION CODE 1			WUC 00				
								ACTION complete								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ROMANO,	F	0.5						
ACFT HRS 6350.4			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,			TI MANHOURS					
STATUS —		SYS A	DATE 28 May 20	NO 3	TIME 08:32	PID Generated, Com		DATE 28 May 20	TIME 09:11	ACFT HRS						
FAULTS/REMARKS PMD Due								ROUNDS	ACTION CODE 3			WUC 00				
								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								THOMAS,	F	1.0						
ACFT HRS 6350.4			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,			TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 119						
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION										
STATUS —		 SYS A		DATE 28 May 20		NO 4		TIME 08:33		PID Generated, Cor		DATE 28 May 20		TIME 09:25		ACFT HRS 6350.4		
												ROUNDS		ACTION CODE 3		WUC 00		
FAULTS/REMARKS PMD DUE										ACTION COMPLETED								
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
										THOMAS,	F	1.0						
ACFT HRS 6350.4				WHEN DISC O		HOW REC G		MAL EFF 2										
DELAY						WUC 00		TIPID ,				TI MANHOURS						
STATUS —		 SYS E		DATE 28 May 20		NO 1		TIME 09:13		PID Generated, Com		DATE 28 May 20		TIME 09:30		ACFT HRS 6350.4		
												ROUNDS		ACTION CODE 3		WUC 00		
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 28 MAY 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6360.4 AIRCRAFT HOURS OR 03 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION INSP OK								
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
										THOMAS,	F	0.2						
ACFT HRS 6350.4				WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY						WUC 00		TIPID ,				TI MANHOURS						
STATUS —		 SYS A		DATE 28 May 20		NO 5		TIME 09:13		PID Generated, Com		DATE 04 Jun 20		TIME 13:58		ACFT HRS 6350.4		
												ROUNDS		ACTION CODE 3		WUC 00		
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R11 13 MAR 20; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R6 21 SEP 18; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11JAN19;										ACTION COMPELTED								
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
										THOMAS,	F	0.1						
ACFT HRS 6350.4				WHEN DISC X		HOW REC G		MAL EFF 1										
DELAY						WUC 00		TIPID ,				TI MANHOURS						




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 120							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS X		SYS A	DATE 29 May 20	NO 1	TIME 09:03	PID THOMAS, STEPH		DATE 29 May 20	TIME 10:53	ACFT HRS 6350.4									
FAULTS/REMARKS TAIL WHEEL BEARING LUBE IN PROCESS								ROUNDS		ACTION CODE 1		WUC 00							
								ACTION COMPLETED											
								PID THOMAS,	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6350.4		WHEN DISC Z		HOW REC G		MAL EFF 2													
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1							
STATUS X		SYS A	DATE 29 May 20	NO 2	TIME 10:57	PID THOMAS, STEPH		DATE 02 Jun 20	TIME 12:52	ACFT HRS 6350.4									
FAULTS/REMARKS TAIL WHEEL WASHER DISBONDED								ROUNDS		ACTION CODE 1		WUC 00							
								ACTION complete											
								PID ROMANO,	CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6350.4		WHEN DISC K		HOW REC G		MAL EFF 2													
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1							
STATUS —		SYS A	DATE 31 May 20	NO 1	TIME 00:00	PID Generated, Com		DATE 04 Jun 20	TIME 08:29	ACFT HRS 6350.4									
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 06 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-6140-203-23 P								ROUNDS		ACTION CODE G		WUC 19							
								ACTION insp ok											
								PID THOMAS,	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6350.4		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 121					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS E		DATE 31 May 20		NO 1		TIME 00:00		PID Generated, Cor		DATE 03 Jun 20		TIME 11:59		ACFT HRS 6350.4	
												ROUNDS		ACTION CODE G		WUC 19	
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 06 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5821-357-12P										ACTION BATTERY INSP/REPLACEMENT NOT REQUIRED (BATTERY NOT INSTALLED DUE TO MINIMAL MISSION REQUIERMENTS; SEE MAINT. AVIONICS MEMO DTD:)							
												PID		CAT		HRS	
												THOMAS,		F		1.0	
ACFT HRS 6350.4		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS X		SYS A		DATE 31 May 20		NO 2		TIME 00:00		PID Generated, Com		DATE 02 Jun 20		TIME 12:47		ACFT HRS 6350.4	
												ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS INSP A815 PERFORM FLIR TURRET UNIT NITROGEN PURGE FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 30 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M										ACTION complete reinstalled purge cover							
												PID		CAT		HRS	
												ROMANO,		F		0.3	
ACFT HRS 6350.4		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1					
STATUS —		SYS E		DATE 01 Jun 20		NO 1		TIME 00:00		PID Generated, Com		DATE 03 Jun 20		TIME 11:58		ACFT HRS 6350.4	
												ROUNDS		ACTION CODE G		WUC 19	
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 07 JUN 2020 OR 6474.1 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1516 R12										ACTION insp ok							
												PID		CAT		HRS	
												THOMAS,		F		1.0	
ACFT HRS 6350.4		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 122							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS X		SYS A		DATE 01 Jun 20		NO 1		TIME 00:00		PID Generated, Cor		DATE 02 Jun 20		TIME 12:47		ACFT HRS 6350.4			
												ROUNDS		ACTION CODE 1		WUC 00			
FAULTS/REMARKS INSP A816 PERFORM FLIR TURRET UNIT DESICCANT CARTRIDGE INSPECTION / REPLACEMENT FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 31 MAY 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M										ACTION complete									
										PID ROMANO,		CAT F		HRS 0.3		PID		CAT	
ACFT HRS 6350.4				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY						WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1					
STATUS —		SYS A		DATE 01 Jun 20		NO 2		TIME 00:00		PID Generated, Com		DATE 04 Jun 20		TIME 00:01		ACFT HRS 6350.4			
												ROUNDS		ACTION CODE		WUC 00			
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 03 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JUN 4 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
										PID		CAT		HRS		PID		CAT	
ACFT HRS 6350.4				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY						WUC 00				TIPID ,				TI MANHOURS					
STATUS X		SYS A		DATE 04 Jun 20		NO 1		TIME 00:01		PID Generated, Com		DATE 04 Jun 20		TIME 07:34		ACFT HRS 6350.4			
												ROUNDS		ACTION CODE B		WUC 02			
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 03 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION 1ST 14 AFTER FLIGHT, RUN UP AT NEXT 14 DAY PER LMO									
										PID GARLAND,		CAT F		HRS 0.1		PID		CAT	
ACFT HRS 6350.4				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY						WUC 00				TIPID DILLER, MATTHEW				TI MANHOURS 0.1					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 123															
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																			
STATUS —		SYS A		DATE 04 Jun 20		NO 1		TIME 11:03		PID Generated, Cor		DATE 04 Jun 20		TIME 11:20		ACFT HRS 5006.0											
												ROUNDS		ACTION CODE T		WUC 04A											
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-SOF-02 DESCRIPTION: T700 SERIES ENGINE STAGE 3 NOZZLE SEAL INSPECTION FOR POWER TURBINE MODULE CAGE: 99207 PN: 6071T26G02 NSN: 2840015031700 SN: GEL007330C IS DUE: 06 JUN 2020 CALENDAR										ACTION COMPLIED WITH																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										LIMOGES,		F		1.0													
ACFT HRS 5006				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 04A03				TIPID HARKER, CHRISTOPHER				TI MANHOURS 0.1													
STATUS —		SYS A		DATE 04 Jun 20		NO 1		TIME 11:03		PID Generated, Com		DATE 04 Jun 20		TIME 11:26		ACFT HRS 4661.0											
												ROUNDS		ACTION CODE T		WUC 04A											
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-SOF-02 DESCRIPTION: T700 SERIES ENGINE STAGE 3 NOZZLE SEAL INSPECTION FOR T700-GE-701D ENGINE ASSY CAGE: 99207 PN: 5130T00G01 NSN: 2840015031701 SN: GEE307495C IS DUE: 06 JUN 2020 CALENDAR										ACTION COMPLIED WITH																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										LIMOGES,		F		1.0													
ACFT HRS 4661				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 04A				TIPID HARKER, CHRISTOPHER				TI MANHOURS 0.1													
STATUS —		SYS A		DATE 04 Jun 20		NO 1		TIME 11:03		PID Generated, Com		DATE 04 Jun 20		TIME 11:25		ACFT HRS 5962.0											
												ROUNDS		ACTION CODE T		WUC 04A											
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-SOF-02 DESCRIPTION: T700 SERIES ENGINE STAGE 3 NOZZLE SEAL INSPECTION FOR POWER TURBINE MODULE CAGE: 99207 PN: 6071T26G02 NSN: 2840015031700 SN: GEL006614C IS DUE: 06 JUN 2020 CALENDAR										ACTION COMPLIED WITH																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										LIMOGES,		F		1.0													
ACFT HRS 5962				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 04A03				TIPID HARKER, CHRISTOPHER				TI MANHOURS 0.1													

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 124							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —				SYS A		DATE 04 Jun 20		NO 1		TIME 11:03		PID Generated, Cor		DATE 04 Jun 20		TIME 11:21		ACFT HRS 5198.0	
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-SOF-02 DESCRIPTION: T700 SERIES ENGINE STAGE 3 NOZZLE SEAL INSPECTION FOR T700-GE-701D ENGINE ASSY CAGE: 99207 PN: 5130T00G01 NSN: 2840015031701 SN: GEE307759C IS DUE: 06 JUN 2020 CALENDAR								ROUNDS		ACTION CODE T		WUC 04A							
								ACTION COMPLIED WITH											
								PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 5198		WHEN DISC O		HOW REC O		MAL EFF 1		LIMOGES,		F		1.0							
DELAY				WUC 04A				TIPID HARKER, CHRISTOPHER				TI MANHOURS 0.1							
STATUS —				SYS A		DATE 04 Jun 20		NO 2		TIME 13:20		PID Generated, Com		DATE 04 Jun 20		TIME 13:57		ACFT HRS 6350.4	
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00							
								ACTION COMPLETED											
								PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6350.4		WHEN DISC O		HOW REC O		MAL EFF 1		THOMAS,		F		0.2							
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —				SYS A		DATE 04 Jun 20		NO 3		TIME 13:21		PID Generated, Com		DATE 04 Jun 20		TIME 13:51		ACFT HRS 6350.4	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 04 JUN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6361.4 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD								ROUNDS		ACTION CODE 3		WUC 00							
								ACTION COMPLETED											
								PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6350.4		WHEN DISC O		HOW REC O		MAL EFF 1		THOMAS,		F		0.2							
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 125					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		 SYS E		DATE 04 Jun 20		NO 1		TIME 13:25		PID Generated, Cor		DATE 04 Jun 20		TIME 13:50		ACFT HRS 6350.4	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 04 JUN 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6360.4 AIRCRAFT HOURS OR 11 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION INSP OK							
												PID		CAT		HRS	
												THOMAS,		F		0.2	
ACFT HRS 6350.4				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPIID ,				TI MANHOURS			
STATUS —		 SYS A		DATE 04 Jun 20		NO 4		TIME 13:26		PID Generated, Com		DATE 04 Jun 20		TIME 13:49		ACFT HRS 6350.4	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD DUE										ACTION COMPLETED							
												PID		CAT		HRS	
												THOMAS,		F		0.2	
ACFT HRS 6350.4				WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY						WUC 00				TIPIID ,				TI MANHOURS			
STATUS —		 SYS A		DATE 04 Jun 20		NO 5		TIME 13:47		PID Generated, Com		DATE 28 Jun 20		TIME 10:24		ACFT HRS 6374.1	
												ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R28 03 MAY 18; AWR 1607 (LED CDU/PDU) R11 13 MAR 20; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R8 12 APR 19; AWR 1886 (COMMON HMU/ EDECU) R6 21 SEP 18; AWR 1930 (PATIENT MOVEMENT ITEMS) R10 11JAN19;										ACTION completed							
												PID		CAT		HRS	
												STLAUREN		F		1.0	
ACFT HRS 6350.4				WHEN DISC X		HOW REC G		MAL EFF 1									
DELAY						WUC 00				TIPIID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 126									
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION													
STATUS —		SYS A		DATE 05 Jun 20		NO 1		TIME 08:10		PID Generated, Cor		DATE 05 Jun 20		TIME 08:10		ACFT HRS					
												ROUNDS		ACTION CODE 3		WUC 00					
FAULTS/REMARKS PMD Due										ACTION COMPLETED											
																		PID		CAT	
										ROMANO,		F		2.0							
ACFT HRS 6350.4				WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00		TIPID ,				TI MANHOURS											
STATUS —		SYS A		DATE 05 Jun 20		NO 2		TIME 10:56		PID Generated, Com		DATE 05 Jun 20		TIME 11:05		ACFT HRS 6350.4					
												ROUNDS		ACTION CODE P		WUC 02					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 JUN 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 19 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION runup complete											
																		PID		CAT	
										KELLY, S.		F		0.4							
ACFT HRS 6350.4				WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00		TIPID ,				TI MANHOURS											
STATUS —		SYS A		DATE 05 Jun 20		NO 3		TIME 15:34		PID Generated, Com		DATE 06 Jun 20		TIME 11:02		ACFT HRS 6350.4					
												ROUNDS		ACTION CODE 1		WUC 00					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 JUN 2020. INSP A160 90 DAY CORROSION INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 25 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION COMPLETED											
																		PID		CAT	
										GIORNO, R		F		3.0							
ACFT HRS 6350.4				WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00		TIPID ,				TI MANHOURS											




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 127			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 05 Jun 20	NO 4	TIME 15:34	PID Generated, Cor		DATE 05 Jun 20	TIME 15:45	ACFT HRS 6350.4					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 JUN 2020. INSP A103 AIRCRAFT WASH DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 14 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1500-344-23								ROUNDS		ACTION CODE 1		WUC 02			
								ACTION complete							
								PID GIORNO, N	CAT F	HRS 1.0	PID EDDY, C.	CAT F	HRS 1.0	PID	CAT
ACFT HRS 6350.4		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 05 Jun 20	NO 5	TIME 15:34	PID Generated, Com		DATE 06 Jun 20	TIME 11:03	ACFT HRS 6350.4					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 JUN 2020. INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 14 JUN 2020 OR 6393.1 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE 1		WUC 00			
								ACTION COMPLETED							
								PID GIORNO, N	CAT F	HRS 2.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6350.4		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS X		SYS A	DATE 05 Jun 20	NO 6	TIME 15:35	PID Generated, Com		DATE 06 Jun 20	TIME 11:08	ACFT HRS 6350.4					
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HELICOPTER								ROUNDS		ACTION CODE 1		WUC 00			
								ACTION COMPLETED							
								PID SAMSON, F	CAT F	HRS 1.0	PID GIORNO, N	CAT F	HRS 2.0	PID	CAT
ACFT HRS 6350.4		WHEN DISC O	HOW REC G	MAL EFF 2											
DELAY				WUC 00				TIPID MADJOUCOFF, THEODORE				TI MANHOURS 0.3			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 128							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS X		SYS A	DATE 05 Jun 20	NO 7	TIME 15:35	PID Generated, Cor		DATE 06 Jun 20	TIME 11:01	ACFT HRS 6350.4									
FAULTS/REMARKS 90 DAY CPC (M) MAINT. PACKAGE								ROUNDS		ACTION CODE 1		WUC 00							
								ACTION COMPLETED											
								PID GIORNO, F	CAT	HRS 3.0	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6350.4			WHEN DISC Z		HOW REC G		MAL EFF 1												
DELAY				WUC 00				TIPID MADJOUCOFF, THEODORE				TI MANHOURS 0.2							
STATUS —		SYS A	DATE 08 Jun 20	NO 1	TIME 00:00	PID Generated, Com		DATE 14 Jun 20	TIME 14:34	ACFT HRS 6364.5									
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 14 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751								ROUNDS		ACTION CODE P		WUC 00							
								ACTION INSP. COMPL.											
								PID MCGUGAN	CAT	HRS 1.0	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6350.4			WHEN DISC O		HOW REC O		MAL EFF 1												
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS A	DATE 10 Jun 20	NO 1	TIME 07:50	PID Generated, Com		DATE 10 Jun 20	TIME 09:22	ACFT HRS									
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00							
								ACTION COMPLETED											
								PID SAMSON,	CAT	HRS 2.0	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6352.8			WHEN DISC O		HOW REC O		MAL EFF 1												
DELAY				WUC 00				TIPID ,				TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 129							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A		DATE 10 Jun 20		NO 2		TIME 07:55		PID Generated, Cor		DATE 10 Jun 20		TIME 09:30		ACFT HRS 6352.8			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS PMD DUE										ACTION COMPLETE									
										PID		CAT		HRS		PID		CAT	
ALDRIDGE		F		2.0		MELLEN, J.		F		2.0		EDDY, C.		F		2.0			
ACFT HRS 6352.8				WHEN DISC O		HOW REC G		MAL EFF 2		SAMSON,		F		2.0					
DELAY						WUC 00						TIPID ,				TI MANHOURS			
STATUS —		SYS E		DATE 10 Jun 20		NO 1		TIME 07:59		PID Generated, Com		DATE 10 Jun 20		TIME 10:30		ACFT HRS 6352.8			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 10 JUN 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 18 JUN 2020 OR 6360.4 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION COMPLETE									
										PID		CAT		HRS		PID		CAT	
EDDY, C.		F		0.2															
ACFT HRS 6352.8				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY						WUC 00						TIPID ,				TI MANHOURS			
STATUS —		SYS A		DATE 10 Jun 20		NO 3		TIME 07:59		PID Generated, Com		DATE 10 Jun 20		TIME 10:29		ACFT HRS 6352.8			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 10 JUN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6361.4 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD										ACTION COMPLETE									
										PID		CAT		HRS		PID		CAT	
EDDY, C.		F		0.2															
ACFT HRS 6352.8				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY						WUC 00						TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 130							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		M CLOSED		SYS A		DATE 10 Jun 20		NO 4		TIME 07:59		PID Generated, Cor		DATE 10 Jun 20		TIME 11:55		ACFT HRS 6352.8	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 10 JUN 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 20 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE P				WUC 00					
								ACTION INSP. COMPL.											
								PID MCGUINN		CAT F		HRS 1.0		PID		CAT		HRS	
ACFT HRS 6352.8				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS X		L CLOSED		SYS A		DATE 10 Jun 20		NO 5		TIME 08:48		PID SAMSON, MATT		DATE 10 Jun 20		TIME 09:07		ACFT HRS 6352.8	
FAULTS/REMARKS PILOT DOOR JETTISON HINGE LOOSE								ROUNDS		ACTION CODE B				WUC 00					
								ACTION ADJUSTED HINGE											
								PID ALDRIDGE		CAT F		HRS 0.5		PID		CAT		HRS	
ACFT HRS 6352.8				WHEN DISC X		HOW REC G		MAL EFF 1											
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1							
STATUS —		CLOSED		SYS A		DATE 11 Jun 20		NO 1		TIME 09:55		PID Generated, Com		DATE 11 Jun 20		TIME 09:56		ACFT HRS	
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3				WUC 00					
								ACTION COMPLETED											
								PID MCGUGAN		CAT F		HRS 1.5		PID		CAT		HRS	
ACFT HRS 6356.1				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 131			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 11 Jun 20	NO 2	TIME 09:56	PID Generated, Cor		DATE 11 Jun 20	TIME 15:21	ACFT HRS 6358.3					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 11 JUN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6363.8 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD								ROUNDS		ACTION CODE 3		WUC 00			
								ACTION COMPLETED							
								PID MCGUGAN	CAT F	HRS 0.5	PID	CAT	HRS	PID	CAT
ACFT HRS 6356.1		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 11 Jun 20	NO 4	TIME 15:21	PID Generated, Com		DATE 11 Jun 20	TIME 15:21	ACFT HRS					
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00			
								ACTION COMPLETED							
								PID MCGUGAN	CAT F	HRS 1.5	PID	CAT	HRS	PID	CAT
ACFT HRS 6358.3		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 12 Jun 20	NO 1	TIME 00:01	PID Generated, Com		DATE 25 Jun 20	TIME 13:40	ACFT HRS 6370.6					
FAULTS/REMARKS INSP A230 INSPECT BATTERY COMPARTMENT FOR CORROSION (SLAB) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 06 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: MWO 1-1520-237-50-77								ROUNDS		ACTION CODE 1		WUC 00			
								ACTION complete							
								PID ROMANO,	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT
ACFT HRS 6358.3		WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 132							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A		DATE 13 Jun 20		NO 1		TIME 08:02		PID Generated, Cor		DATE 13 Jun 20		TIME 08:02		ACFT HRS			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS PMD Due										ACTION COMPLETED									
										PID		CAT		HRS		PID		CAT	
										MCGUGAN		F		1.5					
ACFT HRS 6360.6				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY						WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A		DATE 13 Jun 20		NO 2		TIME 08:19		PID Generated, Com		DATE 13 Jun 20		TIME 08:19		ACFT HRS 6360.6			
												ROUNDS		ACTION CODE P		WUC 00			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 13 JUN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6369.3 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD										ACTION INSP. COMPL.									
										PID		CAT		HRS		PID		CAT	
										MCGUGAN		F		0.5		MCGUINN		F	
ACFT HRS 6360.6				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY						WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS E		DATE 13 Jun 20		NO 1		TIME 13:13		PID Generated, Com		DATE 14 Jun 20		TIME 09:01		ACFT HRS 6362.8			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6362.8 AIRCRAFT HOURS OR 24 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION COMPLETED									
										PID		CAT		HRS		PID		CAT	
										MCGUGAN		F		0.5					
ACFT HRS 6362.8				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY						WUC 00				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 133													
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																	
STATUS —				SYS A		DATE 13 Jun 20		NO 3		TIME 13:51		PID MCGUINNESS, I		DATE 13 Jun 20		TIME 13:53		ACFT HRS 6362.8							
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 00		ACTION INSP. COMPL.											
								PID		CAT		HRS								PID		CAT		HRS	
								MCGUGAN		F		1.0								MCGUINN		F		1.0	
ACFT HRS 6362.8				WHEN DISC X		HOW REC G		MAL EFF 1																	
DELAY				WUC 00		TIPID ,				TI MANHOURS															
STATUS —				SYS A		DATE 13 Jun 20		NO 4		TIME 14:11		PID Generated, Com		DATE 13 Jun 20		TIME 14:11		ACFT HRS							
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00		ACTION COMPLETED											
								PID		CAT		HRS								PID		CAT		HRS	
								MCGUINN		F		2.0													
ACFT HRS 6362.8				WHEN DISC O		HOW REC O		MAL EFF 1																	
DELAY				WUC 00		TIPID ,				TI MANHOURS															
STATUS —				SYS A		DATE 14 Jun 20		NO 1		TIME 00:01		PID Generated, Com		DATE 16 Jun 20		TIME 15:11		ACFT HRS 6366.5							
FAULTS/REMARKS INSP A108 AIRCRAFT BATTERY PMCS FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6405.4 AIRCRAFT HOURS OR 20 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED IAW REGULATION REFERENCE: TM 11-6140-203-23								ROUNDS		ACTION CODE G		WUC 19		ACTION pmcs ok											
								PID		CAT		HRS								PID		CAT		HRS	
								THOMAS,		F		1.0													
ACFT HRS 6362.8				WHEN DISC O		HOW REC O		MAL EFF 1																	
DELAY				WUC 00		TIPID ,				TI MANHOURS															

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 134						
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION										
STATUS —		SYS A		DATE 14 Jun 20		NO 3		TIME 12:47		PID Generated, Cor		DATE 14 Jun 20		TIME 12:48		ACFT HRS		
												ROUNDS		ACTION CODE 3		WUC 00		
FAULTS/REMARKS PMD Due										ACTION COMPLETED								
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
										MCGUGAN	F	1.5						
ACFT HRS 6364.5				WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00		TIPID ,				TI MANHOURS								
STATUS —		SYS A		DATE 14 Jun 20		NO 4		TIME 13:38		PID Generated, Com		DATE 14 Jun 20		TIME 13:39		ACFT HRS 6364.5		
												ROUNDS		ACTION CODE P		WUC 00		
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 14 JUN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6371.6 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD										ACTION INSP. COMPL.								
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
										MCGUGAN	F	1.0	MCGUINN	F	1.0			
ACFT HRS 6364.5				WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00		TIPID ,				TI MANHOURS								
STATUS —		SYS A		DATE 14 Jun 20		NO 5		TIME 13:42		PID Generated, Com		DATE 14 Jun 20		TIME 13:46		ACFT HRS 6364.5		
												ROUNDS		ACTION CODE P		WUC 00		
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 14 JUN 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 28 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION INSP. COMPL.								
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
										MCGUGAN	F	1.0						
ACFT HRS 6364.5				WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00		TIPID ,				TI MANHOURS								




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 135			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 15 Jun 20	NO 1	TIME 12:18	PID Generated, Cor		DATE 15 Jun 20	TIME 12:18		ACFT HRS				
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00			
								ACTION COMPLETED							
								PID MCGUGAN	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6366.5		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 18 Jun 20	NO 1	TIME 15:51	PID Generated, Com		DATE 18 Jun 20	TIME 16:00		ACFT HRS				
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00			
								ACTION COMPLETED							
								PID ROMANO,	CAT F	HRS 2.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6366.5		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 18 Jun 20	NO 2	TIME 15:52	PID Generated, Com		DATE 18 Jun 20	TIME 16:07		ACFT HRS 6366.5				
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 00			
								ACTION complete							
								PID ROMANO,	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT
ACFT HRS 6366.5		WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 136							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		 SYS A		DATE 19 Jun 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 28 Jul 20		TIME 09:33		ACFT HRS 6374.1			
												ROUNDS		ACTION CODE B		WUC 00			
FAULTS/REMARKS INSP A495 LUBRICATE WINDSHIELD WIPER CONVERTER (P/N 70209-01012-104) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 18 AUG 2020 REFERENCE: TM 1-1520-237-23&P										ACTION REMOVED FROM ACFT DUE TO DIFFERENT PN INSTALLED									
										PID		CAT		HRS		PID		CAT	
												DEFREITAS		F		0.1			
ACFT HRS 6366.5				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY						WUC 00				TIPID ,				TI MANHOURS					
STATUS —		 SYS A		DATE 19 Jun 20		NO 2		TIME 00:01		PID Generated, Com		DATE 25 Jun 20		TIME 11:52		ACFT HRS 6370.6			
												ROUNDS		ACTION CODE 6		WUC 08B01			
FAULTS/REMARKS INSP A538 FAT/OAT GAUGE INSPECTION/TEST FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 18 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION Inspection Complete									
										PID		CAT		HRS		PID		CAT	
												LINDLEY, N		D		0.7			
ACFT HRS 6366.5				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY						WUC 00				TIPID ,				TI MANHOURS					
STATUS —		 SYS A		DATE 22 Jun 20		NO 1		TIME 00:00		PID Generated, Com		DATE 25 Jun 20		TIME 13:39		ACFT HRS 6370.6			
												ROUNDS		ACTION CODE 1		WUC 00			
FAULTS/REMARKS INSP A851 30 DAY LOG BOOK RECON FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: FACILITY SOP										ACTION complete									
										PID		CAT		HRS		PID		CAT	
												ROMANO, F		F		0.3			
ACFT HRS 6366.5				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY						WUC 00				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 137															
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																			
STATUS —		 SYS A		DATE 24 Jun 20		NO 1		TIME 23:37		PID Generated, Cor		DATE 25 Jun 20		TIME 13:38		ACFT HRS 6370.6											
												ROUNDS		ACTION CODE 1		WUC 00											
FAULTS/REMARKS INSP A110 PMS 40 HOUR INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6374.6 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMS										ACTION complete																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										ROMANO,		F		0.2													
ACFT HRS 6370.6				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													
STATUS —		 SYS E		DATE 25 Jun 20		NO 1		TIME 07:10		PID Generated, Com		DATE 25 Jun 20		TIME 13:42		ACFT HRS 6370.6											
												ROUNDS		ACTION CODE 1		WUC 00											
FAULTS/REMARKS INSP E125 KY-58 PMCS/OPNL CHECK FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 13 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5810-262-23										ACTION complete																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										ROMANO,		F		0.2													
ACFT HRS 6370.6				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													
STATUS —		 SYS E		DATE 25 Jun 20		NO 2		TIME 07:10		PID Generated, Com		DATE 10 Jul 20		TIME 14:33		ACFT HRS 6374.1											
												ROUNDS		ACTION CODE G		WUC 19											
FAULTS/REMARKS INSP E040 APR-39 RADAR/LASER WARNING OPNL CHECK, 5841-01-236-8951 FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 13 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5841-294-12										ACTION test ok																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										MARTEL, D		F		1.0													
ACFT HRS 6370.6				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 138							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 25 Jun 20	NO 1	TIME 08:55	PID Generated, Cor		DATE 25 Jun 20	TIME 14:15	ACFT HRS									
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00							
								ACTION COMPLETED											
								PID ROMANO,	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6370.6			WHEN DISC O		HOW REC O		MAL EFF 1												
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS A	DATE 25 Jun 20	NO 2	TIME 08:56	PID Generated, Com		DATE 25 Jun 20	TIME 14:13	ACFT HRS 6370.6									
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 00							
								ACTION Completed											
								PID MELLEN, J.	CAT F	HRS 1.0	PID JOHNSON,	CAT F	HRS 1.0	PID ROMANO,	CAT F	HRS 1.0			
ACFT HRS 6370.6			WHEN DISC O		HOW REC G		MAL EFF 2												
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS E	DATE 25 Jun 20	NO 3	TIME 08:57	PID Generated, Com		DATE 25 Jun 20	TIME 13:38	ACFT HRS 6370.6									
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 JUN 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6372.8 AIRCRAFT HOURS OR 28 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ROUNDS		ACTION CODE 1		WUC 00							
								ACTION complete											
								PID ROMANO,	CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6370.6			WHEN DISC O		HOW REC O		MAL EFF 1												
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 139					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		 SYS A		DATE 25 Jun 20		NO 3		TIME 08:57		PID Generated, Cor		DATE 25 Jun 20		TIME 13:37		ACFT HRS 6370.6	
												ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 JUN 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6375.5 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PM										ACTION complete							
										PID ROMANO,		CAT F		HRS 0.2		PID	
ACFT HRS 6370.6				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00		TIPID ,				TI MANHOURS							
STATUS —		 SYS A		DATE 25 Jun 20		NO 4		TIME 08:59		PID Generated, Com		DATE 25 Jun 20		TIME 13:36		ACFT HRS 6370.6	
												ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 JUN 2020. INSP A103 AIRCRAFT WASH DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 08 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1500-344-23										ACTION complete							
										PID ROMANO,		CAT F		HRS 1.0		PID	
ACFT HRS 6370.6				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00		TIPID ,				TI MANHOURS							
STATUS —		 SYS A		DATE 25 Jun 20		NO 5		TIME 09:00		PID Generated, Com		DATE 25 Jun 20		TIME 13:24		ACFT HRS 6370.6	
												ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 JUN 2020. INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6394.4 AIRCRAFT HOURS OR 09 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION Completed							
										PID JOHNSON,		CAT F		HRS 1.0		PID MELLEN, J.	
ACFT HRS 6370.6				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00		TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 140							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS X		SYS A	DATE 25 Jun 20	NO 6	TIME 09:06	PID Generated, Cor		DATE 25 Jun 20	TIME 13:26	ACFT HRS 6370.6									
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HELICOPTER								ROUNDS		ACTION CODE 1		WUC 00							
								ACTION Completed											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
								MELLEN, J	F	2.0	JOHNSON, F	F	2.0						
ACFT HRS 6370.6			WHEN DISC O		HOW REC G		MAL EFF 2												
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1							
STATUS X		SYS A	DATE 25 Jun 20	NO 7	TIME 09:06	PID Generated, Com		DATE 25 Jun 20	TIME 14:06	ACFT HRS 6370.6									
FAULTS/REMARKS INSP A110 (PMS) 40 HOUR INSPECTION (UH-60A MODEL)								ROUNDS		ACTION CODE 1		WUC 00							
								ACTION Completed											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
								JOHNSON, F	F	6.0	MELLEN, J, F	F	6.0	ROMANO, F	F	6.0			
ACFT HRS 6370.6			WHEN DISC O		HOW REC G		MAL EFF 2												
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1							
STATUS X		SYS A	DATE 25 Jun 20	NO 8	TIME 11:21	PID LINDLEY, MICH		DATE 25 Jun 20	TIME 11:40	ACFT HRS 6370.6									
FAULTS/REMARKS FAT/OAT Guage Insp. In Progress								ROUNDS		ACTION CODE L		WUC 12E07							
								ACTION Inspection Complete											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
								LINDLEY, N	D	0.7									
ACFT HRS 6370.6			WHEN DISC Z		HOW REC O		MAL EFF 2												
DELAY				WUC 02A09				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 141															
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																			
STATUS —		 SYS A		DATE 26 Jun 20		NO 1		TIME 00:00		PID Generated, Cor		DATE 26 Jun 20		TIME 12:55		ACFT HRS 6370.6											
												ROUNDS		ACTION CODE 1		WUC 00											
FAULTS/REMARKS INSP A815 PERFORM FLIR TURRET UNIT NITROGEN PURGE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M										ACTION complete																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										ROMANO,		F		0.3													
ACFT HRS 6370.6				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													
STATUS —		 SYS A		DATE 26 Jun 20		NO 2		TIME 12:44		PID Generated, Com		DATE 26 Jun 20		TIME 12:54		ACFT HRS 6370.6											
												ROUNDS		ACTION CODE 1		WUC 00											
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 26 JUN 2020. INSP A816 PERFORM FLIR TURRET UNIT DESICCANT CARTRIDGE INSPECTION / REPLACEMENT FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 30 JUN 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M										ACTION complete																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										ROMANO,		F		0.3													
ACFT HRS 6370.6				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													
STATUS —		 SYS A		DATE 26 Jun 20		NO 3		TIME 12:52		PID Generated, Com		DATE 26 Jun 20		TIME 13:02		ACFT HRS 6370.6											
												ROUNDS		ACTION CODE 1		WUC 00											
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 26 JUN 2020. INSP A800 30 DAY INSPECTION REQUIRED FOR LOOSE RIVETS FOUND IN CABIN CEILING BETWEEN STA 370- STA 398, RBL 20- RBL 30 ALLOWING WATER FROM OIL COOLER COMPARTMENT TO SEEP INTO CABIN FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 11 JUL 2020										ACTION complete																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										ROMANO,		F		0.3													
ACFT HRS 6370.6				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 142				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS /		SYS A	DATE 27 Jun 20	NO 1	TIME 14:42	PID LEVEILLEE, TODI		DATE 28 Jun 20	TIME 15:22	ACFT HRS 6374.1						
FAULTS/REMARKS Copilot clock inop								ROUNDS		ACTION CODE A		WUC 19				
								ACTION replaced clock batteries. moc ok								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								MORALES,	F	3.0						
ACFT HRS 6370.6			WHEN DISC G		HOW REC G		MAL EFF 2									
DELAY				WUC 08A05				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 28 Jun 20	NO 1	TIME 10:13	PID Generated, Com		DATE 04 Aug 20	TIME 11:54	ACFT HRS 6378.1						
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 29 MAY 20; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R30 19 MAY 20; AWR 1607 (LED CDU/PDU) R11 13 MAR 20; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R22 NOV 19; AWR 1886 (COMMON HMU/ EDECU) R6 21 SEP 18; AWR 1930 (PATIENT MOVEMENT ITEMS) R12 17 JAN								ROUNDS		ACTION CODE 3		WUC 00				
								ACTION Completed								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								STLAUREN	F	0.1						
ACFT HRS 6374.1			WHEN DISC X		HOW REC G		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 28 Jun 20	NO 2	TIME 10:14	PID Generated, Com		DATE 28 Jun 20	TIME 10:43	ACFT HRS 6374.1						
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 00				
								ACTION completed								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ROMANO,	F	1.0	STLAUREN	F	1.0			
ACFT HRS 6374.1			WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 143			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 28 Jun 20	NO 3	TIME 10:28	PID Generated, Cor		DATE 28 Jun 20	TIME 10:29	ACFT HRS					
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00			
								ACTION COMPLETED							
								PID KELLY, S.	CAT F	HRS 2.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS			
STATUS X		SYS A	DATE 28 Jun 20	NO 4	TIME 11:01	PID MORALES, ISAM		DATE 28 Jun 20	TIME 14:07	ACFT HRS 6374.1					
FAULTS/REMARKS Troubleshooting of copilot clock inop in process								ROUNDS		ACTION CODE A		WUC 08A05			
								ACTION Replaced batteries.							
								PID MORALES,	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT
ACFT HRS 6374.1		WHEN DISC G		HOW REC G		MAL EFF 2									
DELAY				WUC 08A05				TIPIID TREMBLAY, PAUL				TI MANHOURS 0.4			
STATUS —		SYS E	DATE 30 Jun 20	NO 1	TIME 00:00	PID Generated, Com		DATE 30 Jun 20	TIME 08:57	ACFT HRS 6374.1					
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 06 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5821-357-12P								ROUNDS		ACTION CODE G		WUC 19			
								ACTION BATTERY INSP/REPLACEMENT NOT REQUIRED (BATTERY NOT INSTALLED DUE TO MINIMAL MISSION REQUIERMENTS; SEE MAINT. AVIONICS MEMO							
								PID THOMAS,	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPIID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 144							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		 SYS A		DATE 30 Jun 20		NO 1		TIME 00:00		PID Generated, Cor		DATE 30 Jun 20		TIME 08:57		ACFT HRS 6374.1			
												ROUNDS		ACTION CODE G		WUC 19			
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 06 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-6140-203-23 P										ACTION insp ok									
										PID		CAT		HRS		PID		CAT	
												THOMAS,		F		1.0			
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		 SYS E		DATE 01 Jul 20		NO 1		TIME 00:00		PID Generated, Com		DATE 08 Jul 20		TIME 00:01		ACFT HRS 6374.1			
												ROUNDS		ACTION CODE		WUC 00			
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6475.4 AIRCRAFT HOURS OR 07 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1516 R12										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JUL 8 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
										PID		CAT		HRS		PID		CAT	
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		 SYS A		DATE 02 Jul 20		NO 1		TIME 13:25		PID Generated, Com		DATE 23 Jul 20		TIME 06:43		ACFT HRS 6374.1			
												ROUNDS		ACTION CODE 6		WUC 17A			
FAULTS/REMARKS INSP A534 FIRST AID KIT INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 31 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1500-204-23-1										ACTION completed insp ok. by m biszko item in kits expires 30 apr 21									
										PID		CAT		HRS		PID		CAT	
												BISZKO, M		F		1.5			
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 145				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —				SYS A	DATE 02 Jul 20	NO 2	TIME 13:25	PID Generated, Cor		DATE 20 Aug 20		TIME 11:02		ACFT HRS 6385.1		
FAULTS/REMARKS INSP A630 MAIN FIRE BOTTLE #1, CARTRIDGE, DODIC MH92 FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 31 AUG 2020 REFERENCE: TB 9-1300-385 CHG 22								ROUNDS		ACTION CODE 6		WUC 02		ACTION replaced		
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								THIBEDEN	F	4.0						
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —				SYS A	DATE 02 Jul 20	NO 3	TIME 13:25	PID Generated, Com		DATE 20 Aug 20		TIME 15:01		ACFT HRS 6385.1		
FAULTS/REMARKS INSP A640 MAIN FIRE BOTTLE #2 CARTRIDGE, DODIC MH92 FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 31 AUG 2020 REFERENCE: TB 9-1300-385 CHG 22								ROUNDS		ACTION CODE 6		WUC 02		ACTION complete		
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								THIBEDEN	F	0.3						
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —				SYS A	DATE 07 Jul 20	NO 1	TIME 07:34	PID Generated, Com		DATE 10 Jul 20		TIME 08:27		ACFT HRS 6374.1		
FAULTS/REMARKS INSP A177 90 DAY REVIEW/UPDATE OF 365-4 ENTRIES FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 22 JUL 2020 REFERENCE: AR 95-1								ROUNDS		ACTION CODE B		WUC 00		ACTION Updated		
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								DEFREITAS	F	0.1						
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 146					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		 SYS E		DATE 07 Jul 20		NO 1		TIME 07:34		PID Generated, Cor		DATE 10 Jul 20		TIME 00:00		ACFT HRS 6374.1	
												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6380.6 AIRCRAFT HOURS OR 09 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JUL 10 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
												PID		CAT		HRS	
ACFT HRS 6374.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			
STATUS —		 SYS A		DATE 07 Jul 20		NO 2		TIME 07:34		PID Generated, Com		DATE 10 Jul 20		TIME 00:00		ACFT HRS 6374.1	
												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 09 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JUL 10 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
												PID		CAT		HRS	
ACFT HRS 6374.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			
STATUS —		 SYS A		DATE 08 Jul 20		NO 1		TIME 00:01		PID Generated, Com		DATE 15 Jul 20		TIME 00:01		ACFT HRS 6374.1	
												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 14 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JUL 15 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
												PID		CAT		HRS	
ACFT HRS 6374.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 147																	
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																					
STATUS X		M CLOSED		SYS E		DATE 08 Jul 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 10 Jul 20		TIME 14:29		ACFT HRS 6374.1											
														ROUNDS		ACTION CODE G		WUC 19											
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 6475.4 AIRCRAFT HOURS OR 07 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1516 R12												ACTION test ok																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												THOMAS,		F		1.0													
ACFT HRS 6374.1				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY				WUC 00				TIPID MARTEL, DANIEL				TI MANHOURS 0.3																	
STATUS X		H CLOSED		SYS A		DATE 10 Jul 20		NO 1		TIME 00:00		PID Generated, Com		DATE 10 Jul 20		TIME 11:25		ACFT HRS 6374.1											
														ROUNDS		ACTION CODE 1		WUC 00											
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 09 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P												ACTION complete																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												MASON, J.		F		0.5													
ACFT HRS 6374.1				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY				WUC 00				TIPID HARKER, CHRISTOPHER				TI MANHOURS 0.1																	
STATUS X		H CLOSED		SYS E		DATE 10 Jul 20		NO 1		TIME 00:00		PID Generated, Com		DATE 10 Jul 20		TIME 11:53		ACFT HRS 6374.1											
														ROUNDS		ACTION CODE 1		WUC 00											
FAULTS/REMARKS INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 6380.6 AIRCRAFT HOURS OR 09 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788												ACTION complete																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												ROMANO,		F		0.3													
ACFT HRS 6374.1				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY				WUC 00				TIPID HARKER, CHRISTOPHER				TI MANHOURS 0.1																	

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 148					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 10 Jul 20		NO 2		TIME 11:29		PID Generated, Cor		DATE 10 Jul 20		TIME 11:54		ACFT HRS	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due										ACTION COMPLETED							
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1		ROMANO		F		2.0					
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A		DATE 10 Jul 20		NO 3		TIME 11:30		PID Generated, Com		DATE 10 Jul 20		TIME 11:45		ACFT HRS 6374.1	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD DUE										ACTION complete							
ACFT HRS 6374.1		WHEN DISC O		HOW REC G		MAL EFF 2		ROMANO		F		0.3					
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A		DATE 14 Jul 20		NO 1		TIME 00:01		PID Generated, Com		DATE 17 Jul 20		TIME 13:13		ACFT HRS 6374.1	
												ROUNDS		ACTION CODE G		WUC 09B01A	
FAULTS/REMARKS INSP A108 AIRCRAFT BATTERY PMCS FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 20 JUL 2020 OR 6421.5 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED IAW REGULATION REFERENCE: TM 11-6140-203-23										ACTION insp ok							
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1		GONZALEZ		F		1.0					
DELAY				WUC 00				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 149			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS X		SYS A	DATE 15 Jul 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 15 Jul 20	TIME 07:48	ACFT HRS					
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 14 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751								ROUNDS		ACTION CODE		WUC 00			
								ACTION							
								CLOSED IN ERROR BY LIMOGES, MICHAEL SFC							
								Entry made in error.							
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1			
STATUS X		SYS A	DATE 15 Jul 20	NO 2	TIME 07:48	PID Generated, Com		DATE 15 Jul 20	TIME 07:59	ACFT HRS 6374.1					
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 14 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751								ROUNDS		ACTION CODE 3		WUC 02			
								ACTION							
								WRITE UP COMGENED IN ERROR							
								HARKER, C							
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPID LIMOGES, MICHAEL				TI MANHOURS 0.1			
STATUS —		SYS A	DATE 15 Jul 20	NO 3	TIME 08:03	PID Generated, Com		DATE 15 Jul 20	TIME 09:23	ACFT HRS 6374.1					
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 18 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751								ROUNDS		ACTION CODE G		WUC 00			
								ACTION							
								INSP OK							
								JOHNSON, F							
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1		PID	CAT	HRS	PID	CAT	HRS		
DELAY				WUC 00				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 150							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 16 Jul 20	NO 1	TIME 19:28	PID Generated, Cor		DATE 16 Jul 20	TIME 20:16	ACFT HRS									
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00							
								ACTION COMPLETED											
								PID EDDY, C.	CAT F	HRS 2.0	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6374.1			WHEN DISC O		HOW REC O		MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS A	DATE 16 Jul 20	NO 2	TIME 19:28	PID Generated, Com		DATE 16 Jul 20	TIME 20:09	ACFT HRS 6374.1									
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 00							
								ACTION completed											
								PID ROMANO,	CAT F	HRS 2.0	PID EDDY, C.	CAT F	HRS 2.0	PID	CAT	HRS			
ACFT HRS 6374.1			WHEN DISC O		HOW REC G		MAL EFF 2												
DELAY				WUC 00				TIPIID ,				TI MANHOURS							
STATUS —		SYS A	DATE 16 Jul 20	NO 3	TIME 19:29	PID Generated, Com		DATE 16 Jul 20	TIME 19:57	ACFT HRS 6374.1									
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 16 JUL 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6381.6 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD								ROUNDS		ACTION CODE 6		WUC 00							
								ACTION completed											
								PID EDDY, C.	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6374.1			WHEN DISC O		HOW REC O		MAL EFF 1												
DELAY				WUC 00				TIPIID ,				TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 151							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		E CLOSED		SYS A		DATE 16 Jul 20		NO 4		TIME 19:29		PID Generated, Cor		DATE 16 Jul 20		TIME 19:56		ACFT HRS 6374.1	
														ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 16 JUL 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 25 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P												ACTION completed							
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		E CLOSED		SYS A		DATE 16 Jul 20		NO 5		TIME 19:29		PID Generated, Com		DATE 16 Jul 20		TIME 20:04		ACFT HRS 6374.1	
														ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 29 MAY 20; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R30 19 MAY 20; AWR 1607 (LED CDU/PDU) R11 13 MAR 20; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R22 NOV 19; AWR 1886 (COMMON HMU/EDECU) R6 21 SEP 18; AWR 1930 (PATIENT MOVEMENT ITEMS) R12 17 JAN												ACTION completed							
ACFT HRS 6374.1		WHEN DISC X		HOW REC G		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		E CLOSED		SYS E		DATE 16 Jul 20		NO 1		TIME 19:30		PID Generated, Com		DATE 16 Jul 20		TIME 19:56		ACFT HRS 6374.1	
														ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 16 JUL 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6384.1 AIRCRAFT HOURS OR 23 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788												ACTION completed							
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 152																	
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																					
STATUS —				SYS A		DATE 18 Jul 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 19 Aug 20		TIME 14:51		ACFT HRS 6385.1											
														ROUNDS		ACTION CODE 6		WUC 02											
FAULTS/REMARKS INSP A496 CF3BR FIRE EXTINGUISHER WEIGHT TEST INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 23 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P												ACTION COMPLETE																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												ROMANO,		F		0.5													
ACFT HRS 6374.1				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY								WUC 00				TIPID ,				TI MANHOURS													
STATUS —				SYS A		DATE 18 Jul 20		NO 2		TIME 00:01		PID Generated, Com		DATE 23 Jul 20		TIME 13:10		ACFT HRS 6374.1											
														ROUNDS		ACTION CODE 1		WUC 00											
FAULTS/REMARKS INSP A851 30 DAY LOG BOOK RECON FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 25 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: FACILITY SOP												ACTION COMPLETED																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												GIORNO, N		F		2.0													
ACFT HRS 6374.1				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY								WUC 00				TIPID ,				TI MANHOURS													
STATUS —				SYS A		DATE 19 Jul 20		NO 1		TIME 00:01		PID Generated, Com		DATE 31 Jul 20		TIME 13:47		ACFT HRS 6374.1											
														ROUNDS		ACTION CODE 1		WUC 00											
FAULTS/REMARKS INSP A800 30 DAY INSPECTION REQUIRED FOR LOOSE RIVETS FOUND IN CABIN CEILING BETWEEN STA 370- STA 398, RBL 20- RBL 30 ALLOWING WATER FROM OIL COOLER COMPARTMENT TO SEEP INTO CABIN FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 02 AUG 2020												ACTION complete																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												ROMANO,		F		0.5													
ACFT HRS 6374.1				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY								WUC 00				TIPID ,				TI MANHOURS													

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 153															
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																			
STATUS —		 SYS A		DATE 20 Jul 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 25 Aug 20		TIME 11:44		ACFT HRS 6385.1											
												ROUNDS		ACTION CODE B		WUC 00											
FAULTS/REMARKS INSP A673 FUEL CELL CORROSION INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 18 SEP 2020 REFERENCE: TM 1-1520-237-23&P										ACTION DEFERRED TILL PMI 1 (6411.4 HRS)																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										DEFREITAS		F		0.1													
ACFT HRS 6374.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													
STATUS —		 SYS A		DATE 20 Jul 20		NO 2		TIME 00:01		PID Generated, Com		DATE 19 Aug 20		TIME 07:19		ACFT HRS 6385.1											
												ROUNDS		ACTION CODE B		WUC 00											
FAULTS/REMARKS INSP A670 CABIN TUB INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 19 AUG 2020 REFERENCE: TM 1-1520-237-23&P										ACTION DATE ADJUST TO INCLUDE 30 DAY TOLERANCE ON BACK SIDE																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										DEFREITAS		F		0.1													
ACFT HRS 6374.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													
STATUS —		 SYS A		DATE 20 Jul 20		NO 3		TIME 00:01		PID Generated, Com		DATE 25 Aug 20		TIME 11:40		ACFT HRS 6385.1											
												ROUNDS		ACTION CODE B		WUC 00											
FAULTS/REMARKS INSP A665 REPLACE FUEL CELL O-RING SEAL PN MS29513-215 FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 18 SEP 2020 REFERENCE: H-60-14-AMAM-18										ACTION DEFERRED TILL PMI 1 (6411.4 HRS)																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										DEFREITAS		F		0.1													
ACFT HRS 6374.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 154				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS ⊗		SYS A	DATE 21 Jul 20	NO 1	TIME 15:54	PID DEFREITAS, JESS		DATE 18 Aug 20	TIME 13:44	ACFT HRS 6385.1						
								ROUNDS	ACTION CODE 6			WUC 00				
FAULTS/REMARKS OPERATE WITHIN LIMITATIONS PRESCRIBED IN ENCLOSED AWRs DATED AWR 980 (FP SKED RESCUE SYS) R23 21 JUN 19; AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 29 MAY 20; AWR 1452 (LC6 CLOCK) R7 22 APR 19; AWR 1455 (BATTELLE C/A PANEL) R8 31 OCT19; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R30 19 MAY 20; AWR 1566 (CABLE GUARD) R7 05 FEB 19; AWR 1594 (H-60L W/ 701D) R7 22 NOV 19; AWR 1607 (LED								ACTION updated								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6374.1			WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID DEFREITAS, JESSIKA			TI MANHOURS 0.1					
STATUS —		SYS A	DATE 22 Jul 20	NO 1	TIME 00:01	PID Generated, Com		DATE 22 Jul 20	TIME 10:49	ACFT HRS 6374.1						
								ROUNDS	ACTION CODE 6			WUC 00				
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 28 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1500-344-23								ACTION wash complete								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ALDRIDGE	F	1.0						
ACFT HRS 6374.1			WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,			TI MANHOURS					
STATUS —		SYS A	DATE 22 Jul 20	NO 2	TIME 00:01	PID Generated, Com		DATE 22 Jul 20	TIME 13:09	ACFT HRS 6374.1						
								ROUNDS	ACTION CODE 1			WUC 00				
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6414.6 AIRCRAFT HOURS OR 28 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								EDDY, C.	F	0.2						
ACFT HRS 6374.1			WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,			TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 155				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 22 Jul 20	NO 3	TIME 10:52	PID Generated, Cor		DATE 22 Jul 20	TIME 14:56		ACFT HRS					
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00				
								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								MELLO, D.	F	2.0						
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 22 Jul 20	NO 4	TIME 10:53	PID Generated, Com		DATE 22 Jul 20	TIME 14:53		ACFT HRS 6374.1					
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 00				
								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								EDDY, C.	F	2.0	GIORNO, N	F	2.0			
ACFT HRS 6374.1		WHEN DISC O		HOW REC G		MAL EFF 2										
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS X		SYS A	DATE 22 Jul 20	NO 5	TIME 10:54	PID Generated, Com		DATE 22 Jul 20	TIME 13:09		ACFT HRS 6374.1					
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HELICOPTER								ROUNDS		ACTION CODE 1		WUC 00				
								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								EDDY, C.	F	0.3	SAMSON, F	F	0.3			
ACFT HRS 6374.1		WHEN DISC O		HOW REC G		MAL EFF 2										
DELAY				WUC 00				TIPID HARKER, CHRISTOPHER				TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 156			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS X		SYS A	DATE 22 Jul 20	NO 6	TIME 11:53	PID ALDRIDGE, SCO		DATE 23 Jul 20	TIME 06:40	ACFT HRS 6374.1					
FAULTS/REMARKS FIRST AID KITS REMOVED FOR SPECIAL INSP								ROUNDS		ACTION CODE 6		WUC 17A			
								ACTION completed , inspected okay, By M. Biszko 30 APR 2021 next insp.							
								PID BISZKO, M	CAT F	HRS 1.5	PID	CAT	HRS	PID	CAT
ACFT HRS 6374.1		WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 17A				TIPID TREMBLAY, PAUL				TI MANHOURS 0.2			
STATUS /		SYS A	DATE 22 Jul 20	NO 7	TIME 14:46	PID MELLO, DAVID		DATE 22 Jul 20	TIME 16:00	ACFT HRS 6374.1					
FAULTS/REMARKS PILOT'S DOOR WINDOW VENT PORT IS CRACKED								ROUNDS		ACTION CODE A		WUC 00			
								ACTION REPLACED PILOT'S DOOR VENT PORT							
								PID EDDY, C.	CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT
ACFT HRS 6374.1		WHEN DISC X		HOW REC G		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 22 Jul 20	NO 10	TIME 15:43	PID Generated, Com		DATE 22 Jul 20	TIME 16:19	ACFT HRS 6374.1					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 22 JUL 2020. INSP A815 PERFORM FLIR TURRET UNIT NITROGEN PURGE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 29 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M								ROUNDS		ACTION CODE 1		WUC 00			
								ACTION COMPLETED							
								PID GIORNO, R	CAT F	HRS 2.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 157							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —				SYS A		DATE 22 Jul 20		NO 11		TIME 15:44		PID Generated, Cor		DATE 22 Jul 20		TIME 16:17		ACFT HRS 6374.1	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 22 JUL 2020. INSP A816 PERFORM FLIR TURRET UNIT DESICCANT CARTRIDGE INSPECTION / REPLACEMENT FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 26 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M								ROUNDS		ACTION CODE 1		WUC 00		ACTION COMPLETED					
								PID		CAT		HRS							
								ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1		GIORNO, N		F	
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS X				SYS A		DATE 22 Jul 20		NO 12		TIME 16:48		PID MELLO, DAVID		DATE 23 Jul 20		TIME 07:27		ACFT HRS 6374.1	
FAULTS/REMARKS FLIR TURRET UNIT NITROGEN PURGE AND FLIR TURRET DESICCANT CARTRIDGE INSPECTION IN PROCESS								ROUNDS		ACTION CODE 1		WUC 00		ACTION COMPLETED					
								PID		CAT		HRS							
								ACFT HRS 6374.1		WHEN DISC Q		HOW REC G		MAL EFF 1		GIORNO, N		F	
DELAY				WUC 00				TIPID HARKER, CHRISTOPHER				TI MANHOURS 0.1							
STATUS X				SYS A		DATE 23 Jul 20		NO 1		TIME 09:16		PID DEFREITAS, JESS		DATE 23 Jul 20		TIME 10:53		ACFT HRS 6374.1	
FAULTS/REMARKS LH AND RH WINDSHIELD WIPER SAFETIES INSTALLED INCORRECTLY								ROUNDS		ACTION CODE A		WUC 00		ACTION replaced safeties. 4ea					
								PID		CAT		HRS							
								ACFT HRS 6374.1		WHEN DISC O		HOW REC G		MAL EFF 2		MELLO, D.		F	
DELAY				WUC 12A01				TIPID DEFREITAS, JESSIKA				TI MANHOURS 0.1							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 158							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS X		SYS A	DATE 23 Jul 20	NO 2	TIME 09:18	PID DEFREITAS, JESS		DATE 23 Jul 20	TIME 09:44	ACFT HRS 6374.1									
FAULTS/REMARKS CO-PILOT DOOR BOTTOM LATCH ROD END JAMNUT LOOSE								ROUNDS		ACTION CODE 1		WUC 00							
								ACTION tightened to 1/3 to 1/4 past sharp rise in torque											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
								GIORNO, N	F	0.1									
ACFT HRS 6374.1		WHEN DISC O		HOW REC G		MAL EFF 2													
DELAY				WUC 02A02C				TIPIID DEFREITAS, JESSIKA				TI MANHOURS 0.1							
STATUS X		SYS A	DATE 23 Jul 20	NO 3	TIME 09:22	PID DEFREITAS, JESS		DATE 23 Jul 20	TIME 09:43	ACFT HRS 6374.1									
FAULTS/REMARKS L/H MLG TIRE VALVE STEM CAP LOOSE								ROUNDS		ACTION CODE 1		WUC 00							
								ACTION tightened valve cap											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
								GIORNO, N	F	0.1									
ACFT HRS 6374.1		WHEN DISC O		HOW REC G		MAL EFF 2													
DELAY				WUC 03A04				TIPIID DEFREITAS, JESSIKA				TI MANHOURS 0.1							
STATUS /		SYS A	DATE 23 Jul 20	NO 6	TIME 12:20	PID DEFREITAS, JESS		DATE 28 Jul 20	TIME 15:09	ACFT HRS 6374.1									
FAULTS/REMARKS SURFACE CORROSION ON THE NO. 1 HIRSS LOWER AFT SUPPORT ROD JAMNUT								ROUNDS		ACTION CODE R		WUC 00							
								ACTION REMOVED CORROSION											
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS			
								ALDRIDGE	F	0.2									
ACFT HRS 6374.1		WHEN DISC O		HOW REC G		MAL EFF 2													
DELAY				WUC 00				TIPIID ,				TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 159				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS /		SYS A	DATE 23 Jul 20	NO 7	TIME 12:22	PID DEFREITAS, JESS		DATE 28 Jul 20	TIME 15:07		ACFT HRS 6374.1					
FAULTS/REMARKS SURFACE CORROSION ON THE RH STAB HINGE COVER HDWR (6EA)								ROUNDS		ACTION CODE 6		WUC 00				
								ACTION REMOVED CORROSION								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ALDRIDGE	F	0.2						
ACFT HRS 6374.1		WHEN DISC O		HOW REC G		MAL EFF 2										
DELAY				WUC 02C15B				TIPID ,				TI MANHOURS				
STATUS —		SYS E	DATE 27 Jul 20	NO 1	TIME 00:00	PID Generated, Com		DATE 26 Sep 20	TIME 00:00		ACFT HRS 6395.1					
FAULTS/REMARKS INSP E330 UNDER WATER ACOUSTIC BEACON BATTERY REPLACEMENT FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 25 SEP 2020 BY EXTENSION ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR1346R25/AWR1823R6								ROUNDS		ACTION CODE		WUC 00				
								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON SEP 26 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS E	DATE 28 Jul 20	NO 1	TIME 00:01	PID Generated, Com		DATE 31 Jul 20	TIME 00:01		ACFT HRS 6374.1					
FAULTS/REMARKS INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6384.1 AIRCRAFT HOURS OR 30 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ROUNDS		ACTION CODE		WUC 00				
								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON JUL 31 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 160					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 29 Jul 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 31 Jul 20		TIME 13:44		ACFT HRS 6374.1	
												ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 31 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION complete							
										PID ROMANO,	CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A		DATE 30 Jul 20		NO 1		TIME 00:01		PID Generated, Com		DATE 02 Aug 20		TIME 07:36		ACFT HRS 6374.1	
												ROUNDS		ACTION CODE G		WUC 19	
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 05 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-6140-203-23 P										ACTION insp ok							
										PID THOMAS,	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS E		DATE 30 Jul 20		NO 1		TIME 00:01		PID Generated, Com		DATE 01 Aug 20		TIME 11:24		ACFT HRS 6374.1	
												ROUNDS		ACTION CODE G		WUC 19	
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 05 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5821-357-12P										ACTION BATTERY INSP/REPLACEMENT NOT REQUIRED (BATTERY NOT INSTALLED DUE TO MINIMAL MISSION REQUIERMENTS; SEE MAINT. AVIONICS MEMO DTD)							
										PID THOMAS,	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 161				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS E	DATE 30 Jul 20	NO 2	TIME 00:01	PID Generated, Cor		DATE 25 Aug 20	TIME 08:03		ACFT HRS 6385.1					
FAULTS/REMARKS INSP E155 KY-58 BATTERY REPLACEMENT FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 04 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5810-262-23								ROUNDS		ACTION CODE G		WUC 19				
								ACTION BATTERY INSP/REPLACEMENT NOT REQUIRED (BATTERY NOT INSTALLED DUE TO MINIMAL MISSION REQUIERMENTS; SEE MAINT. AVIONICS MEMO DTD)								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								THOMAS,	F	1.0						
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				
STATUS X		SYS E	DATE 31 Jul 20	NO 1	TIME 00:01	PID Generated, Com		DATE 31 Jul 20	TIME 13:43		ACFT HRS 6374.1					
FAULTS/REMARKS INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 6384.1 AIRCRAFT HOURS OR 30 JUL 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ROUNDS		ACTION CODE 1		WUC 00				
								ACTION complete								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ROMANO,	F	0.3						
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID STLAURENT, JAMES				TI MANHOURS 0.1				
STATUS —		SYS A	DATE 31 Jul 20	NO 1	TIME 00:01	PID Generated, Com		DATE 25 Aug 20	TIME 11:45		ACFT HRS 6385.1					
FAULTS/REMARKS INSP A675 FLIGHT CONTROL RODS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 29 SEP 2020 REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE B		WUC 00				
								ACTION DEFERRED TILL PMI 1 (6411.4 HRS)								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								DEFREITAS,	F	0.1						
ACFT HRS 6374.1		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPIID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 162									
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION													
STATUS —				SYS A		DATE 31 Jul 20		NO 2		TIME 13:30		PID Generated, Cor		DATE 31 Jul 20		TIME 13:50		ACFT HRS			
														ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS PMD Due												ACTION COMPLETED									
												PID		CAT		HRS		PID		CAT	
ACFT HRS 6374.1				WHEN DISC O				HOW REC O				MAL EFF 1									
DELAY								WUC 00				TIPID ,				TI MANHOURS					
STATUS —				SYS A		DATE 31 Jul 20		NO 3		TIME 13:31		PID Generated, Com		DATE 31 Jul 20		TIME 13:41		ACFT HRS 6374.1			
														ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS PMD DUE												ACTION complete									
												PID		CAT		HRS		PID		CAT	
ACFT HRS 6374.1				WHEN DISC O				HOW REC G				MAL EFF 2									
DELAY								WUC 00				TIPID ,				TI MANHOURS					
STATUS ×				SYS A		DATE 01 Aug 20		NO 1		TIME 12:03		PID ROMANO, DON		DATE 01 Aug 20		TIME 12:49		ACFT HRS 6374.1			
														ROUNDS		ACTION CODE A		WUC 19			
FAULTS/REMARKS when battery is turned on master caution panel does not illuminate. only panel that lights up is the stabilator panel.												ACTION replaced caution adv panel sn: 3893 with sn: 4915. moc ok									
												PID		CAT		HRS		PID		CAT	
ACFT HRS 6374.1				WHEN DISC K				HOW REC G				MAL EFF 1									
DELAY								WUC 00				TIPID TREMBLAY, PAUL				TI MANHOURS 0.4					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 163									
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION													
STATUS —		SYS A		DATE 04 Aug 20		NO 1		TIME 11:02		PID Generated, Cor		DATE 04 Aug 20		TIME 11:48		ACFT HRS					
												ROUNDS		ACTION CODE 3		WUC 00					
FAULTS/REMARKS PMD Due										ACTION COMPLETED											
																		PID		CAT	
										ROMANO,		F		2.0							
ACFT HRS 6378.1				WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00		TIPID ,				TI MANHOURS											
STATUS —		SYS E		DATE 04 Aug 20		NO 1		TIME 11:03		PID Generated, Com		DATE 04 Aug 20		TIME 11:44		ACFT HRS 6378.1					
												ROUNDS		ACTION CODE 1		WUC 00					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 04 AUG 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 13 AUG 2020 OR 6384.1 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION complete											
																		PID		CAT	
										ROMANO,		F		0.2							
ACFT HRS 6378.1				WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00		TIPID ,				TI MANHOURS											
STATUS —		SYS A		DATE 04 Aug 20		NO 2		TIME 11:03		PID Generated, Com		DATE 04 Aug 20		TIME 11:45		ACFT HRS 6378.1					
												ROUNDS		ACTION CODE 1		WUC 00					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 04 AUG 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 14 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION complete											
																		PID		CAT	
										ROMANO,		F		0.2							
ACFT HRS 6378.1				WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00		TIPID ,				TI MANHOURS											




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 164															
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																			
STATUS —		 SYS A		DATE 04 Aug 20		NO 3		TIME 11:03		PID Generated, Cor		DATE 04 Aug 20		TIME 11:46		ACFT HRS 6378.1											
												ROUNDS		ACTION CODE 1		WUC 00											
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 04 AUG 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6385.1 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PM										ACTION complete																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										ROMANO,		F		0.2													
ACFT HRS 6378.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													
STATUS —		 SYS A		DATE 04 Aug 20		NO 4		TIME 11:03		PID Generated, Com		DATE 04 Aug 20		TIME 11:43		ACFT HRS 6378.1											
												ROUNDS		ACTION CODE 3		WUC 00											
FAULTS/REMARKS PMD DUE										ACTION complete																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										ROMANO,		F		0.2													
ACFT HRS 6378.1				WHEN DISC O		HOW REC G		MAL EFF 2																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													
STATUS —		 SYS A		DATE 04 Aug 20		NO 5		TIME 11:58		PID Generated, Com		DATE 05 Aug 20		TIME 23:03		ACFT HRS 6380.1											
												ROUNDS		ACTION CODE 3		WUC 00											
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 29 MAY 20; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R30 19 MAY 20; AWR 1607 (LED CDU/PDU) R11 13 MAR 20; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R22 NOV 19; AWR 1886 (COMMON HMU/ EDECU) R6 21 SEP 18; AWR 1930 (PATIENT MOVEMENT ITEMS) R12 17 JAN										ACTION completed																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										MONTI, J.		F		1.5													
ACFT HRS 6378.1				WHEN DISC X		HOW REC G		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 165							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A		DATE 05 Aug 20		NO 1		TIME 22:40		PID Generated, Cor		DATE 05 Aug 20		TIME 23:04		ACFT HRS			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS PMD Due										ACTION COMPLETED									
										PID		CAT		HRS		PID		CAT	
										MONTI, J.		F		1.5					
ACFT HRS 6380.1				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY						WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A		DATE 05 Aug 20		NO 2		TIME 22:43		PID Generated, Com		DATE 05 Aug 20		TIME 22:55		ACFT HRS 6380.1			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS PMD DUE										ACTION completed									
										PID		CAT		HRS		PID		CAT	
										MONTI, J.		F		1.5					
ACFT HRS 6380.1				WHEN DISC O		HOW REC G		MAL EFF 2											
DELAY						WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS E		DATE 05 Aug 20		NO 1		TIME 22:44		PID Generated, Com		DATE 05 Aug 20		TIME 22:47		ACFT HRS 6380.1			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 AUG 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6388.1 AIRCRAFT HOURS OR 18 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION completed									
										PID		CAT		HRS		PID		CAT	
										MONTI, J.		F		0.5					
ACFT HRS 6380.1				WHEN DISC O		HOW REC O		MAL EFF 1											
DELAY						WUC 00				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 166							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A	DATE 05 Aug 20	NO 3	TIME 22:44	PID Generated, Cor		DATE 05 Aug 20	TIME 22:48	ACFT HRS 6380.1									
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 05 AUG 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6389.1 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMO								ROUNDS		ACTION CODE 3		WUC 00							
								ACTION completed											
								PID MONTI, J.	CAT F	HRS 0.2	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6380.1		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS A	DATE 05 Aug 20	NO 4	TIME 23:04	PID Generated, Com		DATE 07 Aug 20	TIME 13:35	ACFT HRS 6384.1									
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 29 MAY 20; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R30 19 MAY 20; AWR 1607 (LED CDU/PDU) R11 13 MAR 20; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R22 NOV 19; AWR 1886 (COMMON HMU/ EDCU) R6 21 SEP 18; AWR 1930 (PATIENT MOVEMENT ITEMS) R12 17 JAN								ROUNDS		ACTION CODE 3		WUC 00							
								ACTION Completed											
								PID STLAUREN	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6380.1		WHEN DISC X		HOW REC G		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS E	DATE 06 Aug 20	NO 1	TIME 07:00	PID Generated, Com		DATE 09 Aug 20	TIME 07:36	ACFT HRS 6384.1									
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6499.1 AIRCRAFT HOURS OR 12 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1516 R12								ROUNDS		ACTION CODE G		WUC 19							
								ACTION insp ok											
								PID THOMAS,	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT	HRS			
ACFT HRS 6380.1		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 167																	
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																					
STATUS —				SYS A		DATE 06 Aug 20		NO 1		TIME 07:26		PID Generated, Cor		DATE 06 Aug 20		TIME 07:56		ACFT HRS											
														ROUNDS		ACTION CODE 3		WUC 00											
FAULTS/REMARKS PMD Due												ACTION COMPLETED																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												THIBEDEN		F		2.0													
ACFT HRS 6380.1				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY								WUC 00				TIPID ,				TI MANHOURS													
STATUS —				SYS A		DATE 06 Aug 20		NO 2		TIME 07:27		PID Generated, Com		DATE 06 Aug 20		TIME 07:59		ACFT HRS 6380.1											
														ROUNDS		ACTION CODE 3		WUC 02											
FAULTS/REMARKS PMD DUE												ACTION complete																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												THIBEDEN		F		2.0													
ACFT HRS 6380.1				WHEN DISC O				HOW REC G				MAL EFF 2																	
DELAY								WUC 00				TIPID ,				TI MANHOURS													
STATUS —				SYS A		DATE 07 Aug 20		NO 1		TIME 13:14		PID Generated, Com		DATE 07 Aug 20		TIME 14:15		ACFT HRS											
														ROUNDS		ACTION CODE 3		WUC 00											
FAULTS/REMARKS PMD Due												ACTION COMPLETED																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												STLAUREN		F		1.0													
ACFT HRS 6384.1				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY								WUC 00				TIPID ,				TI MANHOURS													




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 168			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 07 Aug 20	NO 2	TIME 13:39	PID Generated, Cor		DATE 13 Aug 20	TIME 14:39			ACFT HRS 6385.1			
								ROUNDS			ACTION CODE 6			WUC 00	
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 29 MAY 20; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R30 19 MAY 20; AWR 1607 (LED CDU/PDU) R11 13 MAR 20; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R22 NOV 19; AWR 1886 (COMMON HMU/ EDECU) R6 21 SEP 18; AWR 1930 (PATIENT MOVEMENT ITEMS) R12 17 JAN								ACTION complete							
								PID BECKER, S	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6384.1			WHEN DISC X		HOW REC G		MAL EFF 1								
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 07 Aug 20	NO 3	TIME 13:40	PID Generated, Com		DATE 07 Aug 20	TIME 13:43			ACFT HRS 6384.1			
								ROUNDS			ACTION CODE 3			WUC 00	
FAULTS/REMARKS PMD DUE								ACTION Completed							
								PID STLAUREN	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6384.1			WHEN DISC O		HOW REC G		MAL EFF 2								
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A	DATE 07 Aug 20	NO 4	TIME 14:06	PID Generated, Com		DATE 07 Aug 20	TIME 14:07			ACFT HRS 6384.1			
								ROUNDS			ACTION CODE 3			WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 07 AUG 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 19 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ACTION Aircraft Flown							
								PID STLAUREN	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT
ACFT HRS 6384.1			WHEN DISC O		HOW REC O		MAL EFF 1								
DELAY				WUC 00				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 169							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		SYS A		DATE 07 Aug 20		NO 5		TIME 14:06		PID Generated, Cor		DATE 07 Aug 20		TIME 14:07		ACFT HRS 6384.1			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 07 AUG 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6391.1 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PM										ACTION Completed									
										PID		CAT		HRS		PID		CAT	
ACFT HRS 6384.1		WHEN DISC O		HOW REC O		MAL EFF 1		STLAUREN		F		0.1							
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS E		DATE 07 Aug 20		NO 1		TIME 14:13		PID Generated, Com		DATE 07 Aug 20		TIME 14:13		ACFT HRS 6384.1			
												ROUNDS		ACTION CODE 3		WUC 00			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 07 AUG 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6390.1 AIRCRAFT HOURS OR 19 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION Insp ok									
										PID		CAT		HRS		PID		CAT	
ACFT HRS 6384.1		WHEN DISC O		HOW REC O		MAL EFF 1		STLAUREN		F		0.1							
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		SYS A		DATE 10 Aug 20		NO 1		TIME 00:01		PID Generated, Com		DATE 16 Sep 20		TIME 00:01		ACFT HRS 6395.1			
												ROUNDS		ACTION CODE		WUC 00			
FAULTS/REMARKS INSP A501 MAIN ROTOR BLADE SPAR PRESSURE CHECK FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 15 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON SEP 16 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT									
										PID		CAT		HRS		PID		CAT	
ACFT HRS 6384.1		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 170					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		 SYS E		DATE 10 Aug 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 20 Aug 20		TIME 15:38		ACFT HRS 6385.1	
FAULTS/REMARKS INSP E854 SINGARS C-CELL BATTERY REPLACEMENT FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 28 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5841-33-12								ROUNDS		ACTION CODE A		WUC 19					
								ACTION replaced									
								PID		CAT		HRS		PID		CAT	
ACFT HRS 6384.1		WHEN DISC O		HOW REC O		MAL EFF 1		THOMAS,		F		1.0					
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		 SYS E		DATE 10 Aug 20		NO 2		TIME 00:01		PID Generated, Com		DATE 25 Aug 20		TIME 08:02		ACFT HRS 6385.1	
FAULTS/REMARKS INSP E823 KY-100 FILL BATTERY REPLACEMENT DUE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 28 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5821-357-12								ROUNDS		ACTION CODE G		WUC 19					
								ACTION BATTERY INSP/REPLACEMENT NOT REQUIRED (BATTERY NOT INSTALLED DUE TO MINIMAL MISSION REQUIERMENTS; SEE MAINT. AVIONICS MEMO DTD)									
								PID		CAT		HRS		PID		CAT	
ACFT HRS 6384.1		WHEN DISC O		HOW REC O		MAL EFF 1		THOMAS,		F		1.0					
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		 SYS A		DATE 11 Aug 20		NO 1		TIME 00:01		PID Generated, Com		DATE 14 Aug 20		TIME 12:52		ACFT HRS 6385.1	
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 17 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751								ROUNDS		ACTION CODE B		WUC 02					
								ACTION ADJUSTED DATE									
								PID		CAT		HRS		PID		CAT	
ACFT HRS 6384.1		WHEN DISC O		HOW REC O		MAL EFF 1		DEFREITAS		F		0.1					
DELAY				WUC 00				TIPID ,				TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 171				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 13 Aug 20	NO 1	TIME 13:33	PID Generated, Cor		DATE 18 Aug 20	TIME 11:21		ACFT HRS 6385.1					
FAULTS/REMARKS INSP A108 AIRCRAFT BATTERY PMCS FOR HCPTX UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6429.1 AIRCRAFT HOURS OR 19 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED IAW REGULATION REFERENCE: TM 11-6140-203-23								ROUNDS		ACTION CODE G		WUC 19				
								ACTION insp ok								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								THOMAS,	F	1.0						
ACFT HRS 6384.6		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 13 Aug 20	NO 3	TIME 14:04	PID Generated, Com		DATE 13 Aug 20	TIME 14:18		ACFT HRS					
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00				
								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								MASON, J.	F	2.0						
ACFT HRS 6385.1		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 13 Aug 20	NO 4	TIME 14:08	PID Generated, Com		DATE 13 Aug 20	TIME 14:16		ACFT HRS 6385.1					
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 6		WUC 00				
								ACTION complete								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								BECKER, S.	F	2.0						
ACFT HRS 6385.1		WHEN DISC O		HOW REC G		MAL EFF 2										
DELAY				WUC 00				TIPID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 172																	
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																					
STATUS —				SYS A		DATE 13 Aug 20		NO 5		TIME 14:19		PID Generated, Cor		DATE 13 Aug 20		TIME 14:21		ACFT HRS 6385.1											
														ROUNDS		ACTION CODE 6		WUC 00											
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 13 AUG 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6395.1 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD												ACTION complete																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												BECKER, S		F		0.3													
ACFT HRS 6385.1				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY				WUC 00				TIPID ,				TI MANHOURS																	
STATUS —				SYS A		DATE 13 Aug 20		NO 6		TIME 14:19		PID Generated, Com		DATE 13 Aug 20		TIME 14:19		ACFT HRS 6385.1											
														ROUNDS		ACTION CODE 6		WUC 00											
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 13 AUG 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 22 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P												ACTION complete																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												BECKER, S		F		1.0													
ACFT HRS 6385.1				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY				WUC 00				TIPID ,				TI MANHOURS																	
STATUS —				SYS E		DATE 13 Aug 20		NO 1		TIME 14:28		PID Generated, Com		DATE 13 Aug 20		TIME 14:28		ACFT HRS 6385.1											
														ROUNDS		ACTION CODE 6		WUC 00											
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 13 AUG 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6394.1 AIRCRAFT HOURS OR 21 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788												ACTION complete																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												BECKER, S		F		0.2													
ACFT HRS 6385.1				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY				WUC 00				TIPID ,				TI MANHOURS																	




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 173							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —				SYS A		DATE 13 Aug 20		NO 7		TIME 14:41		PID Generated, Cor		DATE 27 Aug 20		TIME 09:30		ACFT HRS 6389.4	
														ROUNDS		ACTION CODE 6		WUC 00	
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 29 MAY 20; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R30 19 MAY 20; AWR 1607 (LED CDU/PDU) R11 13 MAR 20; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R22 NOV 19; AWR 1886 (COMMON HMU/ EDECU) R6 21 SEP 18; AWR 1930 (PATIENT MOVEMENT ITEMS) R12 17 JAN												ACTION COMPLETED INSP OK							
ACFT HRS 6385.1		WHEN DISC X		HOW REC G		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —				SYS A		DATE 14 Aug 20		NO 1		TIME 00:00		PID Generated, Com		DATE 14 Oct 20		TIME 00:01		ACFT HRS 6395.1	
														ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A625 REPLACEMENT OF SLAB BATTERY (SLAB) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 13 OCT 2020 BY EXTENSION ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-6140-203-23 P												ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON OCT 14 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
ACFT HRS 6385.1		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —				SYS A		DATE 14 Aug 20		NO 2		TIME 12:53		PID Generated, Com		DATE 18 Aug 20		TIME 08:58		ACFT HRS 6385.1	
														ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 18 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751												ACTION complete							
ACFT HRS 6385.1		WHEN DISC O		HOW REC O		MAL EFF 1													
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 174			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 18 Aug 20	NO 1	TIME 00:00	PID Generated, Com		DATE 22 Aug 20	TIME 00:01	ACFT HRS 6385.1					
								ROUNDS	ACTION CODE			WUC 00			
FAULTS/REMARKS INSP A815 PERFORM FLIR TURRET UNIT NITROGEN PURGE FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 21 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M								ACTION							
								STATUS SYMBOL UPGRADED TO X SEE FAULT ON AUG 22 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT
ACFT HRS 6385.1								WHEN DISC O	HOW REC O	MAL EFF 1					
DELAY				WUC 00				TIPID ,			TI MANHOURS				
STATUS —		SYS A	DATE 18 Aug 20	NO 2	TIME 00:00	PID Generated, Com		DATE 26 Aug 20	TIME 00:01	ACFT HRS 6385.1					
								ROUNDS	ACTION CODE			WUC 00			
FAULTS/REMARKS INSP A851 30 DAY LOG BOOK RECON FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 25 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: FACILITY SOP								ACTION							
								STATUS SYMBOL UPGRADED TO X SEE FAULT ON AUG 26 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT
ACFT HRS 6385.1								WHEN DISC O	HOW REC O	MAL EFF 1					
DELAY				WUC 00				TIPID ,			TI MANHOURS				
STATUS —		SYS A	DATE 18 Aug 20	NO 3	TIME 00:00	PID Generated, Com		DATE 22 Aug 20	TIME 00:01	ACFT HRS 6385.1					
								ROUNDS	ACTION CODE			WUC 00			
FAULTS/REMARKS INSP A816 PERFORM FLIR TURRET UNIT DESICCANT CARTRIDGE INSPECTION / REPLACEMENT FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 21 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M								ACTION							
								STATUS SYMBOL UPGRADED TO X SEE FAULT ON AUG 22 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT
ACFT HRS 6385.1								WHEN DISC O	HOW REC O	MAL EFF 1					
DELAY				WUC 00				TIPID ,			TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 175																	
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																					
STATUS X		D CLOSED		SYS A		DATE 18 Aug 20		NO 4		TIME 13:17		PID THIBEDEAU, BRI		DATE 20 Aug 20		TIME 11:18		ACFT HRS 6385.1											
														ROUNDS		ACTION CODE 6		WUC 02											
FAULTS/REMARKS REMOVAL OF #1 AND #2 FIRE BOTTLES FOR REPLACEMENT OF SQUIB IN PROCESS												ACTION FIRE BOTTLES REINSTALLED AND MAIN SQUIBS REPLACED																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												THIBEDEAU		F		4.0													
ACFT HRS 6385.1				WHEN DISC O				HOW REC G				MAL EFF 2																	
DELAY				WUC 02				TIPID DEFREITAS, JESSIKA				TI MANHOURS 0.1																	
STATUS ⊗		H CLOSED		SYS A		DATE 18 Aug 20		NO 5		TIME 13:44		PID DEFREITAS, JESS		DATE 21 Oct 20		TIME 16:04		ACFT HRS 6395.1											
														ROUNDS		ACTION CODE B		WUC 02											
FAULTS/REMARKS OPERATE WITHIN LIMITATIONS PRESCRIBED IN ENCLOSED AWRs DATED AWR 980 (FP SKED RESCUE SYS) R23 21 JUN 19; AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 29 MAY 20; AWR 1452 (LC6 CLOCK) R7 22 APR 19; AWR 1455 (BATTELLE C/A PANEL) R8 31 OCT19; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R30 19 MAY 20; AWR 1566 (CABLE GUARD) R7 05 FEB 19; AWR 1594 (H-60L W/ 701D) R7 22 NOV 19; AWR 1607 (LED												ACTION UPDATED AWRS																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												LIMOGES,		F		1.0													
ACFT HRS 6385.1				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY				WUC 00				TIPID HARKER, CHRISTOPHER				TI MANHOURS 0.1																	
STATUS —		D CLOSED		SYS A		DATE 19 Aug 20		NO 1		TIME 07:20		PID Generated, Com		DATE 25 Aug 20		TIME 11:42		ACFT HRS 6385.1											
														ROUNDS		ACTION CODE B		WUC 02											
FAULTS/REMARKS INSP A670 CABIN TUB INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 18 SEP 2020 ADDENDUM: 30 DAY TOLERANCE REFERENCE: TM 1-1520-237-23&P												ACTION DEFERRED TILL PMI 1 (6411.4 HRS)																	
												PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
												DEFREITAS		F		0.1													
ACFT HRS 6385.1				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY				WUC 00				TIPID ,				TI MANHOURS																	




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 176				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X		SYS A	DATE 19 Aug 20	NO 2	TIME 07:55	PID THIBEDEAU, BRI		DATE 20 Aug 20	TIME 10:11	ACFT HRS 6385.1						
FAULTS/REMARKS BLUE ELECTRICAL WIRE DISCONNECTED FROM FIRE BOTTLE DIRECTIONAL VALVE								ROUNDS		ACTION CODE S		WUC 19				
								ACTION connected wire. moc ok								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								GONZALEZ	F	2.0						
ACFT HRS 6385.1		WHEN DISC B		HOW REC G		MAL EFF 2										
DELAY				WUC 02				TIPID MARTEL, DANIEL				TI MANHOURS 1.0				
STATUS —		SYS A	DATE 19 Aug 20	NO 3	TIME 14:42	PID Generated, Com		DATE 19 Aug 20	TIME 14:46	ACFT HRS 6385.1						
FAULTS/REMARKS PMD DUE								ROUNDS		ACTION CODE 3		WUC 02				
								ACTION COMPLETE								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								THIBEDEAU	F	2.0						
ACFT HRS 6385.1		WHEN DISC O		HOW REC G		MAL EFF 2										
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 19 Aug 20	NO 4	TIME 14:42	PID Generated, Com		DATE 19 Aug 20	TIME 14:48	ACFT HRS						
FAULTS/REMARKS PMD Due								ROUNDS		ACTION CODE 3		WUC 00				
								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								THIBEDEAU	F	2.0						
ACFT HRS 6385.1		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 177			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 21 Aug 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 25 Aug 20	TIME 11:41	ACFT HRS 6385.1					
								ROUNDS	ACTION CODE 1			WUC 00			
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 27 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1500-344-23								ACTION complete							
								PID THIBED	CAT F	HRS 1.0	PID	CAT	HRS	PID	CAT
ACFT HRS 6385.1		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,			TI MANHOURS				
STATUS —		SYS A	DATE 21 Aug 20	NO 2	TIME 00:01	PID Generated, Com		DATE 25 Aug 20	TIME 11:49	ACFT HRS 6385.1					
								ROUNDS	ACTION CODE 1			WUC 00			
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6418.1 AIRCRAFT HOURS OR 27 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ACTION complete							
								PID THIBED	CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT
ACFT HRS 6385.1		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,			TI MANHOURS				
STATUS X		SYS A	DATE 22 Aug 20	NO 1	TIME 00:01	PID Generated, Com		DATE 25 Aug 20	TIME 11:43	ACFT HRS 6385.1					
								ROUNDS	ACTION CODE 1			WUC 00			
FAULTS/REMARKS INSP A816 PERFORM FLIR TURRET UNIT DESICCANT CARTRIDGE INSPECTION / REPLACEMENT FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 21 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M								ACTION insp ok							
								PID THIBED	CAT F	HRS 0.3	PID	CAT	HRS	PID	CAT
ACFT HRS 6385.1		WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID HARKER, CHRISTOPHER			TI MANHOURS 0.1				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00




1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 178				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS X		SYS A	DATE 22 Aug 20	NO 2	TIME 00:01	PID Generated, Cor		DATE 25 Aug 20	TIME 11:44	ACFT HRS 6385.1						
								ROUNDS	ACTION CODE 1			WUC 00				
FAULTS/REMARKS INSP A815 PERFORM FLIR TURRET UNIT NITROGEN PURGE FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 21 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M								ACTION complete								
								PID THIBEDAN	CAT F	HRS 1.5	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6385.1			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID HARKER, CHRISTOPHER				TI MANHOURS 0.1				
STATUS —		SYS A	DATE 22 Aug 20	NO 3	TIME 00:01	PID Generated, Com		DATE 22 Oct 20	TIME 00:01	ACFT HRS 6395.1						
								ROUNDS	ACTION CODE			WUC 00				
FAULTS/REMARKS INSP A532 COMPASS SWING / RMI FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 21 OCT 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1500-204-23-4								ACTION								
								STATUS SYMBOL UPGRADED TO X SEE FAULT ON OCT 22 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6385.1			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 23 Aug 20	NO 1	TIME 00:01	PID Generated, Com		DATE 02 Sep 20	TIME 08:17	ACFT HRS 6395.1						
								ROUNDS	ACTION CODE 1			WUC 00				
FAULTS/REMARKS INSP A800 30 DAY INSPECTION REQUIRED FOR LOOSE RIVETS FOUND IN CABIN CEILING BETWEEN STA 370- STA 398, RBL 20- RBL 30 ALLOWING WATER FROM OIL COOLER COMPARTMENT TO SEEP INTO CABIN FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 06 SEP 2020								ACTION complete								
								PID ROMANO,	CAT F	HRS 0.5	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6385.1			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 179							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —				SYS E		DATE 25 Aug 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 25 Aug 20		TIME 11:42		ACFT HRS 6385.1	
FAULTS/REMARKS INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6395.1 AIRCRAFT HOURS OR 27 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788								ROUNDS		ACTION CODE 1		WUC 00		ACTION complete					
								PID		CAT		HRS							
								ACFT HRS 6385.1		WHEN DISC O		HOW REC O		MAL EFF 1		THIBED		F	
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS X				SYS A		DATE 25 Aug 20		NO 1		TIME 11:25		PID MELLO, DAVID		DATE 25 Aug 20		TIME 13:14		ACFT HRS 6385.1	
FAULTS/REMARKS TLG LOCKPIN BROKEN								ROUNDS		ACTION CODE A		WUC 00		ACTION replaced pin					
								PID		CAT		HRS							
								ACFT HRS 6385.1		WHEN DISC Q		HOW REC G		MAL EFF 2		ROMANO		F	
DELAY				WUC 00				TIPID HARKER, CHRISTOPHER				TI MANHOURS 0.1							
STATUS X				SYS A		DATE 25 Aug 20		NO 2		TIME 11:38		PID Generated, Com		DATE 25 Aug 20		TIME 11:57		ACFT HRS 6385.1	
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HELICOPTER								ROUNDS		ACTION CODE 1		WUC 00		ACTION completed					
								PID		CAT		HRS							
								ACFT HRS 6385.1		WHEN DISC O		HOW REC G		MAL EFF 2		THIBED		F	
DELAY				WUC 00				TIPID HARKER, CHRISTOPHER				TI MANHOURS 0.1							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 180															
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																			
STATUS —		SYS A		DATE 25 Aug 20		NO 3		TIME 11:43		PID Generated, Cor		DATE 01 Nov 20		TIME 00:01		ACFT HRS 6395.1											
												ROUNDS		ACTION CODE		WUC 00											
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 AUG 2020. INSP A670 CABIN TUB INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 31 OCT 2020 ADDENDUM: EXTENSION AUTHORIZED IAW REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 1 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6385.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													
STATUS —		SYS A		DATE 25 Aug 20		NO 4		TIME 11:43		PID Generated, Com		DATE 01 Dec 20		TIME 00:01		ACFT HRS 6395.1											
												ROUNDS		ACTION CODE		WUC 00											
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 AUG 2020. INSP A665 REPLACE FUEL CELL O-RING SEAL PN MS29513-215 FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 30 NOV 2020 REFERENCE: H-60-14-AMAM-18										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 1 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6385.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													
STATUS —		SYS A		DATE 25 Aug 20		NO 5		TIME 11:44		PID Generated, Com		DATE 01 Dec 20		TIME 00:01		ACFT HRS 6395.1											
												ROUNDS		ACTION CODE		WUC 00											
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 AUG 2020. INSP A673 FUEL CELL CORROSION INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 30 NOV 2020 REFERENCE: TM 1-1520-237-23&P										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 1 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6385.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 181			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS —		SYS A	DATE 25 Aug 20	NO 6	TIME 11:45	PID Generated, Cor		DATE 01 Dec 20	TIME 00:01	ACFT HRS 6395.1					
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 25 AUG 2020. INSP A675 FLIGHT CONTROL RODS INSPECTION FOR HCPTU UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 30 NOV 2020 REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE		WUC 00			
								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON DEC 1 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT
ACFT HRS 6385.1								WHEN DISC O		HOW REC O		MAL EFF 1			
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS /		SYS A	DATE 25 Aug 20	NO 7	TIME 14:02	PID ROMANO, DON		DATE 25 Aug 20	TIME 17:29	ACFT HRS 6385.1					
FAULTS/REMARKS R/H UPPER CARGO DOOR ROLLERS HAVE A GROOVE IN THEM								ROUNDS		ACTION CODE A		WUC 02			
								ACTION REPLACED FORWARD AND CENTER CARGO DOOR SUPPORTS							
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT
ACFT HRS 6385.1								WHEN DISC Q		HOW REC G		MAL EFF 1			
DELAY				WUC 02				TIPID ,				TI MANHOURS			
STATUS X		SYS A	DATE 25 Aug 20	NO 8	TIME 15:32	PID MELLO, DAVID		DATE 25 Aug 20	TIME 17:27	ACFT HRS 6385.1					
FAULTS/REMARKS REMOVAL OF NO.2 TROOP DOOR IN PROCESS								ROUNDS		ACTION CODE A		WUC 02			
								ACTION REINSTALLED CARGO DOOR							
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT
ACFT HRS 6385.1								WHEN DISC K		HOW REC G		MAL EFF 2			
DELAY				WUC 02				TIPID HARKER, CHRISTOPHER				TI MANHOURS 0.1			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 182															
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																			
STATUS —		SYS A		DATE 26 Aug 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 14 Sep 20		TIME 00:00		ACFT HRS 6395.1											
												ROUNDS		ACTION CODE		WUC 00											
FAULTS/REMARKS INSP A160 90 DAY CORROSION INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 13 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON SEP 14 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6385.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													
STATUS —		SYS A		DATE 26 Aug 20		NO 2		TIME 00:01		PID Generated, Com		DATE 26 Aug 20		TIME 21:15		ACFT HRS 6389.4											
												ROUNDS		ACTION CODE 6		WUC 00											
FAULTS/REMARKS INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 28 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION COMPLETED NOT SIGNED OFF BY FLIGHT CREW																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										TREMBLAY		F		0.1													
ACFT HRS 6385.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													
STATUS X		SYS A		DATE 26 Aug 20		NO 3		TIME 00:01		PID Generated, Com		DATE 26 Aug 20		TIME 10:16		ACFT HRS 6385.1											
												ROUNDS		ACTION CODE 1		WUC 00											
FAULTS/REMARKS INSP A851 30 DAY LOG BOOK RECON FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 25 AUG 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: FACILITY SOP										ACTION completed																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
										ROMANO,		F		1.0													
ACFT HRS 6385.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID MADJOUOFF, THEODORE				TI MANHOURS 0.3													

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 183						
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION										
STATUS —		SYS A		DATE 27 Aug 20		NO 1		TIME 07:30		PID Generated, Cor		DATE 27 Aug 20		TIME 09:13		ACFT HRS 6389.4		
												ROUNDS		ACTION CODE 6		WUC 05A02		
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 27 AUG 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6396.1 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMO										ACTION COMPLETED INSP OK								
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
												TREMBLAY		F	0.3	VASQUEZ,	F	0.3
ACFT HRS 6389.4				WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY						WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS E		DATE 27 Aug 20		NO 1		TIME 07:37		PID Generated, Com		DATE 27 Aug 20		TIME 09:12		ACFT HRS 6389.4		
												ROUNDS		ACTION CODE 6		WUC 19		
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 27 AUG 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6395.1 AIRCRAFT HOURS OR 10 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION COMPLETED INSP OK								
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
												TREMBLAY		F	0.3			
ACFT HRS 6389.4				WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY						WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A		DATE 27 Aug 20		NO 2		TIME 07:37		PID Generated, Com		DATE 27 Aug 20		TIME 09:06		ACFT HRS 6389.4		
												ROUNDS		ACTION CODE 3		WUC 00		
FAULTS/REMARKS PMO DUE										ACTION COMPLETED INSP OK								
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
												VASQUEZ,		F	1.0	THIBEDEAU	F	1.0
ACFT HRS 6389.4				WHEN DISC O		HOW REC G		MAL EFF 2										
DELAY						WUC 00				TIPID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 184																	
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																					
STATUS —		 SYS A		DATE 27 Aug 20		NO 3		TIME 07:37		PID Generated, Cor		DATE 27 Aug 20		TIME 09:09		ACFT HRS 6389.4													
												ROUNDS		ACTION CODE 3		WUC 00													
FAULTS/REMARKS PMD Due										ACTION COMPLETED INSP OK																			
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS			
												VASQUEZ,		F		1.0		TREMBLAY		F		1.3		THIBEDEAU		F		1.0	
ACFT HRS 6389.4				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY				WUC 00				TIPID ,				TI MANHOURS																	
STATUS —		 SYS A		DATE 27 Aug 20		NO 4		TIME 09:36		PID Generated, Com		DATE 27 Aug 20		TIME 21:28		ACFT HRS 6391.3													
												ROUNDS		ACTION CODE P		WUC 00													
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 27 AUG 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 11 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION Completed																			
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS			
												MORAN, M		F		0.1													
ACFT HRS 6389.4				WHEN DISC O				HOW REC O				MAL EFF 1																	
DELAY				WUC 00				TIPID ,				TI MANHOURS																	
STATUS —		 SYS A		DATE 27 Aug 20		NO 5		TIME 09:36		PID Generated, Com		DATE 28 Aug 20		TIME 10:07		ACFT HRS 6391.3													
												ROUNDS		ACTION CODE 3		WUC 02													
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 29 MAY 20; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R30 19 MAY 20; AWR 1607 (LED CDU/PDU) R11 13 MAR 20; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R22 NOV 19; AWR 1886 (COMMON HMU/ EDECU) R6 21 SEP 18; AWR 1930 (PATIENT MOVEMENT ITEMS) R12 17 JAN										ACTION complete																			
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS			
												THIBEDEAU		F		0.3													
ACFT HRS 6389.4				WHEN DISC X				HOW REC G				MAL EFF 1																	
DELAY				WUC 00				TIPID ,				TI MANHOURS																	




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 185				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 27 Aug 20	NO 6	TIME 09:37	PID Generated, Cor		DATE 27 Aug 20	TIME 09:37	ACFT HRS		WUC 00				
FAULTS/REMARKS PMD Due								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								TREMBLAY	F	1.3						
ACFT HRS 6389.4		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 27 Aug 20	NO 7	TIME 09:49	PID HARKER, CHRIS		DATE 27 Aug 20	TIME 13:03	ACFT HRS 6389.4		WUC 19E06A				
FAULTS/REMARKS COMPLY WITH H-60-20-AMAM-09, ATTITUDE HEADING REFERENCE UNIT (AHRU) REPLACEMENT, BY 24 SEP 20								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								HARKER, C	F	0.1						
ACFT HRS 6389.4		WHEN DISC O		HOW REC G		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 27 Aug 20	NO 1	TIME 12:03	PID Generated, Com		DATE 11 Dec 20	TIME 14:03	ACFT HRS 921.1		WUC 00				
FAULTS/REMARKS SAFETY MESSAGE NUMBER: H-60-20-AMAM-09 DESCRIPTION: ATTITUDE HEADING REFERENCE UNIT PN 765100-20 AND CONRTOL UNIT PN 765200-20 REQUIRE REPLACEMENT PER H-60-20-AMAM-09 BY 25 AUG 22 FOR ATTITUDE HEADING REFERENCE UNIT CAGE: A3379 PN: 765100-20 NSN: 6605015035284 SN: 1288 IS DUE: 25 AUG 2022 CALENDAR								ACTION REPLACEMENT NO LONGER REQUIRED FOR UH-60A's BEING TRANSFERED TO BEST PROGRAM								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								BRIDGES, R	F	1.0						
ACFT HRS 915.4		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 19E06A				TIPID BRIDGES, ROBERT				TI MANHOURS 1				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 186					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 28 Aug 20		NO 1		TIME 09:57		PID Generated, Cor		DATE 28 Aug 20		TIME 10:08		ACFT HRS	
												ROUNDS		ACTION CODE 3		WUC 00	
FAULTS/REMARKS PMD Due										ACTION COMPLETED							
ACFT HRS 6391.3		WHEN DISC O		HOW REC O		MAL EFF 1		THIBEDEN		F		2.0					
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A		DATE 28 Aug 20		NO 2		TIME 09:58		PID Generated, Com		DATE 28 Aug 20		TIME 10:02		ACFT HRS 6391.3	
												ROUNDS		ACTION CODE 3		WUC 02	
FAULTS/REMARKS PMD DUE										ACTION complete							
ACFT HRS 6391.3		WHEN DISC O		HOW REC G		MAL EFF 2		THIBEDEN		F		2.0		MELLO, D.		F	
DELAY				WUC 00				TIPID ,				TI MANHOURS					
STATUS —		SYS A		DATE 28 Aug 20		NO 3		TIME 10:07		PID Generated, Com		DATE 02 Sep 20		TIME 08:29		ACFT HRS 6395.1	
												ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 29 MAY 20; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R30 19 MAY 20; AWR 1607 (LED CDU/PDU) R11 13 MAR 20; AWR 1800 (BFT EDM) R8 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R22 NOV 19; AWR 1886 (COMMON HMU/ EDECU) R6 21 SEP 18; AWR 1930 (PATIENT MOVEMENT ITEMS) R12 17 JAN										ACTION complete							
ACFT HRS 6391.3		WHEN DISC X		HOW REC G		MAL EFF 1		ROMANO,		F		0.3					
DELAY				WUC 00				TIPID ,				TI MANHOURS					




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 187							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		 SYS A		DATE 28 Aug 20		NO 4		TIME 10:08		PID Generated, Cor		DATE 28 Aug 20		TIME 10:09		ACFT HRS 6391.3			
												ROUNDS		ACTION CODE 3		WUC 02			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 28 AUG 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6400.4 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD										ACTION complete									
										PID		CAT		HRS		PID		CAT	
ACFT HRS 6391.3		WHEN DISC O		HOW REC O		MAL EFF 1		THIBED		F		0.3							
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		 SYS A		DATE 28 Aug 20		NO 5		TIME 10:09		PID Generated, Com		DATE 28 Aug 20		TIME 10:09		ACFT HRS 6391.3			
												ROUNDS		ACTION CODE 3		WUC 02			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 28 AUG 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 11 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION complete									
										PID		CAT		HRS		PID		CAT	
ACFT HRS 6391.3		WHEN DISC O		HOW REC O		MAL EFF 1		THIBED		F		0.3							
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		 SYS E		DATE 28 Aug 20		NO 1		TIME 10:10		PID Generated, Com		DATE 28 Aug 20		TIME 10:11		ACFT HRS 6391.3			
												ROUNDS		ACTION CODE 3		WUC 02			
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 28 AUG 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6399.4 AIRCRAFT HOURS OR 10 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION complete									
										PID		CAT		HRS		PID		CAT	
ACFT HRS 6391.3		WHEN DISC O		HOW REC O		MAL EFF 1		THIBED		F		0.3							
DELAY				WUC 00				TIPID ,				TI MANHOURS							




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 188					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		 SYS A		DATE 29 Aug 20		NO 1		TIME 00:00		PID Generated, Cor		DATE 02 Sep 20		TIME 08:09		ACFT HRS 6395.1	
												ROUNDS		ACTION CODE G		WUC 19	
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 04 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-6140-203-23 P										ACTION insp ok							
										PID		CAT		HRS		PID	
										THOMAS,		F		1.0			
ACFT HRS 6391.3				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			
STATUS —		 SYS E		DATE 29 Aug 20		NO 1		TIME 00:00		PID Generated, Com		DATE 02 Sep 20		TIME 08:09		ACFT HRS 6395.1	
												ROUNDS		ACTION CODE G		WUC 19	
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 04 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5821-357-12P										ACTION BATTERY INSP/REPLACEMENT NOT REQUIRED (BATTERY NOT INSTALLED DUE TO MINIMAL MISSION REQUIERMENTS; SEE MAINT. AVIONICS MEMO DTD)							
										PID		CAT		HRS		PID	
										THOMAS,		F		1.0			
ACFT HRS 6391.3				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			
STATUS —		 SYS A		DATE 01 Sep 20		NO 1		TIME 08:57		PID Generated, Com		DATE 01 Sep 20		TIME 18:55		ACFT HRS 6393.5	
												ROUNDS		ACTION CODE J		WUC 02	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 01 SEP 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 11 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION complete no faults found							
										PID		CAT		HRS		PID	
										MARTEL, D		F		0.5			
ACFT HRS 6391.3				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 189				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 01 Sep 20	NO 2	TIME 22:36	PID Generated, Cor		DATE 02 Sep 20	TIME 08:29			ACFT HRS				
FAULTS/REMARKS PMD Due								ROUNDS			ACTION CODE 3			WUC 00		
								ACTION COMPLETED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ROMANO,	F	2.0						
ACFT HRS 6395.1			WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 02 Sep 20	NO 1	TIME 07:14	PID Generated, Com		DATE 02 Sep 20	TIME 08:14			ACFT HRS 6395.1				
FAULTS/REMARKS PMD DUE								ROUNDS			ACTION CODE 1			WUC 00		
								ACTION complete								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ROMANO,	F	0.3						
ACFT HRS 6395.1			WHEN DISC O		HOW REC G		MAL EFF 2									
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 02 Sep 20	NO 2	TIME 07:14	PID Generated, Com		DATE 02 Sep 20	TIME 08:13			ACFT HRS 6395.1				
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 02 SEP 2020. INSP A020 PERFORM M/R SPINDLE LUGS, M/R CUFF, TIP CAPS INSPECTION FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6402.3 AIRCRAFT HOURS ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-PMD								ROUNDS			ACTION CODE 1			WUC 00		
								ACTION complete								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
								ROMANO,	F	0.2						
ACFT HRS 6395.1			WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY				WUC 00				TIPID ,				TI MANHOURS				




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 190					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		 SYS E		DATE 02 Sep 20		NO 1		TIME 07:15		PID Generated, Cor		DATE 02 Sep 20		TIME 08:12		ACFT HRS 6395.1	
												ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 02 SEP 2020. INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6401.3 AIRCRAFT HOURS OR 11 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION complete							
										PID ROMANO,		CAT F		HRS 0.2		PID	
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00		TIPID ,				TI MANHOURS					
STATUS —		 SYS A		DATE 02 Sep 20		NO 4		TIME 08:15		PID HARKER, CHRIS		DATE 08 Sep 20		TIME 14:21		ACFT HRS 6395.1	
												ROUNDS		ACTION CODE 6		WUC 05B	
FAULTS/REMARKS COMPLY WITH H-60-20-ASAM-09, NON-CONFORMING TAIL ROTOR PUSHROD CLEVIS ROD END, BY 06 SEPT 20										ACTION COMPLIED WITH							
										PID HARKER, C		CAT F		HRS 0.1		PID	
ACFT HRS 6395.1				WHEN DISC O		HOW REC G		MAL EFF 1									
DELAY						WUC 05B		TIPID ,				TI MANHOURS					
STATUS —		 SYS A		DATE 02 Sep 20		NO 5		TIME 11:42		PID Generated, Com		DATE 17 Sep 20		TIME 00:01		ACFT HRS 6395.1	
												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 02 SEP 2020. INSP A022 14 DAY FLYABLE STORAGE ENGINE RUN UP FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 16 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON SEP 17 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
										PID		CAT		HRS		PID	
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00		TIPID ,				TI MANHOURS					

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 191					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS E		DATE 05 Sep 20		NO 1		TIME 00:00		PID Generated, Cor		DATE 12 Sep 20		TIME 00:00		ACFT HRS 6395.1	
												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP E220 EMERGENCY LOCATOR TRANSMITTER SELF-TEST (AS REQUIRED) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6509.1 AIRCRAFT HOURS OR 11 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1516 R12										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON SEP 12 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
												PID		CAT		HRS	
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A		DATE 07 Sep 20		NO 1		TIME 00:00		PID Generated, Com		DATE 14 Oct 20		TIME 00:01		ACFT HRS 6395.1	
												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A502 INSPECT AND TEST GROUND RECEPTACLE IAW TM 1-1500-204-23 FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 13 OCT 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON OCT 14 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
												PID		CAT		HRS	
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			
STATUS X		SYS A		DATE 08 Sep 20		NO 2		TIME 17:08		PID MORAN, MICHA		DATE 08 Sep 20		TIME 17:23		ACFT HRS 6395.1	
												ROUNDS		ACTION CODE B		WUC 04A	
FAULTS/REMARKS During #1 engine start, the TGT quickly rose to about 320 degrees, then steadily climbed to 820 degrees at which time the start attempt was aborted. During the abort, after the PCL was pulled down to abort the start cycle and the ignition was turned off along with fuel a few seconds later the TGT continued to rise, then began to drop before climbing back up to full scale with the digital readout of 947 degrees, where it continued to remain with the PCL										ACTION write up entered in error see next write up							
												PID		CAT		HRS	
												MORAN, M		F		0.1	
ACFT HRS 6395.1				WHEN DISC G		HOW REC G		MAL EFF 5									
DELAY						WUC 04				TIPID MADJOUCOFF, THEODORE				TI MANHOURS 0.1			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 192															
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																			
STATUS —		 SYS A		DATE 11 Sep 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 15 Sep 20		TIME 14:15		ACFT HRS 6395.1											
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTRE UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 17 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751								ROUNDS		ACTION CODE 1		WUC 00															
								ACTION COMPLETED								PID		CAT		HRS		PID		CAT		HRS	
																THOMAS,		F		0.2							
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY				WUC 00		TIPID ,				TI MANHOURS																	
STATUS —		 SYS A		DATE 12 Sep 20		NO 1		TIME 00:00		PID Generated, Com		DATE 19 Sep 20		TIME 00:01		ACFT HRS 6395.1											
FAULTS/REMARKS INSP A108 AIRCRAFT BATTERY PMCS FOR HCPTRE UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6440.1 AIRCRAFT HOURS OR 18 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED IAW REGULATION REFERENCE: TM 11-6140-203-23								ROUNDS		ACTION CODE		WUC 00															
								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON SEP 19 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY				WUC 00		TIPID ,				TI MANHOURS																	
STATUS —		 SYS E		DATE 13 Sep 20		NO 1		TIME 00:00		PID Generated, Com		DATE 20 Oct 20		TIME 00:01		ACFT HRS 6395.1											
FAULTS/REMARKS INSP E165 KIT-1C BATTERY REPLACEMENT FOR HCPTRE UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 19 OCT 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5810-389-13								ROUNDS		ACTION CODE		WUC 00															
								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON OCT 20 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY				WUC 00		TIPID ,				TI MANHOURS																	

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 193					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS E		DATE 14 Sep 20		NO 1		TIME 00:00		PID Generated, Com		DATE 17 Sep 20		TIME 00:01		ACFT HRS 6395.1	
												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP E801 PERFORM 10HR / 14 DAY VISUAL INSPECTION OF FM IMMUNE VOR / ILS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6405.1 AIRCRAFT HOURS OR 16 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: AWR 1787 / AWR 1788										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON SEP 17 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
												PID		CAT		HRS	
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A		DATE 16 Sep 20		NO 2		TIME 00:01		PID Generated, Com		DATE 27 Sep 20		TIME 00:00		ACFT HRS 6395.1	
												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A854 PERFORM VISUAL INSPECTIONS OF CABIN TUB, FUEL CELL, AND FLIGHT CONTROLS IAW MEC F372203, MEC IS LOCATED IN GREEN LOGBOOK, IF MISSING CONTACT QA IMMEDIATELY. FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 26 SEP 2020 REFERENCE: F372203										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON SEP 27 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
												PID		CAT		HRS	
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A		DATE 18 Sep 20		NO 1		TIME 00:01		PID Generated, Com		DATE 26 Sep 20		TIME 00:00		ACFT HRS 6395.1	
												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A851 30 DAY LOG BOOK RECON FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 25 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: FACILITY SOP										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON SEP 26 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
												PID		CAT		HRS	
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 194				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 20 Sep 20	NO 1	TIME 00:01	PID Generated, Cor		DATE 27 Sep 20	TIME 00:00	ACFT HRS 6395.1						
FAULTS/REMARKS INSP A115 LUBE REQUIRMENTS FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6429.1 AIRCRAFT HOURS OR 26 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23&P								ROUNDS		ACTION CODE		WUC 00				
								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON SEP 27 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6395.1		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 20 Sep 20	NO 2	TIME 00:01	PID Generated, Com		DATE 27 Sep 20	TIME 00:00	ACFT HRS 6395.1						
FAULTS/REMARKS INSP A103 AIRCRAFT WASH DUE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 26 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1500-344-23								ROUNDS		ACTION CODE		WUC 00				
								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON SEP 27 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6395.1		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS A	DATE 21 Sep 20	NO 1	TIME 00:01	PID Generated, Com		DATE 25 Sep 20	TIME 00:00	ACFT HRS 6395.1						
FAULTS/REMARKS INSP A815 PERFORM FLIR TURRET UNIT NITROGEN PURGE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 24 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M								ROUNDS		ACTION CODE		WUC 00				
								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON SEP 25 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6395.1		WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 195															
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION																			
STATUS —		SYS A		DATE 21 Sep 20		NO 2		TIME 00:01		PID Generated, Cor		DATE 25 Sep 20		TIME 00:00		ACFT HRS 6395.1											
												ROUNDS		ACTION CODE		WUC 00											
FAULTS/REMARKS INSP A816 PERFORM FLIR TURRET UNIT DESICCANT CARTRIDGE INSPECTION / REPLACEMENT FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 24 SEP 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: STAR SAFIRE II MANUAL REVISION M										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON SEP 25 2020 12:00AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													
STATUS —		SYS E		DATE 23 Sep 20		NO 1		TIME 00:00		PID Generated, Com		DATE 13 Oct 20		TIME 07:36		ACFT HRS 6395.1											
												ROUNDS		ACTION CODE		WUC 00											
FAULTS/REMARKS INSP E125 KY-58 PMCS/OPNL CHECK FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 11 OCT 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5810-262-23										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON OCT 13 2020 7:36AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													
STATUS —		SYS E		DATE 23 Sep 20		NO 2		TIME 00:00		PID Generated, Com		DATE 13 Oct 20		TIME 07:36		ACFT HRS 6395.1											
												ROUNDS		ACTION CODE		WUC 00											
FAULTS/REMARKS INSP E040 APR-39 RADAR/LASER WARNING OPNL CHECK, 5841-01-236-8951 FOR HCPTT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 11 OCT 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5841-294-12										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON OCT 13 2020 7:36AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT																	
										PID		CAT		HRS		PID		CAT		HRS		PID		CAT		HRS	
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1																			
DELAY						WUC 00				TIPID ,				TI MANHOURS													

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 196					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 25 Sep 20		NO 3		TIME 00:00		PID Generated, Cor		DATE 13 Oct 20		TIME 07:36		ACFT HRS 6395.1	
												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A800 30 DAY INSPECTION REQUIRED FOR LOOSE RIVETS FOUND IN CABIN CEILING BETWEEN STA 370- STA 398, RBL 20- RBL 30 ALLOWING WATER FROM OIL COOLER COMPARTMENT TO SEEP INTO CABIN FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 09 OCT 2020										ACTION							
										STATUS SYMBOL UPGRADED TO X SEE FAULT ON OCT 13 2020 7:36AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
										PID		CAT		HRS		PID	
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS E		DATE 28 Sep 20		NO 1		TIME 00:00		PID Generated, Com		DATE 05 Oct 20		TIME 00:01		ACFT HRS 6395.1	
												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP E050 ARC-220 RADIO SET BATTERY INSPECTION OR REPLACE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 04 OCT 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5821-357-12P										ACTION							
										STATUS SYMBOL UPGRADED TO X SEE FAULT ON OCT 5 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
										PID		CAT		HRS		PID	
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A		DATE 28 Sep 20		NO 1		TIME 00:00		PID Generated, Com		DATE 17 Oct 20		TIME 00:01		ACFT HRS 6395.1	
												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A177 90 DAY REVIEW/UPDATE OF 365-4 ENTRIES FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 16 OCT 2020 REFERENCE: AR 95-1										ACTION							
										STATUS SYMBOL UPGRADED TO X SEE FAULT ON OCT 17 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
										PID		CAT		HRS		PID	
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 197					
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION									
STATUS —		SYS A		DATE 28 Sep 20		NO 2		TIME 00:00		PID Generated, Cor		DATE 05 Oct 20		TIME 00:01		ACFT HRS 6395.1	
												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP A092 30 DAY SLAB BATTERY INSPECTION (D8565/11-1) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 04 OCT 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-6140-203-23 P										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON OCT 5 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
												PID		CAT		HRS	
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS E		DATE 08 Oct 20		NO 1		TIME 00:00		PID Generated, Com		DATE 14 Nov 20		TIME 00:01		ACFT HRS 6395.1	
												ROUNDS		ACTION CODE		WUC 00	
FAULTS/REMARKS INSP E331 UNDER WATER ACOUSTIC BEACON TEST AND CLEAN FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6834.1 AIRCRAFT HOURS OR 13 NOV 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 1-1520-237-23_P										ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 14 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT							
												PID		CAT		HRS	
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			
STATUS —		SYS A		DATE 13 Oct 20		NO 2		TIME 07:36		PID Generated, Com		DATE 15 Oct 20		TIME 16:43		ACFT HRS 6395.1	
												ROUNDS		ACTION CODE 1		WUC 00	
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 17 OCT 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751										ACTION complete							
												PID		CAT		HRS	
												ROMANO, F				0.3	
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1									
DELAY						WUC 00				TIPID ,				TI MANHOURS			




DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 198				
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION								
STATUS —		SYS A	DATE 13 Oct 20	NO 3	TIME 07:36	PID Generated, Cor		DATE 04 Nov 20	TIME 00:01	ACFT HRS 6395.1						
FAULTS/REMARKS INSP A230 INSPECT BATTERY COMPARTMENT FOR CORROSION (SLAB) FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 03 NOV 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: MWO 1-1520-237-50-77								ROUNDS		ACTION CODE		WUC 00				
								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 4 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6395.1			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS —		SYS E	DATE 15 Oct 20	NO 1	TIME 00:01	PID Generated, Com		DATE 21 Nov 20	TIME 00:01	ACFT HRS 6395.1						
FAULTS/REMARKS INSP E135 AN/ARC-201(V) SINCGARS RADIO HUB BATT REPL FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 20 NOV 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: TM 11-5821-333-12								ROUNDS		ACTION CODE		WUC 00				
								ACTION STATUS SYMBOL UPGRADED TO X SEE FAULT ON NOV 21 2020 12:01AM. ALL 2408-13-2 WRITE-UPS WERE TRANSCRIBED TO NEW FAULT								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6395.1			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID ,				TI MANHOURS				
STATUS X		SYS A	DATE 17 Oct 20	NO 1	TIME 00:01	PID Generated, Com		DATE 04 Dec 20	TIME 04:21	ACFT HRS 6395.1						
FAULTS/REMARKS INSP A177 90 DAY REVIEW/UPDATE OF 365-4 ENTRIES FOR HCPTTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 16 OCT 2020 REFERENCE: AR 95-1								ROUNDS		ACTION CODE B		WUC 00				
								ACTION UPDATED								
								PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6395.1			WHEN DISC O	HOW REC O	MAL EFF 1											
DELAY				WUC 00				TIPID DEFREITAS, JESSIKA				TI MANHOURS 0.1				

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG

APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 199			
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION							
STATUS ⊗	D CLOSED	SYS A	DATE 21 Oct 20	NO 1	TIME 15:04	PID LIMOGES, MIC-	DATE 17 Nov 20		TIME 21:26		ACFT HRS 6395.1				
							ROUNDS		ACTION CODE B		WUC 00				
FAULTS/REMARKS OPERATE WITHIN LIMITATIONS PRESCRIBED IN ENCLOSED AWRs DATED AWR 980 (FP SKED RESCUE SYS) R23 21 JUN 19; AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R13 30 SEP 20; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 29 MAY 20; AWR 1452 (LC6 CLOCK) R7 22 APR 19; AWR 1455 (BATTELLE C/A PANEL) R8 31 OCT19; AWR 1516 (406 ELT) R13 30 OCT 20; AWR 1520 (SPONSON FLIR) R30 19 MAY 20; AWR 1566 (CABLE GUARD) R7 05 FEB 19; AWR 1594 (H-60L W/ 701D) R7 22 NOV 19; AWR 1607 (LED							ACTION updated								
							PID HARKER, C	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6395.1			WHEN DISC K		HOW REC G		MAL EFF 2								
DELAY				WUC 02				TIPID DEFREITAS, JESSIKA				TI MANHOURS 0.1			
STATUS —	D CLOSED	SYS A	DATE 10 Nov 20	NO 1	TIME 00:01	PID Generated, Com	DATE 13 Nov 20		TIME 11:51		ACFT HRS 6395.1				
							ROUNDS		ACTION CODE 6		WUC 04A				
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 16 NOV 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751							ACTION HOURS CHECKED, ENGINE NO 1 (LCF-1 00749) (LCF-2 02978) (INDEX 04873) (OP HOURS 01737) ENGINE NO 2 (LCF-1 00762) (LCF-2 02924) (INDEX 06281) (OP HOURS 01648) APU HOURS 0643 EVENTS 4107								
							PID DANIS, D.	CAT F	HRS 0.5	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6395.1			WHEN DISC O		HOW REC O		MAL EFF 1								
DELAY				WUC 00				TIPID ,				TI MANHOURS			
STATUS ⊗	D CLOSED	SYS A	DATE 17 Nov 20	NO 2	TIME 21:56	PID DEFREITAS, JESS	DATE 17 Nov 20		TIME 21:57		ACFT HRS 6395.1				
							ROUNDS		ACTION CODE B		WUC 00				
FAULTS/REMARKS OPERATE WITHIN LIMITATIONS PRESCRIBED IN ENCLOSED AWRs DATED AWR 980 (FP SKED RESCUE SYS) R23 21 JUN 19; AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 29 MAY 20; AWR 1452 (LC6 CLOCK) R7 22 APR 19; AWR 1455 (BATTELLE C/A PANEL) R8 31 OCT19; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R30 19 MAY 20; AWR 1566 (CABLE GUARD) R7 05 FEB 19; AWR 1594 (H-60L W/ 701D) R7 22 NOV 19; AWR 1607 (LED							ACTION ENTERED IN ERROR								
							PID HARKER, C	CAT F	HRS 0.1	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS 6395.1			WHEN DISC O		HOW REC O		MAL EFF 1								
DELAY				WUC 00				TIPID DEFREITAS, JESSIKA				TI MANHOURS 0.1			

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 200							
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION											
STATUS —		B CLOSED		SYS E		DATE 03 Dec 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 11 Dec 20		TIME 14:06		ACFT HRS 6395.1	
														ROUNDS		ACTION CODE R		WUC 00	
FAULTS/REMARKS INSP E222 EMERGENCY LOCATOR TRANSMITTER (ELT) REGISTRATION UPDATE FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 01 FEB 2021 ADDENDUM: EXTENSION AUTHORIZED IAW REGULATION REFERENCE: GEN-16-AMAM-05												ACTION ELT REMOVED FOR AIRCRAFT TRANSFER TO BEST PROGRAM							
												PID		CAT		HRS		PID	
ACFT HRS 6395.1		WHEN DISC O		HOW REC O		MAL EFF 1		BRIDGES, F		F		1.0							
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		D CLOSED		SYS A		DATE 03 Dec 20		NO 1		TIME 16:20		PID Generated, Com		DATE 04 Dec 20		TIME 04:20		ACFT HRS 6395.1	
														ROUNDS		ACTION CODE B		WUC 00	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 03 DEC 2020. INSP A530 AIRCRAFT EQUIPMENT INVENTORY (DA FORM 2408-17) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 22 FEB 2021 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751												ACTION COMPLETED							
												PID		CAT		HRS		PID	
ACFT HRS 6395.1		WHEN DISC O		HOW REC O		MAL EFF 1		DEFREITAS		F		0.1							
DELAY				WUC 00				TIPID ,				TI MANHOURS							
STATUS —		D CLOSED		SYS A		DATE 03 Dec 20		NO 2		TIME 16:21		PID Generated, Com		DATE 04 Dec 20		TIME 04:22		ACFT HRS 6395.1	
														ROUNDS		ACTION CODE B		WUC 02	
FAULTS/REMARKS INSPECTION MANUALLY GENERATED ON 03 DEC 2020. INSP A553 AIRCRAFT WEIGHING INVENTORY (365-1) FOR HCPTR UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 10 MAY 2021 REFERENCE: AR 95-1												ACTION updated							
												PID		CAT		HRS		PID	
ACFT HRS 6395.1		WHEN DISC O		HOW REC O		MAL EFF 1		DEFREITAS		F		0.1							
DELAY				WUC 00				TIPID ,				TI MANHOURS							

DA FORM 2408-13-1-SG, OCT 1997

DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD

For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG














APD PE v3.00

1. AIRCRAFT SERIAL NUMBER 7923341				2. MODEL UH-60A				3. DATE				4. PAGE 201						
PART I - FAULT INFORMATION								PART II - CORRECTING INFORMATION										
STATUS —		SYS A		DATE 12 Dec 20		NO 1		TIME 00:01		PID Generated, Cor		DATE 17 Dec 20		TIME 12:08		ACFT HRS 6395.1		
												ROUNDS		ACTION CODE E		WUC 00		
FAULTS/REMARKS INSP A100 LH/RH ENGINE HISTORY RECORDER READINGS DUE FOR HCPT UTILITY UH-60A CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 18 DEC 2020 ADDENDUM: EXTENSION AUTHORIZED I/A/W REGULATION REFERENCE: DA PAM 738-751										ACTION COMPLETED DURING BEST PROGRAM INDUCTION								
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
										BRIDGES, F	F	1.0						
ACFT HRS 6395.1				WHEN DISC O		HOW REC O		MAL EFF 1										
DELAY				WUC 00				TIPID ,				TI MANHOURS						
STATUS		SYS		DATE		NO		TIME		PID		DATE		TIME		ACFT HRS		
												ROUNDS		ACTION CODE		WUC		
FAULTS/REMARKS										ACTION								
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS				WHEN DISC		HOW REC		MAL EFF										
DELAY				WUC				TIPID				TI MANHOURS						
STATUS		SYS		DATE		NO		TIME		PID		DATE		TIME		ACFT HRS		
												ROUNDS		ACTION CODE		WUC		
FAULTS/REMARKS										ACTION								
										PID	CAT	HRS	PID	CAT	HRS	PID	CAT	HRS
ACFT HRS				WHEN DISC		HOW REC		MAL EFF										
DELAY				WUC				TIPID				TI MANHOURS						

DA FORM 2408-13-1-SG, OCT 1997
 DA FORM 2408-13-1, OCT 91, MAY BE USED

AIRCRAFT INSPECTION AND MAINTENANCE RECORD
 For use of this form, see DA PAM 738-751; the proponent agency is DCSLOG
 APD PE v3.00

DA FORM 2408-13-2-SG, OCT 97 DA FORM 2408-13-2, NOV 91, MAY BE USED	RELATED MAINTENANCE ACTIONS RECORD For use of this form see DA PAM 738-751, the proponent agency is DCSLOG
---	--

1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 09:05		
	5. FAULT DATE 12 Dec 19	6. FAULT NUMBER 6			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R35 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	complete	MONTI, J.	F	0.2
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	na	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection,	na	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	na	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	na	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	complete	THIBEDEAU,	F	0.3
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	na	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection,	na	THIBEDEAU,	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 07:40		
5. FAULT DATE 13 Dec 19		6. FAULT NUMBER 8			
7. FAULT INSP A296 INSPECT STABILATOR ATTACH FITTINGS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 IS DUE. STATUS WILL UPGRADE TO X ON: 6296.4 AIRCRAFT HOURS					
8. STA —	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AND CLEAN FULL LENGHT OF CABLE DUE	entered in error	SAMSON, M	F	0.1
—	INSP OF DRUM ASSY DUE	entered in error	SAMSON, M	F	0.1
—	DRUM ALIGNMENT CHECK DUE	entered in error	SAMSON, M	F	0.1
X	REMOVED PRESSURE ROLLER COVER	entered in error	SAMSON, M	F	0.1
—	TOOL BOX INVENTORY, FOD CHECK AND CCI OF AREA WORKED IS DUE	entered in error	SAMSON, M	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 18 Dec 19	3. SYSTEM CODE A 6. FAULT NUMBER 1	4. TIME 08:07		
7. FAULT 40 HR INSPECTION IN PROCESS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
× 	REMOVED L/H M/L/G UPPER SHOCK STRUT FAIRING	REINSTALLED	SAMSON, M	F	0.2
× 	REMOVED R/H M/L/G UPPER SHOCK STRUT FAIRING	REINSTALLED	SAMSON, M	F	0.2
× 	REMOVED TRANSITION SECTION FUEL ENCLOSURE PANEL (L/H OR R/H)	reinstalled	SAMSON, M	F	0.3
× 	REMOVED TAIL STRUT ACCESS PANEL (L/H OR R/H)	REINSTALLED LH PANEL	MONTI, J.	F	0.2
× 	REMOVED (4EA) STABILATOR SPAR INSPECTION PANELS	REINSTALLED	THIBEDAU,	F	0.2
× 	DIAL INDICATOR INSTALLED ON M/R SCISSOR BRG'S FOR INSPECTION	REMOVED	GIORNO, N.	F	0.1
× 	REMOVED OIL COOLER ACCESS PANEL	REINSTALLED	GIORNO, N.	F	0.1
× 	REMOVED ENGINE STARTER OIL CAPS (IF APPICABLE)	REINSTALLED #1 AND #2 CAPS	GIORNO, N.	F	0.3
× 	REMOVED APU FUEL CONTROL COVER	REINSTALLED	GIORNO, N.	F	0.1
— 	INSP AREA 1 (I/A/W TM)	COMPLETED	MONTI, J.	F	0.3
— 	INSP AREA 2 (I/A/W TM)	COMPLETE	SAMSON, M	F	1.0
— 	INSP AREA 3 (I/A/W TM)	COMPLETED	MONTI, J.	F	0.3
— 	INSP AREA 4 (I/A/W TM)	COMPLETED	MONTI, J.	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 18 Dec 19	3. SYSTEM CODE A 6. FAULT NUMBER 1	4. TIME 08:07		
7. FAULT 40 HR INSPECTION IN PROCESS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 5 (I/A/W TM)	COMPLETED	GIORNO, N.	F	0.3
— 	INSP AREA 6 (I/A/W TM)	COMPLETED	GIORNO, N.	F	1.0
— 	BIM INDICATOR TEST DUE	COMPLETED	GIORNO, N.	F	0.2
— 	INSPECT M/R DAMPER BRG'S FOR PLAY	COMPLETED	GIORNO, N.	F	0.2
— 	STAB COMP CHECK DUE (IF APPLICABLE)	complete	ROMANO, D	F	0.3
— 	INSPECT SWASHPLATE SCISSOR BRG'S FOR EXCESSIVE PLAY	COMPLETED. BLUE AND YELLOW .19 ; BLACK AND RED .10	GIORNO, N.	F	0.2
— 	FOD CHECK DUE FOR MAINTENANCE PERFORMED	COMPLETED	MONTI, J.	F	0.3
— 	TOOL BOX INVENTORY DUE FOR MAINTENANCE PERFORMED	COMPLETED	GIORNO, N.	F	0.3
/ 	LOWERED CABIN SOUNDPROOFING FOR INSPECTION	RAISED	SAMSON, M	F	0.3
/ 	REMOVED INT. G/B COVER	REINSTALLED	MONTI, J.	F	0.3
/ 	OPENED (3EA) T/R D/S COVERS	closed	MONTI, J.	F	0.4
/ 	OPENED PILOT & CO-PILOT PEDAL BOOTS FOR INSPECTION	CLOSED BOOTS	MONTI, J.	F	0.3
× 	SIGN OFF COMPUTER GENERATED FAULT (-) 2408-13-1 {INSP A110 PMS DUE}	COMPLETED	GIORNO, N.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG








1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 18 Dec 19	3. SYSTEM CODE A 6. FAULT NUMBER 2	4. TIME 08:10		
7. FAULT 120 HOUR INSPECTION IN PROCESS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
/ 	REMOVED MAIN MODULE DRIP PAN	REINSTALLED	SAMSON, M	F	0.5
/ 	REMOVED INT. G/B COVER	REINSTALLED	GIORNO, N.	F	0.3
/ 	REMOVED T/R G/B COVER	REINSTALLED	GIORNO, N.	F	0.3
/ 	LOWERED CABIN SOUNDPROOFING	RAISED	SAMSON, M	F	0.3
— 	MAIN MODULE CHIP DETECTOR OPEARATION CHECK DUE	COMPLETED. SELF TEST	GIORNO, N.	F	0.1
— 	ACCESSORY MODULE CHIP DETECTOR OPERATIONAL CHECKS DUE (L&R)	COMPLETED. SELF TEST	GIORNO, N.	F	0.1
— 	INPUT MODULE CHIP DETECTOR OPERATOR CHECKS DUE (L&R)	COMPLETED. SELF TEST	GIORNO, N.	F	0.1
— 	INT. G/B CHIP DETECTOR OPERATIONAL CHECK DUE	COMPLETED. SELF TEST	GIORNO, N.	F	0.1
— 	T/R G/B CHIP DETECTOR OPERATIONAL CHECK DUE	COMPLETED. SELF TEST	GIORNO, N.	F	0.1
— 	MAIN MODULE SUPPORT BEAMS & UPPER SKIN INSP. DUE	COMPLETE	SAMSON, M	F	0.3
— 	M/R DAMPER ATTACHMENT BOLT TORQUE CHECK DUE	COMPLETED	GIORNO, N.	F	0.1
— 	M/R P/C ROD UPPER BOLT TORQUE CHECK DUE	COMPLETED	GIORNO, N.	F	0.2
— 	PRIMARY SERVO INSPECTION DUE	INSP OK	GIORNO, N.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 08:10		
	5. FAULT DATE 18 Dec 19	6. FAULT NUMBER 2			
7. FAULT 120 HOUR INSPECTION IN PROCESS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	T/R BLADE HORN ASSEMBLY CLEANING & INSPECTION DUE	COMPLETED	GIORNO, N.	F	0.3
— 	TORQUE CHECK OF ALL #1 & #2 ENG HSS FLEX COUPLING HARDWARE DUE	COMPLETED	MONTI, J.	F	0.4
— 	ENGINE OUTPUT SHAFT VIBRATION CHECKS DUE (BOTH 1&2)	reviewed	ROMANO, D	F	0.3
— 	INSPECTION OF L/H & R/H INPUT MODULE SEALS FOR LEAKING DUE	COMPLETED	MONTI, J.	F	0.3
— 	ACTIVATE INLET REMOVAL MME FOR 120 HR GIMBAL INSPECTION	COMPLETE	SAMSON, M	F	0.1
— 	FOD CHECK DUE FOR MAINTENANCE PERFORMED	complete	THIBEDEAU,	F	0.3
— 	TOOL BOX INVENTORY DUE FOR MAINTENACE PERFORMED	complete	THIBEDEAU,	F	0.3
×	SIGN OFF COMPUTER GENERATED FAULT (-) 2408-13-1 {INSP A210 120 HOUR INSP}	COMPLETED	GIORNO, N.	F	0.1
×	120 HOUR VIBE CK FOR READINS DUE ON T/R AND BOTH HSS (#1 & #2 ENGINES) and Oil Cooler	complete	ROMANO, D	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG


1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 18 Dec 19	3. SYSTEM CODE A 6. FAULT NUMBER 3	4. TIME 08:45		
7. FAULT 30 DAY LUBE IN PROCESS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
× 	REMOVED L/H M/L/G STRUT PANEL	REINSTALLED	SAMSON, M	F	0.2
× 	REMOVED R/H M/L/G STRUT PANEL	REINSTALLED	SAMSON, M	F	0.2
× 	REMOVED T/L/G STRUT PANEL (LEFT OR RIGHT)	REINSTALLED LH PANEL	MONTI, J.	F	0.2
— 	LUBE OF L/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	COMPLETE	SAMSON, M	F	0.1
— 	LUBE OF R/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	COMPLETE	SAMSON, M	F	0.1
— 	LUBE OF L/H M/L/G STRUT DUE	COMPLETE	SAMSON, M	F	0.1
— 	LUBE OF R/H M/L/G STRUT DUE	COMPLETE	SAMSON, M	F	0.1
— 	LUBE OF T/L/G STRUT DUE	COMPLETE	SAMSON, M	F	0.1
— 	LUBE OF STABILATOR ACTUATOR DUE	COMPLETE	SAMSON, M	F	0.1
— 	LUBE OF M/R BIFILARS (4EA) DUE	COMPLETE	MONTI, J.	F	0.3
— 	TOOL BOX INVENTORY DUE FOR MAINT. PERFORMED	COMPLETE	SAMSON, M	F	0.2
— 	FOD CHECK DUE FOR MAINT. PERFORMED	COMPLETE	SAMSON, M	F	0.2
— 	CCI OF WORK AREA DUE FOR MAINT. PERFORMED	COMPLETE	SAMSON, M	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 08:45		
	5. FAULT DATE 18 Dec 19	6. FAULT NUMBER 3			
7. FAULT 30 DAY LUBE IN PROCESS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 SIGN OFF COMPUTER GENERATED FAULT (-) 2408-13-1 (INSP A115 AIRCRAFT LUBE)	COMPLETED	SAMSON, M	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG











1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 18 Dec 19	3. SYSTEM CODE A 6. FAULT NUMBER 4	4. TIME 08:46		
7. FAULT 90 DAY CCI IN PROCESS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP COCKPIT EXTERIOR	COMPLETED	MONTI, J.	F	0.4
— 	INSP COCKPIT INTERIOR	COMPLETED	MONTI, J.	F	0.3
— 	INSP CABIN EXTERIOR	COMPLETE	SAMSON, M	F	0.3
— 	INSP CABIN INTERIOR	COMPLETE	SAMSON, M	F	0.3
— 	INSP TRANSITION/ TAILCONE INTERIOR	complete	SAMSON, M	F	0.4
— 	INSP TRANSITION SECTION EXTERIOR	COMPLETED	MONTI, J.	F	0.3
— 	INSP TAILCONE EXTERIOR	COMPLETED	MONTI, J.	F	0.4
— 	INSP TAIL PYLON	INSPECTED OK	GIORNO, N.	F	0.4
— 	INSP MAIN ROTOR PYLON	COMPLETD	GIORNO, N.	F	0.5
— 	INSP MAIN ROTOR AREA	COMPLETED	GIORNO, N.	F	0.2
— 	INSP AFT MAIN ROTOR PYLON	INSP OK	GIORNO, N.	F	0.3
— 	INSP ENGINE AREA	COMPLETEDQ	MONTI, J.	F	0.3
/ 	LOWERED CABIN SOUNDPROOFING	RAISED	SAMSON, M	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 18 Dec 19	3. SYSTEM CODE A 6. FAULT NUMBER 4	4. TIME 08:46		
7. FAULT 90 DAY CCI IN PROCESS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
/ 	OPENED TAIL ROTOR DRIVE SHAFT COVERS	CLOSED	MONTI, J.	F	0.3
/ 	REMOVED IGB COVER	REINSTALLED	GIORNO, N.	F	0.3
/ 	REMOVED TGB FORWARD FAIRING	REINSTALLED	GIORNO, N.	F	0.3
/ 	REMOVED FUEL ENCLOSURE PANEL	STATUS SYMBOL ENTERED IN ERROR	SAMSON, M	F	0.1
× 	REMOVED FUEL ENCLOSURE PANEL	reinstalled RH panel	SAMSON, M	F	0.3
× 	REMOVED APU EXHAUST FAIRINGS (L AND R SIDE)	reinstalled	THIBEDEAU,	F	0.2
× 	REMOVED 3EA HDWR FROM APU EXHAUST TUBE	reinstalled TQ to 50 inch lbs	THIBEDEAU,	F	0.2
× 	SIGN OFF COMPUTER GENERATED FAULT (-) 2408-13-1 {INSP A160} WHICH ENSURES 2408-18'S	complete	THIBEDEAU,	F	0.2
— 	FOD CHECK DUE FOR MAINT. PERFORMED	complete	THIBEDEAU,	F	0.2
— 	TOOL BOX INVENTORY DUE FOR MAINT. PERFORMED	complete	THIBEDEAU,	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG





1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 08:52		
	5. FAULT DATE 18 Dec 19	6. FAULT NUMBER 5			
7. FAULT INSPECTION OF STAB ATTACH FITTINGS IN PROCESS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	REMOVED LEFT STABILATOR -PYLON FAIRING.	reinstalled	THIBEDEAU,	F	0.2
×	REMOVED RIGHT STABILATOR -PYLON FAIRING	reinstalled	THIBEDEAU,	F	0.2
×	REMOVED LOWER PYLON FAIRING	reinstalled	THIBEDEAU,	F	0.2
×	DISCONNECTED APR-39 LEADS (3EA).	reconnected	THIBEDEAU,	F	0.2
×	DISCONNECTED APR-39 GROUNDING STRAP	reconnected	THIBEDEAU,	F	0.2
×	DISCONNECTED BOTH FORMATION LIGHT CANNON PLUGS	reconnected	THIBEDEAU,	F	0.2
×	DISCONNECTED LIMIT SWITCH FROM STABILATOR.	reconnected tq to 20 inch lbs	THIBEDEAU,	F	0.2
×	REMOVED STABILATOR ACTUATOR HDWR FROM STABILATOR.	reinstalled tq to 165 inch lbs	ROMANO, D	F	0.2
×	REMOVED RIGHT BONDING JUMPER.	reinstalled tq to 70 inch lbs	THIBEDEAU,	F	0.2
×	REMOVED LEFT BONDING JUMPER.	reinstalled tq to 70 inch lbs	THIBEDEAU,	F	0.2
×	REMOVED RIGHT STABILATOR BOLT.	replaced	THIBEDEAU,	F	0.2
×	REMOVED LEFT STABILATOR BOLT	replaced tq to 680 inch lbs	ROMANO, D	F	0.2
×	REMOVED STABILATOR	reinstalled	ROMANO, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG












1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 08:52		
	5. FAULT DATE 18 Dec 19	6. FAULT NUMBER 5			
7. FAULT INSPECTION OF STAB ATTACH FITTINGS IN PROCESS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	MOC DUE FOR REMOVAL AND REINSTALLATION OF STABILATOR.	complete	ROMANO, D	F	0.3
— 	TOOL INVENTORY DUE.	complete	ROMANO, D	F	0.1
— 	FOD CHECK DUE.	complete	ROMANO, D	F	0.2
— 	MOC OF FORMATION LIGHT DUE FOR REMOVAL OF RT/LT CANNONS PLUGS	complete	ROMANO, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 11:41		
	5. FAULT DATE 18 Dec 19	6. FAULT NUMBER 7			
7. FAULT REMOVED NO.2 ENGINE AIR INLET					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 REMOVED #2 INLET LOWER FAIRING.	REINSTALLED	MONTI, J.	F	0.3
×	 DISCONNECTED ELECTRICAL CONNECTOR P-818 FROM #2 AIR INLET RECEPTACLE.	RECONNECTED	MONTI, J.	F	0.3
×	 DISCONNECTED BLEED-AIR TUBE FROM #2 INLET.	RECONNECTED	MONTI, J.	F	0.3
×	 DISCONNECTED WATERWASH HOSE FROM #2 INLET.	RECONNECTED	MONTI, J.	F	0.3
×	 DISCONNECTED FIRE EXTINGUISHER DISCHARGE TUBE FROM #2 ENG FIREWALL.	RECONNECTED	MONTI, J.	F	0.2
×	 REMOVED COUPLING HOLDING #2 AIR INLET TO ENGINE .	RECONNECTED, TORQUED TO 70 IN-LBS	MONTI, J.	F	0.3
×	 DISCONNECTED DEICING DETECTOR ELECTRICAL CONNECTOR P-819 FROM RECEPTACLE ON #2 ENG	RECONNECTED	MONTI, J.	F	0.3
×	 REMOVED #2 ENGINE AIR INLET.	REINSTALLED	MONTI, J.	F	0.3
×	 REMOVED #2 ENGINE CROTCH ASSEMBLY	N/A	MONTI, J.	F	0.3
—	 INSPECT #2 AIR INLET ASSEMBLY	INSPECTED, SEE ADDITIONAL 13-1 WRITEUP	MONTI, J.	F	0.3
×	 Activate engine inlet anti ice In Flight Check	COMPLETED	MONTI, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 18 Dec 19	3. SYSTEM CODE A 6. FAULT NUMBER 8	4. TIME 11:41		
7. FAULT REMOVED NO.1 ENGINE AIR INLET					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	REMOVED #1 INLET LOWER FAIRING FROM AIRFRAME.	REINSTALLED	MONTI, J.	F	0.3
×	DISCONNECTED ELECTRICAL CONNECTOR P-823 FROM #1 AIR INLET RECEPTACLE.	RECONNECTED	MONTI, J.	F	0.3
×	DISCONNECTED BLEED-AIR TUBE FROM #1 INLET.	RECONNECTED, TORQUED TO 45 IN-LBS	MONTI, J.	F	0.3
×	DISCONNECTED WATERWASH HOSE FROM #1 INLET.	RECONNECTED	MONTI, J.	F	0.3
×	DISCONNECTED FIRE EXTINGUISHER DISCHARGE TUBE FROM #1 ENG FIREWALL.	REINSTALLED	MONTI, J.	F	0.3
×	REMOVED COUPLING HOLDING #1 AIR INLET TO ENGINE.	REINSTALLED, TORQUED TO 70 IN-LBS	MONTI, J.	F	0.3
×	REMOVED #1 ENGINE AIR INLET.	REINSTALLED	MONTI, J.	F	0.3
×	REMOVED #1 ENGINE CROTCH ASSEMBLY	N/A	MONTI, J.	F	0.3
—	INSPECT #1 AIR INLET ASSEMBLY	INSPECTED OK	MONTI, J.	F	0.3
×	Activate engine inlet anti ice In Flight Check	COMPLETED	MONTI, J.	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341 5. FAULT DATE 19 Dec 19	3. SYSTEM CODE A 6. FAULT NUMBER 1	4. TIME 07:02		
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA 1	complete	MONTI, J.	F	0.2
—	INSP AREA 2	complete	SAMSON, M	F	0.2
—	INSP AREA 3	complete	SAMSON, M	F	0.2
—	INSP AREA 4	complete	MONTI, J.	F	0.2
—	INSP AREA 5	complete	MONTI, J.	F	0.3
—	INSP AREA 6	complete	GIORNO, N.	F	0.2
/	REMOVED IGB COVER	reinstalled	MONTI, J.	F	0.2
/	REMOVED TGB FOREWARD FAIRING	reinstalled	THIBEDEAU,	F	0.2
—	DOWNLOAD & REVIEW IVHMS CARDS	complete	THIBEDEAU,	F	0.2
/	OPENED T/R D/S COVERS 3 EA	closed	MONTI, J.	F	0.2
—	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	complete	THIBEDEAU,	F	0.2
—	USING A CHEESECLOTH (WP 3722, Item 115)WET WITH A MILD SOLUTION OF GENERAL PURPOSE	complete	THIBEDEAU,	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 11:45		
	5. FAULT DATE 19 Dec 19	6. FAULT NUMBER 9			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R35 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	complete	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	complete	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	complete	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	complete	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	complete	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection,	complete	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	complete	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	complete	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	complete	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	complete	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	complete	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	complete	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection,	complete	ROMANO, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341 5. FAULT DATE 26 Dec 19	3. SYSTEM CODE A 6. FAULT NUMBER 3	4. TIME 09:12		
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	insp ok	ROMANO, D	F	0.3
— 	INSP AREA 2	insp ok	ROMANO, D	F	0.3
— 	INSP AREA 3	insp ok	ROMANO, D	F	0.3
— 	INSP AREA 4	insp ok	THIBEDEAU,	F	0.3
— 	INSP AREA 5	insp ok	THIBEDEAU,	F	0.3
— 	INSP AREA 6	insp ok	SAMSON, M	F	0.4
/ 	REMOVED IGB COVER	reinstalled	THIBEDEAU,	F	0.2
/ 	REMOVED TGB FOREWARD FAIRING	reinstalled	THIBEDEAU,	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	complete1	ROMANO, D	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	closed	THIBEDEAU,	F	0.2
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	complete	ROMANO, D	F	0.2
— 	USING A CHEESECLOTH (WP 3722, Item 115)WET WITH A MILD SOLUTION OF GENERAL PURPOSE	complete	ROMANO, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 09:25		
	5. FAULT DATE 26 Dec 19	6. FAULT NUMBER 4			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R35 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	insp ok	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	insp ok	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	insp ok	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	insp ok	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	insp ok	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection,	insp ok	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	insp ok	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	insp ok	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	insp ok	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	insp ok	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	insp ok	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	insp ok	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection,	insp ok	ROMANO, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341 5. FAULT DATE 02 Jan 20	3. SYSTEM CODE A 6. FAULT NUMBER 3	4. TIME 10:56		
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA 1	insp ok	ROMANO, D	F	0.3
—	INSP AREA 2	insp ok	ROMANO, D	F	0.3
—	INSP AREA 3	insp ok	SAMSON, M	F	0.3
—	INSP AREA 4	insp ok	SAMSON, M	F	0.3
—	INSP AREA 5	insp ok	SAMSON, M	F	0.4
—	INSP AREA 6	insp ok	ROMANO, D	F	0.5
/	REMOVED IGB COVER	reinstalled	SAMSON, M	F	0.2
/	REMOVED TGB FOREWARD FAIRING	reinstalled	SAMSON, M	F	0.2
—	DOWNLOAD & REVIEW IVHMS CARDS	complete	ROMANO, D	F	0.2
/	OPENED T/R D/S COVERS 3 EA	closed	SAMSON, M	F	0.2
—	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	complete	ROMANO, D	F	0.2
—	USING A CHEEESE CLOTH (WP 3722, Item 115) WET WITH A MILD SOLUTION OF GENERAL PURPOSE	complete	ROMANO, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 16:52		
	5. FAULT DATE 02 Jan 20	6. FAULT NUMBER 4			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R0 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	n/a	MONTI, J.	F	0.1
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	n/a	MONTI, J.	F	0.2
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	insp complete	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	insp complete	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	insp complete	MONTI, J.	F	0.2
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection, prior	insp complete	MONTI, J.	F	0.2
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	insp complete	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	insp complete	ALDRIDGE, S	F	0.3
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	insp complete	ALDRIDGE, S	F	0.2
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection, prior	insp complete	MONTI, J.	F	0.2
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	insp complete	MONTI, J.	F	0.2
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	insp complete	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection, prior	insp complete	MONTI, J.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 14:25		
	5. FAULT DATE 03 Jan 20	6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	insp complete	MONTI, J.	F	0.4
— 	INSP AREA 2	insp complete	MONTI, J.	F	0.3
— 	INSP AREA 3	insp complete	MONTI, J.	F	0.4
— 	INSP AREA 4	insp complete	MONTI, J.	F	0.3
— 	INSP AREA 5	insp complete	MONTI, J.	F	0.3
— 	INSP AREA 6	insp complete	MONTI, J.	F	0.5
/ 	REMOVED IGB COVER	reinstalled	MONTI, J.	F	0.2
/ 	REMOVED TGB FOREWARD FAIRING	reinstalled	MONTI, J.	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	completed	MONTI, J.	F	0.3
/ 	OPENED T/R D/S COVERS 3 EA	closed 3 e/a	MONTI, J.	F	0.2
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	completed	MONTI, J.	F	0.2
— 	USING A CHEEESE CLOTH (WP 3722, Item 115) WET WITH A MILD SOLUTION OF GENERAL PURPOSE	completed	MONTI, J.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 14:48		
	5. FAULT DATE 03 Jan 20	6. FAULT NUMBER 4			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	completed	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	completed	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	completed	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	completed	STLAURENT,	F	0.2
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection,	completed	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	completed	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	completed	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	completed	STLAURENT,	F	0.2
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	completed	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	completed	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	completed	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection,	completed	STLAURENT,	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 7923341 5. FAULT DATE 05 Jan 20	3. SYSTEM CODE A 6. FAULT NUMBER 2	4. TIME 13:03		
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	insp ok	KINNES, J.	F	0.2
— 	INSP AREA 2	insp ok	KINNES, J.	F	0.3
— 	INSP AREA 3	insp ok	KINNES, J.	F	0.2
— 	INSP AREA 4	insp ok	STLAURENT,	F	0.2
— 	INSP AREA 5	insp ok	STLAURENT,	F	0.3
— 	INSP AREA 6	insp ok	ROMANO, D	F	0.6
/ 	REMOVED IGB COVER	reinst	STLAURENT,	F	0.2
/ 	REMOVED TGB FOREWARD FAIRING	reinst	STLAURENT,	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	downloaded	ROMANO, D	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	closed	STLAURENT,	F	0.2
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	tbi, cci, and fod check completed	ROMANO, D	F	0.3
— 	USING A CHEESECLOTH (WP 3722, Item 115)WET WITH A MILD SOLUTION OF GENERAL PURPOSE	na	KINNES, J.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 14:22		
	5. FAULT DATE 05 Jan 20	6. FAULT NUMBER 5			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R0 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	completed	MONTI, J.	F	0.3
—	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	completed	MONTI, J.	F	0.3
—	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	completed	MONTI, J.	F	0.3
—	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	completed	MONTI, J.	F	0.3
—	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	completed	MONTI, J.	F	0.3
—	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection,	completed	MONTI, J.	F	0.3
—	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	completed	MONTI, J.	F	0.3
—	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	completed	MONTI, J.	F	0.6
—	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	completed	MONTI, J.	F	0.3
—	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	completed	MONTI, J.	F	0.3
—	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	completed	MONTI, J.	F	0.3
—	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	completed	MONTI, J.	F	0.3
—	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection,	completed	MONTI, J.	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 14:47		
	5. FAULT DATE 09 Jan 20	6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	complete	MONTI, J.	F	0.2
— 	INSP AREA 2	complete	MONTI, J.	F	0.2
— 	INSP AREA 3	complete	ALDRIDGE, S	F	0.2
— 	INSP AREA 4	complete	ALDRIDGE, S	F	0.2
— 	INSP AREA 5	complete	THIBEDEAU,	F	0.2
— 	INSP AREA 6	complete	SAMSON, M	F	0.2
/ 	REMOVED IGB COVER	reinstalled	THIBEDEAU,	F	0.2
/ 	REMOVED TGB FORWARD FAIRING	reinstalled	THIBEDEAU,	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	na	THIBEDEAU,	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	closed	ALDRIDGE, S	F	0.2
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	complete	THIBEDEAU,	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	na	THIBEDEAU,	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341 5. FAULT DATE 21 Jan 20	3. SYSTEM CODE A 6. FAULT NUMBER 2	4. TIME 07:17		
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	completed	MONTI, J.	F	0.3
— 	INSP AREA 2	completed	MONTI, J.	F	0.3
— 	INSP AREA 3	completed	MONTI, J.	F	0.3
— 	INSP AREA 4	completed	MONTI, J.	F	0.3
— 	INSP AREA 5	completed	MONTI, J.	F	0.3
— 	INSP AREA 6	completed	MONTI, J.	F	0.3
/ 	REMOVED IGB COVER	reinstalled	MONTI, J.	F	0.3
/ 	REMOVED TGB FOREWARD FAIRING	reinstalled	MONTI, J.	F	0.3
— 	DOWNLOAD & REVIEW IVHMS CARDS	completed	MONTI, J.	F	0.3
/ 	OPENED T/R D/S COVERS 3 EA	completed	MONTI, J.	F	0.3
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	completed	MONTI, J.	F	0.3
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	completed	MONTI, J.	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 12:47		
	5. FAULT DATE 21 Jan 20	6. FAULT NUMBER 6			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	COMPLETED	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	COMPLETED	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	COMPLETED	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	COMPLETED	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	COMPLETED	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection,	COMPLETED	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	COMPLETED	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	COMPLETED	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	COMPLETED	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	COMPLETED	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	COMPLETED	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	COMPLETED	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection,	COMPLETED	MONTI, J.	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS X	2. SERIAL NUMBER 7923341 5. FAULT DATE 22 Jan 20	3. SYSTEM CODE A 6. FAULT NUMBER 2	4. TIME 05:27		
7. FAULT INSP A115 LUBE REQUIRMENTS FOR HELICOPTER, UTILITY CAGE: 78286 PN: UH-60A NSN: 1520010350266 SN: 7923341 WAS DUE. STATUS UPGRADED TO X ON: 21 JAN 2020 OR 6336.6 AIRCRAFT HOURS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
X 	REMOVED L/H M/L/G STRUT PANEL	reinstalled	MONTI, J.	F	0.3
X 	REMOVED R/H M/L/G STRUT PANEL	reinstalled	MONTI, J.	F	0.3
X 	REMOVED T/L/G STRUT PANEL (LEFT OR RIGHT)	reinstalled r/s panel	MONTI, J.	F	0.3
— 	LUBE OF L/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	completed	MONTI, J.	F	0.3
— 	LUBE OF R/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	completed	MONTI, J.	F	0.3
— 	LUBE OF L/H M/L/G STRUT DUE	completed	MONTI, J.	F	0.3
— 	LUBE OF R/H M/L/G STRUT DUE	completed	MONTI, J.	F	0.3
— 	LUBE OF T/L/G STRUT DUE	completed	MONTI, J.	F	0.3
— 	LUBE OF STABILATOR ACTUATOR DUE	completd	MONTI, J.	F	0.3
— 	LUBE OF M/R BIFILARS (4EA) DUE	completed	MONTI, J.	F	0.3
— 	TOOL BOX INVENTORY DUE FOR MAINT. PERFORMED	completed box m8	MONTI, J.	F	0.3
— 	FOD CHECK DUE FOR MAINT. PERFORMED	completed	MONTI, J.	F	0.3
— 	CCI OF WORK AREA DUE FOR MAINT. PERFORMED	completed	MONTI, J.	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341 5. FAULT DATE 22 Jan 20	3. SYSTEM CODE A 6. FAULT NUMBER 3	4. TIME 13:20		
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	completed	MONTI, J.	F	0.3
— 	INSP AREA 2	completed	MONTI, J.	F	0.4
— 	INSP AREA 3	completed	MONTI, J.	F	0.3
— 	INSP AREA 4	completed	MONTI, J.	F	0.4
— 	INSP AREA 5	completed	MONTI, J.	F	0.3
— 	INSP AREA 6	completed	MONTI, J.	F	0.5
/ 	REMOVED IGB COVER	reinstalled	MONTI, J.	F	0.2
/ 	REMOVED TGB FOREWARD FAIRING	REINSTALLED	MONTI, J.	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	COMPLETED	MONTI, J.	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	CLOSED	MONTI, J.	F	0.2
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	COMPLETED, BOX M8	MONTI, J.	F	0.3
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	COMPLETED	MONTI, J.	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 15:18		
	5. FAULT DATE 22 Jan 20	6. FAULT NUMBER 5			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	complete	MONTI, J.	F	0.1
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	n/a	SAMSON, M	F	0.1
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	complete	MONTI, J.	F	0.1
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	complete	MONTI, J.	F	0.1
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	complete	SAMSON, M	F	0.1
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection, prior	complete	MONTI, J.	F	0.1
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	complete	MONTI, J.	F	0.1
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	complete	MONTI, J.	F	0.1
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	complete	MONTI, J.	F	0.1
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection, prior	complete	MONTI, J.	F	0.1
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	complete	SAMSON, M	F	0.1
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	complete	ALDRIDGE, S	F	0.1
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection, prior	n/a	MONTI, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 13:00		
5. FAULT DATE 23 Jan 20		6. FAULT NUMBER 2			
7. FAULT tail wheel lockpin broken during towing operation					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	removed cotter pin 2ea	replaced	KENNEY, J.	F	0.1
×	removed nut	installed tq to 30" in lbs	KENNEY, J.	F	0.2
×	removed broken lock pin	replaced	KENNEY, J.	F	0.2
—	fod check, toolbox inventory, cci of area req	insp ok	KENNEY, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 07:05		
	5. FAULT DATE 24 Jan 20	6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	complete	MONTI, J.	F	0.2
— 	INSP AREA 2	complete	MONTI, J.	F	0.3
— 	INSP AREA 3	complete	MONTI, J.	F	0.2
— 	INSP AREA 4	complete	MONTI, J.	F	0.3
— 	INSP AREA 5	complete	SAMSON, M	F	0.4
— 	INSP AREA 6	complete	ALDRIDGE, S	F	0.4
/ 	REMOVED IGB COVER	reinstalled	MONTI, J.	F	0.2
/ 	REMOVED TGB FOREWARD FAIRING	reinstalled	SAMSON, M	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	complete	SAMSON, M	F	0.3
/ 	OPENED T/R D/S COVERS 3 EA	closed	MONTI, J.	F	0.1
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	complete	SAMSON, M	F	0.3
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	complete	MONTI, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 08:35		
	5. FAULT DATE 24 Jan 20	6. FAULT NUMBER 5			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R35 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	n/a	ALDRIDGE, S	F	0.2
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	n/a	ALDRIDGE, S	F	0.1
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	insp complete	ALDRIDGE, S	F	0.3
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	insp complete	ALDRIDGE, S	F	0.2
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	insp complete	ALDRIDGE, S	F	0.3
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection, prior	insp complete	ALDRIDGE, S	F	0.2
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	insp complete	ALDRIDGE, S	F	0.3
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	insp complete	ALDRIDGE, S	F	0.3
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	insp complete	ALDRIDGE, S	F	0.3
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection, prior	n/a	ALDRIDGE, S	F	0.2
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	insp complete	ALDRIDGE, S	F	0.2
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	insp complete	ALDRIDGE, S	F	0.2
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection, prior	insp complete	ALDRIDGE, S	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341 5. FAULT DATE 28 Jan 20	3. SYSTEM CODE A 6. FAULT NUMBER 2	4. TIME 07:16		
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	insp complete	ALDRIDGE, S	F	0.3
— 	INSP AREA 2	insp complete	ALDRIDGE, S	F	0.3
— 	INSP AREA 3	insp complete	ALDRIDGE, S	F	0.3
— 	INSP AREA 4	insp complete	GIORNO, N.	F	0.3
— 	INSP AREA 5	insp complete	GIORNO, N.	F	0.4
— 	INSP AREA 6	insp complete	ALDRIDGE, S	F	0.5
/ 	REMOVED IGB COVER	reinstalled	GIORNO, N.	F	0.2
/ 	REMOVED TGB FOREWARD FAIRING	reinstlled	GIORNO, N.	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	completed	ALDRIDGE, S	F	0.3
/ 	OPENED T/R D/S COVERS 3 EA	closed 3 e/a	GIORNO, N.	F	0.2
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	completed	GIORNO, N.	F	0.3
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	completed	ALDRIDGE, S	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 09:11		
	5. FAULT DATE 28 Jan 20	6. FAULT NUMBER 5			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R0 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	insp ok	HALL, G.	F	0.1
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	insp ok	HALL, G.	F	0.1
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	insp ok	HALL, G.	F	0.1
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	insp ok	HALL, G.	F	0.1
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	insp ok	HALL, G.	F	0.1
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection,	insp ok	HALL, G.	F	0.1
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	insp ok	HALL, G.	F	0.1
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	insp ok	HALL, G.	F	0.1
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	insp ok	HALL, G.	F	0.1
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	insp ok	HALL, G.	F	0.1
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	insp ok	HALL, G.	F	0.1
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	insp ok	HALL, G.	F	0.1
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection,	insp ok	HALL, G.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 07:16		
	5. FAULT DATE 29 Jan 20	6. FAULT NUMBER 4			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	insp ok	HALL, G.	F	0.1
— 	INSP AREA 2	insp ok	HALL, G.	F	0.1
— 	INSP AREA 3	insp ok	HALL, G.	F	0.1
— 	INSP AREA 4	insp ok	HALL, G.	F	0.1
— 	INSP AREA 5	insp ok	HALL, G.	F	0.1
— 	INSP AREA 6	insp ok	HALL, G.	F	0.1
/ 	REMOVED IGB COVER	reinst	HALL, G.	F	0.1
/ 	REMOVED TGB FOREWARD FAIRING	reinst	HALL, G.	F	0.1
— 	DOWNLOAD & REVIEW IVHMS CARDS	insp ok	HALL, G.	F	0.1
/ 	OPENED T/R D/S COVERS 3 EA	closed	HALL, G.	F	0.1
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	insp ok	HALL, G.	F	0.1
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	completed	HALL, G.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 06:55		
	5. FAULT DATE 31 Jan 20	6. FAULT NUMBER 1			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	complete	ALDRIDGE, S	F	0.2
— 	INSP AREA 2	complete	ALDRIDGE, S	F	0.2
— 	INSP AREA 3	complete	ALDRIDGE, S	F	0.2
— 	INSP AREA 4	complete	THIBEDEAU,	F	0.2
— 	INSP AREA 5	complete	THIBEDEAU,	F	0.2
— 	INSP AREA 6	complete	GIORNO, N.	F	0.2
/ 	REMOVED IGB COVER	reinstalled	THIBEDEAU,	F	0.2
/ 	REMOVED TGB FORWARD FAIRING	reinstalled	THIBEDEAU,	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	complete	THIBEDEAU,	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	closed	THIBEDEAU,	F	0.2
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	complete	THIBEDEAU,	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	na	THIBEDEAU,	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 08:03		
	5. FAULT DATE 31 Jan 20	6. FAULT NUMBER 3			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R35 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	na	THIBEDAU,	F	0.2
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	na	THIBEDAU,	F	0.2
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	complete	THIBEDAU,	F	0.2
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	complete	THIBEDAU,	F	0.2
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	complete	THIBEDAU,	F	0.2
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection,	na	THIBEDAU,	F	0.2
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	complete	THIBEDAU,	F	0.2
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	complete	THIBEDAU,	F	0.2
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	complete	THIBEDAU,	F	0.2
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	na	THIBEDAU,	F	0.2
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	complete	THIBEDAU,	F	0.2
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	na	THIBEDAU,	F	0.2
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection,	complete	THIBEDAU,	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341 5. FAULT DATE 31 Jan 20	3. SYSTEM CODE A 6. FAULT NUMBER 4	4. TIME 08:07		
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	COMPLETED	GIORNO, N.	F	0.2
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	COMPLETED	GIORNO, N.	F	0.2
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	COMPLETED	GIORNO, N.	F	0.2
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	COMPLETED	GIORNO, N.	F	0.2
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	COMPLETED	GIORNO, N.	F	0.2
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection,	COMPLETED	GIORNO, N.	F	0.2
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	COMPLETED	GIORNO, N.	F	0.2
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	COMPLETED	GIORNO, N.	F	0.2
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	COMPLETED	GIORNO, N.	F	0.2
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	COMPLETED	GIORNO, N.	F	0.2
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	COMPLETED	GIORNO, N.	F	0.2
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	COMPLETED	GIORNO, N.	F	0.2
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection,	COMPLETED	GIORNO, N.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 7923341 5. FAULT DATE 03 Feb 20	3. SYSTEM CODE A 6. FAULT NUMBER 1	4. TIME 08:57		
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	INSP OK	GIORNO, N.	F	0.2
— 	INSP AREA 2	INSP OK	GIORNO, N.	F	0.2
— 	INSP AREA 3	INSP OK	GIORNO, N.	F	0.3
— 	INSP AREA 4	INSP OK	GIORNO, N.	F	0.3
— 	INSP AREA 5	INSP OK	GIORNO, N.	F	0.5
— 	INSP AREA 6	INSP OK	GIORNO, N.	F	0.5
/ 	REMOVED IGB COVER	REINSTALLED	GIORNO, N.	F	0.1
/ 	REMOVED TGB FOREWARD FAIRING	REINSTALLED	GIORNO, N.	F	0.1
— 	DOWNLOAD & REVIEW IVHMS CARDS	COMPLETED	GIORNO, N.	F	0.4
/ 	OPENED T/R D/S COVERS 3 EA	CLOSED ALL COVERS 3EA	GIORNO, N.	F	0.1
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	COMPLETED	GIORNO, N.	F	0.1
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	N/A	GIORNO, N.	F	0.1













DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

DA FORM 2408-13-2-SG, OCT 97 RELATED MAINTENANCE ACTIONS RECORD
 DA FORM 2408-13-2, NOV 91, MAY BE USED For use of this form see DA PAM 738-751, the proponent agency is DCSLOC














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 07:49		
	5. FAULT DATE 04 Feb 20	6. FAULT NUMBER 6			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1				
— 	INSP AREA 2				
— 	INSP AREA 3				
— 	INSP AREA 4				
— 	INSP AREA 5				
— 	INSP AREA 6				
/ 	REMOVED IGB COVER				
/ 	REMOVED TGB FOREWARD FAIRING				
— 	DOWNLOAD & REVIEW IVHMS CARDS				
/ 	OPENED T/R D/S COVERS 3 EA				
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED				
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT				

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 08:19		
	5. FAULT DATE 04 Feb 20	6. FAULT NUMBER 7			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R0 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	na	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	na	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection,	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	na	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection,	complete	THIBEDEAU,	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 07:17		
	5. FAULT DATE 05 Feb 20	6. FAULT NUMBER 3			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R35 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	na	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	na	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection,	na	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	na	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	complete	THIBEDEAU,	F	0.2
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection,	complete	THIBEDEAU,	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 06 Feb 20	3. SYSTEM CODE A 6. FAULT NUMBER 2	4. TIME 10:27		
7. FAULT INSP A110 (PMS) 40 HOUR INSPECTION (UH-60A MODEL)					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	REMOVED L/H M/L/G UPPER SHOCK STRUT FAIRING	REINSTALLED	THIBEDEAU,	F	0.2
×	REMOVED R/H M/L/G UPPER SHOCK STRUT FAIRING	REINSTALLED	THIBEDEAU,	F	0.2
×	REMOVED TRANSITION SECTION FUEL ENCLOSURE PANEL (L/H OR R/H)	REINSTALLED	ALDRIDGE, S	F	0.2
×	REMOVED TAIL STRUT ACCESS PANEL (L/H OR R/H)	REINSTALLED R/H SIDE	ALDRIDGE, S	F	0.2
×	REMOVED (4EA) STABILATOR SPAR INSPECTION PANELS	REINSTALLED (4 E/A)	ALDRIDGE, S	F	0.3
×	DIAL INDICATOR INSTALLED ON M/R SCISSOR BRG'S FOR INSPECTION	removed	THIBEDEAU,	F	0.2
×	REMOVED OIL COOLER ACCESS PANEL	reinstalled	THIBEDEAU,	F	0.2
×	REMOVED ENGINE STARTER OIL CAPS (IF APPICABLE)	reinstalled	THIBEDEAU,	F	0.2
×	REMOVED APU FUEL CONTROL COVER	reinstalled	THIBEDEAU,	F	0.2
—	INSP AREA 1 (I/A/W TM)	COMPLETE	SAMSON, M	F	0.4
—	INSP AREA 2 (I/A/W TM)	COMPLETE	THIBEDEAU,	F	0.2
—	INSP AREA 3 (I/A/W TM)	COMPLETE	THIBEDEAU,	F	0.2
—	INSP AREA 4 (I/A/W TM)	INSP COMPLETE	ALDRIDGE, S	F	0.6

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 06 Feb 20	3. SYSTEM CODE A 6. FAULT NUMBER 2	4. TIME 10:27		
7. FAULT INSP A110 (PMS) 40 HOUR INSPECTION (UH-60A MODEL)					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 5 (I/A/W TM)	INSP COMPLETE	ALDRIDGE, S	F	1.3
— 	INSP AREA 6 (I/A/W TM)	complete	THIBEDEAU,	F	0.2
— 	BIM INDICATOR TEST DUE	complete	THIBEDEAU,	F	0.2
— 	INSPECT M/R DAMPER BRG'S FOR PLAY	complete	THIBEDEAU,	F	0.2
— 	STAB COMP CHECK DUE (IF APPLICABLE)	N/A	ALDRIDGE, S	F	0.1
— 	INSPECT SWASHPLATE SCISSOR BRG'S FOR EXCESSIVE PLAY	black and red axial .000 and radial .016	THIBEDEAU,	F	0.2
— 	FOD CHECK DUE FOR MAINTENANCE PERFORMED	COMPLETE	THIBEDEAU,	F	0.2
— 	TOOL BOX INVENTORY DUE FOR MAINTENANCE PERFORMED	COMPLETE	THIBEDEAU,	F	0.2
/ 	LOWERED CABIN SOUNDPROOFING FOR INSPECTION	RAISED	THIBEDEAU,	F	0.2
/ 	REMOVED INT. G/B COVER	REINSTALLED	ALDRIDGE, S	F	0.2
/ 	OPENED (3EA) T/R D/S COVERS	CLOSED 3 E/A	ALDRIDGE, S	F	0.2
/ 	OPENED PILOT & CO-PILOT PEDAL BOOTS FOR INSPECTION	INSP. OK, CLOSED	SAMSON, M	F	0.2
× 	SIGN OFF COMPUTER GENERATED FAULT (-) 2408-13-1 {INSP A110 PMS DUE}	COMPLETE	THIBEDEAU,	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG


1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 12:27		
	5. FAULT DATE 06 Feb 20	6. FAULT NUMBER 4			
7. FAULT INSP A115 LUBE REQUIRMENTS FOR HELICOPTER					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	REMOVED L/H M/L/G STRUT PANEL	REINSTALLED	THIBEDEAU,	F	0.2
×	REMOVED R/H M/L/G STRUT PANEL	REINSTALLED	THIBEDEAU,	F	0.2
×	REMOVED T/L/G STRUT PANEL (LEFT OR RIGHT)	REINSTALLED R/H	ALDRIDGE, S	F	0.2
—	LUBE OF L/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	COMPLETE	SAMSON, M	F	0.2
—	LUBE OF R/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	COMPLETE	SAMSON, M	F	0.1
—	LUBE OF L/H M/L/G STRUT DUE	COMPLETE	THIBEDEAU,	F	0.2
—	LUBE OF R/H M/L/G STRUT DUE	COMPLETE	THIBEDEAU,	F	0.2
—	LUBE OF T/L/G STRUT DUE	COMPLETE	ALDRIDGE, S	F	0.2
—	LUBE OF STABILATOR ACTUATOR DUE	COMPLETE	ALDRIDGE, S	F	0.2
—	LUBE OF M/R BIFILARS (4EA) DUE	lubed	THIBEDEAU,	F	0.2
—	TOOL BOX INVENTORY DUE FOR MAINT. PERFORMED	COMPLETE	THIBEDEAU,	F	0.2
—	FOD CHECK DUE FOR MAINT. PERFORMED	COMPLETE	THIBEDEAU,	F	0.2
—	CCI OF WORK AREA DUE FOR MAINT. PERFORMED	COMPLETE	THIBEDEAU,	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 12:27		
	5. FAULT DATE 06 Feb 20	6. FAULT NUMBER 4			
7. FAULT INSP A115 LUBE REQUIRMENTS FOR HELICOPTER					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 SIGN OFF COMPUTER GENERATED FAULT (-) 2408-13-1 (INSP A115 AIRCRAFT LUBE)	COMPLETE	THIBEDEAU,	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 14:03		
	5. FAULT DATE 06 Feb 20	6. FAULT NUMBER 5			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	complete	THIBEDEAU,	F	0.2
— 	INSP AREA 2	complete	THIBEDEAU,	F	0.2
— 	INSP AREA 3	complete	THIBEDEAU,	F	0.2
— 	INSP AREA 4	complete	ALDRIDGE, S	F	0.2
— 	INSP AREA 5	complete	ALDRIDGE, S	F	0.2
— 	INSP AREA 6	complete	THIBEDEAU,	F	0.2
/ 	REMOVED IGB COVER	complete	ALDRIDGE, S	F	0.2
/ 	REMOVED TGB FORWARD FAIRING	complete	ALDRIDGE, S	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	complete	THIBEDEAU,	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	closed	ALDRIDGE, S	F	0.2
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	complete	THIBEDEAU,	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	complete	THIBEDEAU,	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG









1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 14:03		
	5. FAULT DATE 06 Feb 20	6. FAULT NUMBER 6			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	INSP OK	ROMANO, D	F	0.1
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	NA	KINNES, J.	F	0.1
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	INSP OK	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	INSP OK	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	INSP OK	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection,	INSP OK	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	INSP OK	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	INSP OK	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	INSP OK	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	INSP OK	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	INSP OK	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	INSP OK	ROMANO, D	F	0.1
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection,	INSP OK	STLAURENT,	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 08:06		
	5. FAULT DATE 07 Feb 20	6. FAULT NUMBER 2			
7. FAULT QUARTERLY HOIST INSP DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	FUNCTIONAL TEST OF PILOTS CABLE CUT SWITCH DUE	ENTERED IN ERROR	TREMBLAY, I	F	0.1
— 	FUNCTIONAL TEST OF HOIST OPERATORS STATION CABLE CUT SWITCH DUE	ENTERED IN ERROR	TREMBLAY, I	F	0.1
— 	ACTUATOR ASSY INSP DUE	ENTERED IN ERROR	TREMBLAY, I	F	0.1
— 	PRESSURE ROLLER SPRING INSP DUE	ENTERED IN ERROR	TREMBLAY, I	F	0.1
— 	SHEAVE ASSY INSP DUE	ENTERED IN ERROR	TREMBLAY, I	F	0.1
× 	REMOVED PRESSURE ROLLER COVER	ENTERED IN ERROR	TREMBLAY, I	F	0.1
× 	DISCONNECTED PRESSURE ROLLER SPRINGS (2 EA)	ENTERED IN ERROR	TREMBLAY, I	F	0.1
— 	TOOL BOX INVENTORY, FOD CHECK AND CCI OF AREA WORKED IS DUE	ENTERED IN ERROR	TREMBLAY, I	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 13:37		
	5. FAULT DATE 09 Feb 20	6. FAULT NUMBER 3			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	INSP OK	ROMANO, D	F	0.3
— 	INSP AREA 2	INSP OK	STLAURENT,	F	0.3
— 	INSP AREA 3	INSP OK	STLAURENT,	F	0.2
— 	INSP AREA 4	INSP OK	KINNES, J.	F	0.3
— 	INSP AREA 5	INSP OK	KINNES, J.	F	0.4
— 	INSP AREA 6	INSP OK	ROMANO, D	F	0.5
/ 	REMOVED IGB COVER	REINSTALLED	KINNES, J.	F	0.1
/ 	REMOVED TGB FOREWARD FAIRING	REISNTALLED	KINNES, J.	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	DOWNLOADED	KINNES, J.	F	0.1
/ 	OPENED T/R D/S COVERS 3 EA	CLOSED 3EA	KINNES, J.	F	0.2
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	COMPLETE	KINNES, J.	F	0.1
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	COMPLETE	KINNES, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 14:01		
	5. FAULT DATE 09 Feb 20	6. FAULT NUMBER 4			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R0 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	na	OHNECK, J.	F	0.1
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	na	OHNECK, J.	F	0.1
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	completed	ALDRIDGE, S	F	0.3
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	completed	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	completed	OHNECK, J.	F	0.4
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection, prior	completed	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	completed	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	completed	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	completed	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection, prior	na	OHNECK, J.	F	0.1
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	completed	OHNECK, J.	F	0.4
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	completed	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection, prior	completed	MONTI, J.	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 08:39		
	5. FAULT DATE 12 Feb 20	6. FAULT NUMBER 1			
7. FAULT removed engine ignitors from #1 and #2 engine 2 each engine					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	installed engines hot wash igniters on #1 and #2 engine (4ea)	removed	THIBEDEAU,	F	0.3
—	fod check, tool box inventory, and cci due	complete	THIBEDEAU,	F	0.2
×	removed leads from igniters	reinstalled TQ to 15 degrees wrench arce	THIBEDEAU,	F	0.2
—	moc of #1 & #2 eng start systems due for rmvl & reinst of igniters	moc ok	RIEMER, J.	F	1.0

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 13:30		
	5. FAULT DATE 13 Feb 20	6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	complete	THIBEDAU,	F	0.2
— 	INSP AREA 2	complete	THIBEDAU,	F	0.2
— 	INSP AREA 3	complete	THIBEDAU,	F	0.2
— 	INSP AREA 4	complete	THIBEDAU,	F	0.2
— 	INSP AREA 5	complete	THIBEDAU,	F	0.2
— 	INSP AREA 6	complete	THIBEDAU,	F	0.2
/ 	REMOVED IGB COVER	reinstalled	THIBEDAU,	F	0.2
/ 	REMOVED TGB FORWARD FAIRING	reinstalled	THIBEDAU,	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	complete	THIBEDAU,	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	closed	THIBEDAU,	F	0.2
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	complete	THIBEDAU,	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	complete	THIBEDAU,	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341 5. FAULT DATE 20 Feb 20	3. SYSTEM CODE A 6. FAULT NUMBER 3	4. TIME 08:10		
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	insp complete	MONTI, J.	F	0.3
— 	INSP AREA 2	insp complete	MONTI, J.	F	0.3
— 	INSP AREA 3	insp complete	MONTI, J.	F	0.3
— 	INSP AREA 4	insp complete	GIORNO, N.	F	0.3
— 	INSP AREA 5	insp complete	GIORNO, N.	F	0.3
— 	INSP AREA 6	insp complete	MONTI, J.	F	0.4
/ 	REMOVED IGB COVER	reinst	GIORNO, N.	F	0.2
/ 	REMOVED TGB FOREWARD FAIRING	reinst	GIORNO, N.	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	completed	OHNECK, J.	F	0.4
/ 	OPENED T/R D/S COVERS 3 EA	closed	GIORNO, N.	F	0.1
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	completed	GIORNO, N.	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	completed	MONTI, J.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 09:44		
	5. FAULT DATE 20 Feb 20	6. FAULT NUMBER 6			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	COMPLETED	MELLO, D.	F	0.3
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection,	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection,	COMPLETED	MELLO, D.	F	0.2













DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

DA FORM 2408-13-2-SG, OCT 97 DA FORM 2408-13-2, NOV 91, MAY BE USED	RELATED MAINTENANCE ACTIONS RECORD For use of this form see DA PAM 738-751, the proponent agency is DCSLOG
---	--

1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 13:25		
	5. FAULT DATE 27 Feb 20	6. FAULT NUMBER 3			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	complete	THIBEDEAU,	F	0.2
— 	INSP AREA 2	complete	THIBEDEAU,	F	0.2
— 	INSP AREA 3	complete	THIBEDEAU,	F	0.2
— 	INSP AREA 4	complete	THIBEDEAU,	F	0.2
— 	INSP AREA 5	complete	THIBEDEAU,	F	0.2
— 	INSP AREA 6	complete	THIBEDEAU,	F	0.2
/ 	REMOVED IGB COVER	reinstalled	THIBEDEAU,	F	0.2
/ 	REMOVED TGB FORWARD FAIRING	reinstalled	THIBEDEAU,	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	na	THIBEDEAU,	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	closed	THIBEDEAU,	F	0.2
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	complete	THIBEDEAU,	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	complete	THIBEDEAU,	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 28 Feb 20	3. SYSTEM CODE A 6. FAULT NUMBER 1	4. TIME 11:22		
7. FAULT Replacement of digital clock batteries in process					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	Removed pilot clock	reinstalled	THOMAS, T.	F	0.5
×	Removed copilot clock	reinstalled	THOMAS, T.	F	0.5
—	moc of digital clock system due	moc ok	THOMAS, T.	F	1.0
—	fod check, toolbox inventory and cci due	complete	THOMAS, T.	F	0.5

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 03 Mar 20	3. SYSTEM CODE A 6. FAULT NUMBER 3	4. TIME 15:13		
7. FAULT INSP A815 PERFORM FLIR TURRET UNIT NITROGEN PURGE IN PROCESS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	REMOVED CANNON PLUG FROM FLIR TO ACFT	REINSTALLED AND TREATED WITH CPC	GIORNO, N.	F	0.1
×	REMOVED 3 SCREWS FROM NITROGEN FILL PROTECTIVE COVER	REINSTALLED	GIORNO, N.	F	0.1
×	REMOVED NITROGEN FILL PROTECTIVE COVER	REINSTALLED	GIORNO, N.	F	0.1
—	FOD CHECK DUE	COMPLETED	GIORNO, N.	F	0.1
—	CCI OF WORK AREA DUE	COMPLETED	GIORNO, N.	F	0.1
—	TOOLBOX INVENTORY DUE	COMPLETED	GIORNO, N.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 03 Mar 20	3. SYSTEM CODE A 6. FAULT NUMBER 4	4. TIME 15:16		
7. FAULT INSP A816 PERFORM FLIR TURRET UNIT DESICCANT CARTRIDGE INSPECTION IN PROCESS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	REMOVED 4 SCREWS FROM DESICCATOR FUSE PANEL	REINSTALLED	GIORNO, N.	F	0.1
×	REMOVED DESICCATOR FUSE PANEL	REINSTALLED	GIORNO, N.	F	0.2
—	FOD CHECK DUE	COMPLETED	GIORNO, N.	F	0.1
—	TOOLBOX INVENTORY DUE	COMPLETED	GIORNO, N.	F	0.1
—	CCI OF WORK AREA DUE	COMPLETED	GIORNO, N.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG


1. STATUS ×		2. SERIAL NUMBER 7923341		3. SYSTEM CODE A		4. TIME 15:21	
		5. FAULT DATE 04 Mar 20		6. FAULT NUMBER 4			
7. FAULT INSP A115 LUBE REQUIRMENTS FOR HELICOPTER							
8. STA		9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH	
×		REMOVED L/H M/L/G STRUT PANEL	REINSTALLED	ALDRIDGE, S	F	0.4	
×		REMOVED R/H M/L/G STRUT PANEL	REINSTALLED	ALDRIDGE, S	F	0.3	
×		REMOVED T/L/G STRUT PANEL (LEFT OR RIGHT)	REINSTALLED L/H PANEL	ALDRIDGE, S	F	0.3	
—		LUBE OF L/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	COMPLETED	ALDRIDGE, S	F	0.2	
—		LUBE OF R/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	COMPLETED	ALDRIDGE, S	F	0.3	
—		LUBE OF L/H M/L/G STRUT DUE	COMPLETED	VASQUEZ, C	F	0.3	
—		LUBE OF R/H M/L/G STRUT DUE	COMPLETED	VASQUEZ, C	F	0.3	
—		LUBE OF T/L/G STRUT DUE	COMPLETED	VASQUEZ, C	F	0.3	
—		LUBE OF STABILATOR ACTUATOR DUE	COMPLETED	VASQUEZ, C	F	0.2	
—		LUBE OF M/R BIFILARS (4EA) DUE	COMPLETED	ALDRIDGE, S	F	0.5	
—		TOOL BOX INVENTORY DUE FOR MAINT. PERFORMED	COMPLETED	ALDRIDGE, S	F	0.2	
—		FOD CHECK DUE FOR MAINT. PERFORMED	COMPLETED	ALDRIDGE, S	F	0.2	
—		CCI OF WORK AREA DUE FOR MAINT. PERFORMED	COMPLETED	ALDRIDGE, S	F	0.2	

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG







1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 15:21		
	5. FAULT DATE 04 Mar 20	6. FAULT NUMBER 4			
7. FAULT INSP A115 LUBE REQUIRMENTS FOR HELICOPTER					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 SIGN OFF COMPUTER GENERATED FAULT (-) 2408-13-1 (INSP A115 AIRCRAFT LUBE)	COMPLETED	ALDRIDGE, S	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 15:27		
	5. FAULT DATE 04 Mar 20	6. FAULT NUMBER 5			
7. FAULT APU ACCUMULATOR PRE CHARGE LOW BACKUP PUMP WILL TRUN OFF					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
/	 lowered soundproofing from rear cabin ceiling	raised soundproofing	ALDRIDGE, S	F	0.3
×	 Removed cap from nitrogen servicing valve on pressure gauge	reinstalled	ALDRIDGE, S	F	0.2
×	 Loosened locknut on nitrogen servicing valve	tq to 60 inch pnds per wp 0213	ALDRIDGE, S	F	0.3
×	 Removed lockwire from APU start motor servicing plug	replaced lockwire	ALDRIDGE, S	F	0.3
×	 Loosened servicing plug	tq to 60 inch pnds per wp 0213	ALDRIDGE, S	F	0.3
—	 cci,toolbox inventory,and fod check due	completed	ALDRIDGE, S	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 04 Mar 20	3. SYSTEM CODE A 6. FAULT NUMBER 6	4. TIME 15:54		
7. FAULT #1 AND #2 ENG HMU AND AI/SBV QDP REPLACEMENT IN PROCESS IAW H-60-20-AMAM-03					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	RMVD #1 ENG HMU QDP	REPLACED QDP WITH NUT AND BOLT IAW H-60-20-AMAM-03 TQ	HARKER, C.	F	0.2
×	RMVD #1 ENG AI/SBV QDP	REPLACED QDP WITH NUT AND BOLT IAW H-60-20-AMAM-03 TQ	HARKER, C.	F	0.2
×	RMVD #2 ENG HMU QDP	REPLACED QDP WITH NUT AND BOLT IAW H-60-20-AMAM-03 TQ	HARKER, C.	F	0.2
×	RMVD #2 ENG AI/SBV QDP	REPLACED QDP WITH NUT AND BOLT IAW H-60-20-AMAM-03 TQ	HARKER, C.	F	0.2
—	TOOL BOX INVENTORY DUE	COMPLETED	HARKER, C.	F	0.3
—	FOD CHECK DUE	COMPLETED	HARKER, C.	F	0.2
—	CCI OF WORK AREA	COMPLETED	HARKER, C.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341 5. FAULT DATE 04 Mar 20	3. SYSTEM CODE A 6. FAULT NUMBER 8	4. TIME 16:17		
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	INSP COMPLETE	ALDRIDGE, S	F	0.4
— 	INSP AREA 2	INSP COMPLETE	ALDRIDGE, S	F	0.3
— 	INSP AREA 3	INSP COMPLETE	VASQUEZ, C	F	0.4
— 	INSP AREA 4	INSP OK	MELLO, D.	F	0.2
— 	INSP AREA 5	INSP OK	MELLO, D.	F	0.3
— 	INSP AREA 6	INSP COMPLETE	HALL, G.	F	0.4
/ 	REMOVED IGB COVER	REINSTALLED	MELLO, D.	F	0.1
/ 	REMOVED TGB FOREWARD FAIRING	REINSTALLED	MELLO, D.	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	N/A 7 DAY PMD	ALDRIDGE, S	F	0.1
/ 	OPENED T/R D/S COVERS 3 EA	CLOSED 3 E/A	MELLO, D.	F	0.3
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	COMPLETED	ALDRIDGE, S	F	0.3
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	COMPLETED	ALDRIDGE, S	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 7923341 5. FAULT DATE 06 Mar 20	3. SYSTEM CODE A 6. FAULT NUMBER 3	4. TIME 07:09		
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	INSP OK	MELLO, D.	F	0.3
— 	INSP AREA 2	INSP OK	MELLO, D.	F	0.3
— 	INSP AREA 3	Insp. ok.	VASQUEZ, C	F	0.3
— 	INSP AREA 4	Insp.Ok.	VASQUEZ, C	F	0.3
— 	INSP AREA 5	Insp.Ok.	VASQUEZ, C	F	0.3
— 	INSP AREA 6	COMPLETE	SAMSON, M	F	0.5
/ 	REMOVED IGB COVER	REINSTALLED	VASQUEZ, C	F	0.1
/ 	REMOVED TGB FOREWARD FAIRING	REINSTALLED	VASQUEZ, C	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	COMPLETE	VASQUEZ, C	F	0.3
/ 	OPENED T/R D/S COVERS 3 EA	CLOSED	VASQUEZ, C	F	0.1
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	COMPLETED	MELLO, D.	F	0.1
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	COMPLETED	MELLO, D.	F	0.1














DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

DA FORM 2408-13-2-SG, OCT 97 DA FORM 2408-13-2, NOV 91, MAY BE USED	RELATED MAINTENANCE ACTIONS RECORD For use of this form see DA PAM 738-751, the proponent agency is DCSLOG
---	--













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 12:33		
	5. FAULT DATE 06 Mar 20	6. FAULT NUMBER 5			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R0 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	INSP OK	KINNES, J.	F	0.1
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	N/A	KINNES, J.	F	0.1
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	INSP OK	KINNES, J.	F	0.1
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	INSP OK	KINNES, J.	F	0.1
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	INSP OK	KINNES, J.	F	0.1
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection,	INSP OK	KINNES, J.	F	0.1
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	INSP OK	KINNES, J.	F	0.1
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	INSP OK	KINNES, J.	F	0.1
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	INSP OK	KINNES, J.	F	0.1
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	INSP OK	KINNES, J.	F	0.1
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	INSP OK	KINNES, J.	F	0.1
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	INSP OK	KINNES, J.	F	0.1
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection,	N/A	KINNES, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 08:46		
	5. FAULT DATE 08 Mar 20	6. FAULT NUMBER 2			
7. FAULT PMD Due					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	INSP OK	KINNES, J.	F	0.2
— 	INSP AREA 2	INSP OK	KINNES, J.	F	0.2
— 	INSP AREA 3	INSP OK	KINNES, J.	F	0.1
— 	INSP AREA 4	INSP OK	KINNES, J.	F	0.1
— 	INSP AREA 5	INSP OK	KINNES, J.	F	0.3
— 	INSP AREA 6	INSP OK	KINNES, J.	F	0.3
/ 	REMOVED IGB COVER	REINSTALLED	KINNES, J.	F	0.1
/ 	REMOVED TGB FOREWARD FAIRING	REINSTALLED	KINNES, J.	F	0.1
— 	DOWNLOAD & REVIEW IVHMS CARDS	COMPLETE	KINNES, J.	F	0.1
/ 	OPENED T/R D/S COVERS 3 EA	CLOSED	KINNES, J.	F	0.1
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	COMPLETE	KINNES, J.	F	0.1
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	COMPLETE	KINNES, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG







1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 10:02		
	5. FAULT DATE 08 Mar 20	6. FAULT NUMBER 3			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection,	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection,	COMPLETED	MELLO, D.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 13:36		
	5. FAULT DATE 10 Mar 20	6. FAULT NUMBER 1			
7. FAULT T/R BLADE DE-ICE SLIPRING BRUSH ASSEMBLY HOUSING COVER HAS MULTIPLE CRACKS STEAMING FROM BOLT TO EDGE OF COVER (CRACK GOES ALL THE WAY THROUGH THE COVER TO THE EDGE)					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 disconnect mag pick up cannon plug	connected	ROMANO, D	F	0.3
×	 remove mag pick up bracket	reinstalled bracket replaced hdw tq to 130 inch lbs	ROMANO, D	F	1.0
×	 remove deice brush assy	reinstalled	ROMANO, D	F	0.2
×	 remove safties from deice brush assy 2(ea)	replaced	ROMANO, D	F	0.3
—	 fod check toolbox inventory and cci of area work performed	complete	ROMANO, D	F	0.3
×	 remove deice cover	replaced	ROMANO, D	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341 5. FAULT DATE 13 Mar 20	3. SYSTEM CODE A 6. FAULT NUMBER 2	4. TIME 11:13		
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	INSP OK	MELLO, D.	F	0.2
— 	INSP AREA 2	INSP OK	MELLO, D.	F	0.2
— 	INSP AREA 3	INSP OK	MELLO, D.	F	0.2
— 	INSP AREA 4	INSP OK	MELLO, D.	F	0.2
— 	INSP AREA 5	INSP OK	MELLO, D.	F	0.3
— 	INSP AREA 6	INSP OK	GIORNO, N.	F	0.5
/ 	REMOVED IGB COVER	REINSTALLED	MELLO, D.	F	0.2
/ 	REMOVED TGB FOREWARD FAIRING	REINSTALLED	MELLO, D.	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	COMPLETED	MELLO, D.	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	CLOSED	MELLO, D.	F	0.1
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	COMPLETED	MELLO, D.	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	COMPLETED	MELLO, D.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 11:16		
	5. FAULT DATE 13 Mar 20	6. FAULT NUMBER 3			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R9 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection,	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 28 MAR 18. A visual	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	COMPLETED	MELLO, D.	F	0.2
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection,	COMPLETED	MELLO, D.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 09:24		
	5. FAULT DATE 17 Mar 20	6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	insp ok	ROMANO, D	F	0.3
— 	INSP AREA 2	insp ok	ROMANO, D	F	0.3
— 	INSP AREA 3	insp ok	ROMANO, D	F	0.3
— 	INSP AREA 4	insp ok	SIMSHAUSEI	F	0.3
— 	INSP AREA 5	insp complete	EDDY, C.	F	0.5
— 	INSP AREA 6	insp complete	ALDRIDGE, S	F	0.5
/ 	REMOVED IGB COVER	reinstalled	EDDY, C.	F	0.2
/ 	REMOVED TGB FOREWARD FAIRING	reinstalled	EDDY, C.	F	0.3
— 	DOWNLOAD & REVIEW IVHMS CARDS	n/a 7 day pmd	ALDRIDGE, S	F	0.1
/ 	OPENED T/R D/S COVERS 3 EA	closed 3 e/a	EDDY, C.	F	0.2
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	complete	ROMANO, D	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	complete	ROMANO, D	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG












1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 11:03		
5. FAULT DATE 17 Mar 20		6. FAULT NUMBER 4			
7. FAULT INSP A160 90 DAY CPC INSPECTION					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP COCKPIT EXTERIOR	insp ok	ROMANO, D	F	0.4
— 	INSP COCKPIT INTERIOR	insp ok	ROMANO, D	F	0.4
— 	INSP CABIN EXTERIOR	insp ok	ROMANO, D	F	0.4
— 	INSP CABIN INTERIOR	insp ok	ROMANO, D	F	0.4
— 	INSP TRANSITION/ TAILCONE INTERIOR	insp ok	ROMANO, D	F	0.4
— 	INSP TRANSITION SECTION EXTERIOR	insp ok	SIMSHAUSEI	F	0.4
— 	INSP TAILCONE EXTERIOR	insp complete	EDDY, C.	F	0.4
— 	INSP TAIL PYLON	insp complete	EDDY, C.	F	0.5
— 	INSP MAIN ROTOR PYLON	insp ok	ALDRIDGE, S	F	0.4
— 	INSP MAIN ROTOR AREA	insp ok	ALDRIDGE, S	F	0.3
— 	INSP AFT MAIN ROTOR PYLON	insp ok	ALDRIDGE, S	F	0.3
— 	INSP ENGINE AREA	insp ok	ALDRIDGE, S	F	0.3
/ 	LOWER CABIN SOUNDPROOFING	raised	EDDY, C.	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 17 Mar 20	3. SYSTEM CODE A 6. FAULT NUMBER 4	4. TIME 11:03		
7. FAULT INSP A160 90 DAY CPC INSPECTION					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
/ 	OPENED TAIL ROTOR DRIVE SHAFT COVERS	closed 3 e/a	EDDY, C.	F	0.3
/ 	REMOVED IGB COVER	reinstalled	EDDY, C.	F	0.2
/ 	REMOVED TAIL ROTOR GEARBOX FORWARD FAIRING	reinstalled	EDDY, C.	F	0.2
× 	REMOVED FUEL ENCLOSURE PANELS	reinstalled	ROMANO, D	F	0.3
× 	REMOVED APU EXHAUST FAIRINGS (L AND R SIDE)	did not remove propped up dog house for insp	ROMANO, D	F	0.1
× 	REMOVED LEFT HAND UPPER ESSS CAP FAIRING	acft does not have hard points	ROMANO, D	F	0.1
× 	REMOVED RIGHT HAND UPPER ESSS CAP FAIRING	acft does not have hard points	ROMANO, D	F	0.1
× 	SIGN OFF COMPUTER GENERATED FAULT (-) 2408-13-1 {INSP A160 90 CPC INSP}	complete	ROMANO, D	F	0.1
— 	FOD CHECK DUE FOR MAINT. PERFORMED	complete	ROMANO, D	F	0.3
× 	RMVD 3EA HDWR FROM APU EXHAUST TUBE	reinstalled	ALDRIDGE, S	F	0.3
— 	TOOL BOX INVENTORY DUE FOR MAINT. PERFORMED	complete box 7,6 used	ROMANO, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG


1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 17 Mar 20	3. SYSTEM CODE A 6. FAULT NUMBER 5	4. TIME 11:24		
7. FAULT INSP A115 LUBE REQUIRMENTS FOR HELICOPTER					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	REMOVED L/H M/L/G STRUT PANEL	reinstalled	ALDRIDGE, S	F	0.3
×	REMOVED R/H M/L/G STRUT PANEL	reinstalled	ALDRIDGE, S	F	0.3
×	REMOVED T/L/G STRUT PANEL (LEFT OR RIGHT)	reinstalled l/h strut panel	EDDY, C.	F	0.3
—	LUBE OF L/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	completed	ALDRIDGE, S	F	0.3
—	LUBE OF R/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	insp complete	ALDRIDGE, S	F	0.3
—	LUBE OF L/H M/L/G STRUT DUE	completed	EDDY, C.	F	0.4
—	LUBE OF R/H M/L/G STRUT DUE	completed	EDDY, C.	F	0.3
—	LUBE OF T/L/G STRUT DUE	completed	EDDY, C.	F	0.3
—	LUBE OF STABILATOR ACTUATOR DUE	completed	EDDY, C.	F	0.3
—	LUBE OF M/R BIFILARS (4EA) DUE	completed	ALDRIDGE, S	F	0.3
—	TOOL BOX INVENTORY DUE FOR MAINT. PERFORMED	completed	ALDRIDGE, S	F	0.2
—	FOD CHECK DUE FOR MAINT. PERFORMED	completed	ALDRIDGE, S	F	0.3
—	CCI OF WORK AREA DUE FOR MAINT. PERFORMED	completed	ALDRIDGE, S	F	0.4

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 11:24		
	5. FAULT DATE 17 Mar 20	6. FAULT NUMBER 5			
7. FAULT INSP A115 LUBE REQUIRMENTS FOR HELICOPTER					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 SIGN OFF COMPUTER GENERATED FAULT (-) 2408-13-1 (INSP A115 AIRCRAFT LUBE)	completed	ALDRIDGE, S	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 20:03		
5. FAULT DATE 17 Mar 20		6. FAULT NUMBER 9			
7. FAULT SWASHPLATE LUBE IN PROCESS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	REMOVED HDWR FROM SWASHPLATE RETAINING RING	REINSTALLED HDWR TQ'D 194 IN LBS	THOMAS, S.	F	0.5
×	REMOVED SWASHPLATE RETAINING RING	REINSTALLED RETAINING RING	THOMAS, S.	F	0.5
—	LUBRICATION AND CLEANING OF SWASHPLATE DUE	COMPLETED	THOMAS, S.	F	0.5
—	FOD CHECK, CCI, AND TOOLBOX INVENTORY DUE	COMPLETED	THOMAS, S.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341 5. FAULT DATE 24 Mar 20	3. SYSTEM CODE A 6. FAULT NUMBER 2	4. TIME 14:57		
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA 1	insp ok	MONTI, J.	F	0.3
—	INSP AREA 2	insp ok	MONTI, J.	F	0.3
—	INSP AREA 3	insp ok	ROMANO, D	F	0.3
—	INSP AREA 4	insp ok	MONTI, J.	F	0.3
—	INSP AREA 5	insp ok	MONTI, J.	F	0.4
—	INSP AREA 6	insp ok	ROMANO, D	F	0.5
/	REMOVED IGB COVER	reinstalled	MONTI, J.	F	0.2
/	REMOVED TGB FOREWARD FAIRING	reinstalled	ROMANO, D	F	0.2
—	DOWNLOAD & REVIEW IVHMS CARDS	7 day pmd nothing to download	ROMANO, D	F	0.1
/	OPENED T/R D/S COVERS 3 EA	closed	MONTI, J.	F	0.2
—	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	complete	ROMANO, D	F	0.2
—	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	complete	ROMANO, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341 5. FAULT DATE 31 Mar 20	3. SYSTEM CODE A 6. FAULT NUMBER 2	4. TIME 14:41		
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	INSP OK	ROMANO, D	F	0.2
— 	INSP AREA 2	INSP OK	ROMANO, D	F	0.2
— 	INSP AREA 3	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 4	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 5	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 6	INSP OK	ROMANO, D	F	0.2
/ 	REMOVED IGB COVER	REINSTALLED	THOMAS, S.	F	0.1
/ 	REMOVED TGB FORWARD FAIRING	REINSTALLED	THOMAS, S.	F	0.1
— 	DOWNLOAD & REVIEW IVHMS CARDS	N/A	THOMAS, S.	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	CLOSED	THOMAS, S.	F	0.1
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	COMPLETED	THOMAS, S.	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	N/A	THOMAS, S.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 12:35		
	5. FAULT DATE 07 Apr 20	6. FAULT NUMBER 1			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 2	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 3	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 4	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 5	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 6	INSP OK	THOMAS, S.	F	0.2
/ 	REMOVED IGB COVER	REINSTALLED	THOMAS, S.	F	0.2
/ 	REMOVED TGB FORWARD FAIRING	REINSTALLED	THOMAS, S.	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	N/A	THOMAS, S.	F	0.1
/ 	OPENED T/R D/S COVERS 3 EA	CLOSED D/S COVERS	THOMAS, S.	F	0.2
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	COMPLETED	THOMAS, S.	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	N/A	THOMAS, S.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 15:16		
	5. FAULT DATE 14 Apr 20	6. FAULT NUMBER 3			
7. FAULT INSP A115 LUBE REQUIRMENTS FOR HELICOPTER					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 REMOVED L/H M/L/G STRUT PANEL	REINSTALLED PANEL	THOMAS, S.	F	0.2
×	 REMOVED R/H M/L/G STRUT PANEL	REINSTALLED PANEL	THOMAS, S.	F	0.2
×	 REMOVED T/L/G STRUT PANEL (LEFT OR RIGHT)	REINSTALLED L/H PANEL	THOMAS, S.	F	0.2
×	 SIGN OFF COMPUTER GENERATED FAULT (-) 2408-13-1 {INSP A115 AIRCRAFT LUBE}	COMPLETED	THOMAS, S.	F	0.1
—	 LUBE OF L/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	COMPLETED	THOMAS, S.	F	0.2
—	 LUBE OF R/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	COMPLETED	THOMAS, S.	F	0.2
—	 LUBE OF L/H M/L/G STRUT DUE	COMPLETED	THOMAS, S.	F	0.2
—	 LUBE OF R/H M/L/G STRUT DUE	COMPLETED	THOMAS, S.	F	0.2
—	 LUBE OF STABILATOR ACTUATOR DUE	COMPLETED	THOMAS, S.	F	0.2
—	 LUBE OF T/L/G STRUT DUE	COMPLETED	THOMAS, S.	F	0.1
—	 LUBE OF M/R BIFILARS (4EA) DUE	complete	ROMANO, D	F	0.4
—	 TOOL BOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOL BOX NUMBER IN	complete	ROMANO, D	F	0.2
—	 FOD CHECK DUE FOR MAINTENANCE PERFORMED	complete	ROMANO, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341 5. FAULT DATE 14 Apr 20	3. SYSTEM CODE A 6. FAULT NUMBER 4	4. TIME 15:16		
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 2	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 3	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 4	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 5	INSP OK	THOMAS, S.	F	0.3
— 	INSP AREA 6	INSP OK	THOMAS, S.	F	0.3
/ 	REMOVED IGB COVER	REINSTALLED	THOMAS, S.	F	0.1
/ 	REMOVED TGB FORWARD FAIRING	REINSTALLED	THOMAS, S.	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	N/A	THOMAS, S.	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	CLOSED	THOMAS, S.	F	0.2
— 	TOOL BOX INVENTORY & FOD CHECK DUE FOR MAINTENANCE PERFORMED	COMPLETED	THOMAS, S.	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	N/A	THOMAS, S.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 14:58		
	5. FAULT DATE 21 Apr 20	6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	insp ok	ROMANO, D	F	0.3
— 	INSP AREA 2	insp ok	ROMANO, D	F	0.3
— 	INSP AREA 3	insp ok	ROMANO, D	F	0.3
— 	INSP AREA 4	insp ok	ROMANO, D	F	0.3
— 	INSP AREA 5	insp ok	ROMANO, D	F	0.4
— 	INSP AREA 6	insp ok	ROMANO, D	F	0.4
/ 	REMOVED IGB COVER	reinstalled	ROMANO, D	F	0.2
/ 	REMOVED TGB FORWARD FAIRING	reinstalled	ROMANO, D	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	complete	ROMANO, D	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	closed	ROMANO, D	F	0.2
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	complete box 7	ROMANO, D	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	complete	ROMANO, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 07:44		
	5. FAULT DATE 29 Apr 20	6. FAULT NUMBER 3			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	completed	MONTI, J.	F	0.3
— 	INSP AREA 2	completed	MONTI, J.	F	0.2
— 	INSP AREA 3	completed	MONTI, J.	F	0.2
— 	INSP AREA 4	completed	MONTI, J.	F	0.3
— 	INSP AREA 5	completed	MONTI, J.	F	0.3
— 	INSP AREA 6	completed	MONTI, J.	F	0.3
/ 	REMOVED IGB COVER	reintalled	MONTI, J.	F	0.3
/ 	REMOVED TGB FOREWARD FAIRING	reinstalled	MONTI, J.	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	n/a	MONTI, J.	F	0.1
/ 	OPENED T/R D/S COVERS 3 EA	closed	MONTI, J.	F	0.3
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	completed	MONTI, J.	F	0.1
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	completed	MONTI, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341 5. FAULT DATE 06 May 20	3. SYSTEM CODE A 6. FAULT NUMBER 2	4. TIME 13:17		
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA 1	insp ok	ROMANO, D	F	0.3
—	INSP AREA 2	insp ok	ROMANO, D	F	0.3
—	INSP AREA 3	insp ok	ROMANO, D	F	0.3
—	INSP AREA 4	insp ok	ROMANO, D	F	0.3
—	INSP AREA 5	insp ok	ROMANO, D	F	0.4
—	INSP AREA 6	insp ok	ROMANO, D	F	0.5
/	REMOVED IGB COVER	reinstalled	ROMANO, D	F	0.2
/	REMOVED TGB FOREWARD FAIRING	reinstalled	ROMANO, D	F	0.2
—	DOWNLOAD & REVIEW IVHMS CARDS	complete	ROMANO, D	F	0.2
/	OPENED T/R D/S COVERS 3 EA	closed	ROMANO, D	F	0.2
—	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	complete box 7	ROMANO, D	F	0.3
—	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	complete	ROMANO, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 12 May 20	3. SYSTEM CODE A 6. FAULT NUMBER 3	4. TIME 09:24		
7. FAULT INSP A115 LUBE REQUIRMENTS FOR HELICOPTER					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
× 	REMOVED L/H M/L/G STRUT PANEL	reinstalled	THOMAS, S.	F	0.3
× 	REMOVED R/H M/L/G STRUT PANEL	reinstalled	ROMANO, D	F	0.3
× 	REMOVED T/L/G STRUT PANEL (LEFT OR RIGHT)	reinstalled left	THOMAS, S.	F	0.3
× 	SIGN OFF COMPUTER GENERATED FAULT (-) 2408-13-1 {INSP A115 AIRCRAFT LUBE}	complete	ROMANO, D	F	0.2
— 	LUBE OF L/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	complete	THOMAS, S.	F	0.3
— 	LUBE OF R/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	complete	THOMAS, S.	F	0.3
— 	LUBE OF L/H M/L/G STRUT DUE	complete	THOMAS, S.	F	0.3
— 	LUBE OF R/H M/L/G STRUT DUE	complete	ROMANO, D	F	0.3
— 	LUBE OF STABILATOR ACTUATOR DUE	complete	ROMANO, D	F	0.2
— 	LUBE OF T/L/G STRUT DUE	complete	THOMAS, S.	F	0.3
— 	LUBE OF M/R BIFILARS (4EA) DUE	complete	ROMANO, D	F	0.3
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	complete box 7,3	ROMANO, D	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 09:24		
	5. FAULT DATE 12 May 20	6. FAULT NUMBER 4			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 2	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 3	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 4	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 5	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 6	INSP OK	ROMANO, D	F	0.3
/ 	REMOVED IGB COVER	REINSTALLED COVER	THOMAS, S.	F	0.2
/ 	REMOVED TGB FOREWARD FAIRING	REINSTALLED	THOMAS, S.	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	N/A	THOMAS, S.	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	CLOSED COVERS	THOMAS, S.	F	0.2
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	COMPLETED M3 & M7	THOMAS, S.	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	COMPELTED	THOMAS, S.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS X		2. SERIAL NUMBER 7923341		3. SYSTEM CODE A		4. TIME 08:29	
		5. FAULT DATE 19 May 20		6. FAULT NUMBER 1			
7. FAULT STABILATOR REMOVED							
8. STA		9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH	
X		REMOVED LEFT STABILATOR -PYLON FAIRING.	REINSTALLED FAIRING	ROMANO, D	F	0.2	
X		REMOVED RIGHT STABILATOR -PYLON FAIRING	REINSTALLED FAIRING	ROMANO, D	F	0.2	
X		REMOVED LOWER PYLON FAIRING	REINSTALLED	ROMANO, D	F	0.2	
X		DISCONNECTED APR-39 LEADS (3EA).	RECONNECTED	ROMANO, D	F	0.3	
X		DISCONNECTED APR-39 GROUNDING STRAP	RECONNECTED	ROMANO, D	F	0.3	
X		DISCONNECTED BOTH FORMATION LIGHT CANNON PLUGS	RECONNECTED	ROMANO, D	F	0.2	
X		DISCONNECTED LIMIT SWITCH FROM STABILATOR.	RECONNECTED TQ'D 19 IN LBS	THOMAS, S.	F	0.4	
X		REMOVED STABILATOR ACTUATOR HDWR FROM STABILATOR.	REPLACED HDWR TQ'D 150 IN LBS	ROMANO, D	F	0.4	
X		REMOVED RIGHT BONDING JUMPER.	REINSTALLED BONDING JUMPER	ROMANO, D	F	0.2	
X		REMOVED LEFT BONDING JUMPER.	REINSTALLED BONDING JUMPER	ROMANO, D	F	0.3	
X		REMOVED RIGHT STABILATOR BOLT.	REPLACED HDWR TQ'D 25 IN LBS	THOMAS, S.	F	0.4	
X		REMOVED LEFT STABILATOR BOLT	REPLACED HDWR TQ'D 360 IN LBS	THOMAS, S.	F	0.4	
X		REMOVED STABILATOR	REPLACED STABILATOR	THOMAS, S.	F	0.3	













DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

DA FORM 2408-13-2-SG, OCT 97 DA FORM 2408-13-2, NOV 91, MAY BE USED	RELATED MAINTENANCE ACTIONS RECORD For use of this form see DA PAM 738-751, the proponent agency is DCSLOG
---	--













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 10:30		
	5. FAULT DATE 20 May 20	6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 2	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 3	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 4	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 5	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 6	INSP OK	ROMANO, D	F	0.2
/ 	REMOVED IGB COVER	REINSTALLED	THOMAS, S.	F	0.2
/ 	REMOVED TGB FORWARD FAIRING	REINSTALLED	THOMAS, S.	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	COMPLETED	THOMAS, S.	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	CLOSED	THOMAS, S.	F	0.2
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	COMPLETED M3 & M7	THOMAS, S.	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	N/A	THOMAS, S.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 08:33		
	5. FAULT DATE 28 May 20	6. FAULT NUMBER 4			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 2	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 3	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 4	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 5	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 6	INSP OK	THOMAS, S.	F	0.3
/ 	REMOVED IGB COVER	REINSTALLED	THOMAS, S.	F	0.2
/ 	REMOVED TGB FORWARD FAIRING	REINSTALLED	THOMAS, S.	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	N/A	THOMAS, S.	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	CLOSED	THOMAS, S.	F	0.2
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	COMPLETED M3	THOMAS, S.	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	N/A	THOMAS, S.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 09:13		
	5. FAULT DATE 28 May 20	6. FAULT NUMBER 5			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R0 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	INSP OK	THOMAS, S.	F	0.2
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	N/A	THOMAS, S.	F	0.2
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	INSP OK	THOMAS, S.	F	0.2
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	INSP OK	THOMAS, S.	F	0.2
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	INSP OK	THOMAS, S.	F	0.2
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection,	INSP OK	THOMAS, S.	F	0.2
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	INSP OK	THOMAS, S.	F	0.2
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	N/A	THOMAS, S.	F	0.2
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 13 MAR 20. A visual	INSP OK	THOMAS, S.	F	0.2
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	INSP OK	THOMAS, S.	F	0.2
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	INSP OK	THOMAS, S.	F	0.2
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	COMPLETED	THOMAS, S.	F	0.2
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection,	INSP OK	THOMAS, S.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 29 May 20	3. SYSTEM CODE A 6. FAULT NUMBER 1	4. TIME 09:03		
7. FAULT TAIL WHEEL BEARING LUBE IN PROCESS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	CCI OF WORK AREA DUE	INSP OK	ROMANO, D	F	0.2
—	DEFLATED TAIL WHEEL TIRE	SERVICED TIRE TO 125 PSI	THOMAS, S.	F	0.3
×	REMOVED TAIL WHEEL AXLE NUT	REPLACED AXLE NUT TIGHTENED NUT UNTIL WHEEL	ROMANO, D	F	0.2
×	REMOVED TAIL WHEEL AXLE NUT LOCK WASHER	REPLACED LOCK WASHER	ROMANO, D	F	0.2
×	REMOVED TAIL WHEEL AXLE	REINSTALLED TAIL WHEEL AXLE	ROMANO, D	F	0.2
×	REMOVED TAIL WHEEL SPACERS (2 EA)	REINSTALLED TAIL WHEEL SPACERS (2 EA)	ROMANO, D	F	0.2
×	REMOVED TAIL WHEEL ASSY	REINSTALLED TAIL WHEEL ASSY	ROMANO, D	F	0.2
×	REMOVED TAIL WHEEL BEARING SEALS (2 EA)	REPLACED TAIL WHEEL BEARING SEALS (2 EA)	ROMANO, D	F	0.2
×	REMOVED TAIL WHEEL BEARINGS (2 EA)	LUBED AND REPLACED TAIL WHEEL BEARINGS (2 EA)	ROMANO, D	F	0.2
—	TOOLBOX INVENTORY DUE FOD CHECK OF WORK AREA DUE	COMPLETED	ROMANO, D	F	0.2
/	REMOVED TAIL WHEEL HEAT SHRINK	write up entered in error	THOMAS, S.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 10:57		
	5. FAULT DATE 29 May 20	6. FAULT NUMBER 2			
7. FAULT TAIL WHEEL WASHER DISBONDED					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	CCI OF AREA DUE	insp ok	ROMANO, D	F	0.2
—	DESERVED TAIL WHEEL	serviced	ROMANO, D	F	0.3
/	REMOVED HEAT SHRINK FROM YOKE ASSY	reinstalled	ROMANO, D	F	0.3
×	REMOVED LOCK RING SECURING FORK IN YOKE	reinstalled	ROMANO, D	F	0.2
×	REMOVED FORK FROM YOKE	reinstalled	ROMANO, D	F	0.3
×	REMOVED LOWER BONDED WASHER	replaced	ROMANO, D	F	0.5
—	fod check and toolbox inventory due	complete	ROMANO, D	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 13:26		
	5. FAULT DATE 04 Jun 20	6. FAULT NUMBER 4			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 2	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 3	INSP OK	THOMAS, S.	F	0.2
— 	INSP AREA 4	INSP OK	VASQUEZ, C	F	0.2
— 	INSP AREA 5	INSP OK	VASQUEZ, C	F	0.2
— 	INSP AREA 6	INSP OK	THIBEDAU,	F	0.2
/ 	REMOVED IGB COVER	REINSTALLED	VASQUEZ, C	F	0.2
/ 	REMOVED TGB FORWARD FAIRING	REINSTALLED	THOMAS, S.	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	N/A	THOMAS, S.	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	CLOSED	THOMAS, S.	F	0.2
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	COMPLETED M3	THOMAS, S.	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	N/A	THOMAS, S.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 13:47		
	5. FAULT DATE 04 Jun 20	6. FAULT NUMBER 5			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R8 15 MAY 18; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R0 15 MAY 18; AWR 1516 (406 ELT) R13 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 15 MAY 18. A	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 15 MAY 18. A visual inspection, prior	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 03 MAY 18. A visual	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 13 MAR 20. A visual	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection, prior	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 12 APR 19. A visual	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 12 JUL 17. A visual inspection, prior	insp ok	STLAURENT,	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 05 Jun 20	3. SYSTEM CODE A 6. FAULT NUMBER 6	4. TIME 15:35		
7. FAULT INSP A115 LUBE REQUIRMENTS FOR HELICOPTER					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
× 	REMOVED L/H M/L/G STRUT PANEL	REINSTALLED	GIORNO, N.	F	0.2
× 	REMOVED R/H M/L/G STRUT PANEL	REINSTALLED	GIORNO, N.	F	0.2
× 	REMOVED T/L/G STRUT PANEL (LEFT OR RIGHT)	REINSTALLED LEFT	GIORNO, N.	F	0.2
× 	SIGN OFF COMPUTER GENERATED FAULT (-) 2408-13-1 {INSP A115 AIRCRAFT LUBE}	COMPLETED	GIORNO, N.	F	0.1
— 	LUBE OF L/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	complete	SAMSON, M	F	0.1
— 	LUBE OF R/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	complete	SAMSON, M	F	0.1
— 	LUBE OF L/H M/L/G STRUT DUE	complete	SAMSON, M	F	0.2
— 	LUBE OF R/H M/L/G STRUT DUE	complete	SAMSON, M	F	0.2
— 	LUBE OF STABILATOR ACTUATOR DUE	complete	SAMSON, M	F	0.2
— 	LUBE OF T/L/G STRUT DUE	complete	SAMSON, M	F	0.1
— 	LUBE OF M/R BIFILARS (4EA) DUE	COMPLETED	GIORNO, N.	F	0.5
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	COMPLETED. M2	GIORNO, N.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 05 Jun 20	3. SYSTEM CODE A 6. FAULT NUMBER 7	4. TIME 15:35		
7. FAULT 90 DAY CPC (M) MAINT. PACKAGE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	 SIGN OFF COMPUTER GENERATED 2408-13-1	COMPLETED	GIORNO, N.	F	0.1
/	 RMVD T/R G/B COVER	REINSTALLED	ALDRIDGE, S	F	0.1
/	 RMVD INT. G/B COVER	REINSTALLED	GIORNO, N.	F	0.1
—	 INSP. APU COMPARTMENT	INSP OK	GIORNO, N.	F	0.3
—	 INSP. M/R AREA	INSP OK	GIORNO, N.	F	0.5
—	 INSP. TAIL PYLON	INSP OK	GIORNO, N.	F	0.3
—	 INSP. TAILCONE EXT.	INSP OK	GIORNO, N.	F	0.3
—	 INSP. EXT. HOIST (IF INSTALLED)	insp ok	GIORNO, N.	F	0.3
—	 INSP. CABIN INTERIOR	INSP OK	GIORNO, N.	F	0.3
—	 INSP. CABIN EXTERIOR	INSP OK	GIORNO, N.	F	0.3
—	 INSP. COCKPIT INTERIOR	INSP OK	GIORNO, N.	F	0.3
—	 INSP. COCKPIT EXTERIOR	INSP OK	GIORNO, N.	F	0.3
—	 TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	COMPLETED. M2	GIORNO, N.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 07:55		
	5. FAULT DATE 10 Jun 20	6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	COMPLETE	ALDRIDGE, S	F	0.2
— 	INSP AREA 2	COMPLETE	ALDRIDGE, S	F	0.2
— 	INSP AREA 3	COMPLETE	ALDRIDGE, S	F	0.2
— 	INSP AREA 4	COMPLETE	MELLEN, J.	F	0.2
— 	INSP AREA 5	COMPLETE	MELLEN, J.	F	0.3
— 	INSP AREA 6	COMPLETE	EDDY, C.	F	0.4
/ 	REMOVED IGB COVER	COMPLETE	MELLEN, J.	F	0.1
/ 	REMOVED TGB FORWARD FAIRING	COMPLETE	MELLEN, J.	F	0.1
— 	DOWNLOAD & REVIEW IVHMS CARDS	COMPLETE	SAMSON, M	F	1.0
/ 	OPENED T/R D/S COVERS 3 EA	COMPLETE	MELLEN, J.	F	0.1
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	COMPLETE M9	EDDY, C.	F	0.1
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	COMPLETE	ALDRIDGE, S	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 10 Jun 20	3. SYSTEM CODE A 6. FAULT NUMBER 5	4. TIME 08:48		
7. FAULT PILOT DOOR JETTISON HINGE LOOSE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	REMOVED SAFETY FROM JETTISON HANDLE	REPLACED SAFETY	ALDRIDGE, S	F	0.2
×	REMOVED PILOT DOOR	REINSTALLED DOOR	ALDRIDGE, S	F	0.2
×	REMOVED TOP HINGE SCREWS 2 E/A	INSPECTED AND REINSTALLED	ALDRIDGE, S	F	0.2
×	FOD CHECK,CCI AND TOOLBOX INVENTORY DUE	COMPLETED	ALDRIDGE, S	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 15:52		
	5. FAULT DATE 18 Jun 20	6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	insp ok	MELLEN, J.	F	0.3
— 	INSP AREA 2	insp ok	MELLEN, J.	F	0.3
— 	INSP AREA 3	insp ok	MELLEN, J.	F	0.3
— 	INSP AREA 4	insp ok	GIORNO, N.	F	0.3
— 	INSP AREA 5	insp ok	GIORNO, N.	F	0.3
— 	INSP AREA 6	insp ok	ROMANO, D	F	0.5
/ 	REMOVED IGB COVER	reinstalled	ROMANO, D	F	0.2
/ 	REMOVED TGB FOREWARD FAIRING	reinstalled	GIORNO, N.	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	complete	ROMANO, D	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	closed	GIORNO, N.	F	0.2
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	complete	ROMANO, D	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	complete	ROMANO, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 08:56		
	5. FAULT DATE 25 Jun 20	6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	Completed	MELLEN, J.	F	0.2
— 	INSP AREA 2	Completed	MELLEN, J.	F	0.2
— 	INSP AREA 3	Completed	MELLEN, J.	F	0.2
— 	INSP AREA 4	Completed	MELLEN, J.	F	0.2
— 	INSP AREA 5	Completed	JOHNSON, A	F	0.3
— 	INSP AREA 6	insp ok	ROMANO, D	F	0.5
/ 	REMOVED IGB COVER	Reinstalled	JOHNSON, A	F	0.2
/ 	REMOVED TGB FOREWARD FAIRING	Reinstalled	JOHNSON, A	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	Completed	MELLEN, J.	F	0.1
/ 	OPENED T/R D/S COVERS 3 EA	Closed	MELLEN, J.	F	0.1
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	Completed box 11	MELLEN, J.	F	0.1
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	complete	ROMANO, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×		2. SERIAL NUMBER 7923341		3. SYSTEM CODE A		4. TIME 09:06	
		5. FAULT DATE 25 Jun 20		6. FAULT NUMBER 6			
7. FAULT INSP A115 LUBE REQUIRMENTS FOR HELICOPTER							
8. STA		9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH	
×		REMOVED L/H M/L/G STRUT PANEL	Reinstalled	MELLEN, J.	F	0.1	
×		REMOVED R/H M/L/G STRUT PANEL	Reinstalled	JOHNSON, A	F	0.1	
×		REMOVED T/L/G STRUT PANEL (LEFT OR RIGHT)	Reinstalled	JOHNSON, A	F	0.1	
×		SIGN OFF COMPUTER GENERATED FAULT (-) 2408-13-1 {INSP A115 AIRCRAFT LUBE}	Completed	MELLEN, J.	F	0.1	
—		LUBE OF L/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	Completed	MELLEN, J.	F	0.1	
—		LUBE OF R/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	Completed	MELLEN, J.	F	0.1	
—		LUBE OF L/H M/L/G STRUT DUE	Completed	JOHNSON, A	F	0.1	
—		LUBE OF R/H M/L/G STRUT DUE	Completed	JOHNSON, A	F	0.1	
—		LUBE OF STABILATOR ACTUATOR DUE	Completed	JOHNSON, A	F	0.1	
—		LUBE OF T/L/G STRUT DUE	Completed	JOHNSON, A	F	0.1	
—		LUBE OF M/R BIFILARS (4EA) DUE	Completed	MELLEN, J.	F	0.5	
—		TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	Completed box 11	MELLEN, J.	F	0.1	

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 25 Jun 20	3. SYSTEM CODE A 6. FAULT NUMBER 7	4. TIME 09:06		
7. FAULT INSP A110 (PMS) 40 HOUR INSPECTION (UH-60A MODEL)					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	REMOVED L/H M/L/G UPPER SHOCK STRUT FAIRING	Reinstalled	JOHNSON, A	F	0.1
×	REMOVED R/H M/L/G UPPER SHOCK STRUT FAIRING	Reinstalled	JOHNSON, A	F	0.1
×	REMOVED TRANSITION SECTION FUEL ENCLOSURE PANEL (L/H OR R/H)	Reinstalled	MELLEN, J.	F	0.3
×	REMOVED TAIL STRUT ACCESS PANEL (L/H OR R/H)	Reinstalled	JOHNSON, A	F	0.1
×	REMOVED (4EA) STABILATOR SPAR INSPECTION PANELS	Reinstalled	MELLEN, J.	F	0.1
×	DIAL INDICATOR INSTALLED ON M/R SCISSOR BRG'S FOR INSPECTION	removed	ROMANO, D	F	0.3
×	REMOVED OIL COOLER ACCESS PANEL	reinstalled	ROMANO, D	F	0.3
×	REMOVED ENGINE STARTER OIL CAPS (IF APPICABLE)	reinstalled	ROMANO, D	F	0.3
×	REMOVED APU FUEL CONTROL COVER	reinstalled	ROMANO, D	F	0.3
×	SIGN OFF COMPUTER GENERATED FAULT (-) 2408-13-1 {INSP A110 PMS DUE}	Completed	ROMANO, D	F	0.1
/	LOWERED CABIN SOUNDPROOFING FOR INSPECTION	Reinstalled	MELLEN, J.	F	0.2
/	REMOVED INT. G/B COVER	Reinstalled	JOHNSON, A	F	0.1
/	OPENED (3EA) T/R D/S COVERS	Closed	MELLEN, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 25 Jun 20	3. SYSTEM CODE A 6. FAULT NUMBER 7	4. TIME 09:06		
7. FAULT INSP A110 (PMS) 40 HOUR INSPECTION (UH-60A MODEL)					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
/	OPENED PILOT & CO-PILOT PEDAL BOOTS FOR INSPECTION	Closed	MELLEN, J.	F	0.1
—	INSP AREA 5 (I/A/W TM)	Completed	JOHNSON, A	F	0.3
—	INSP AREA 1 (I/A/W TM)	Completed	MELLEN, J.	F	0.2
—	INSP AREA 2 (I/A/W TM)	Completed	MELLEN, J.	F	0.2
—	INSP AREA 3 (I/A/W TM)	Completed	JOHNSON, A	F	0.2
—	INSP AREA 4 (I/A/W TM)	Completed	MELLEN, J.	F	0.3
—	INSP AREA 6 (I/A/W TM)	insp ok	ROMANO, D	F	1.0
—	BIM INDICATOR TEST DUE	complete	ROMANO, D	F	0.3
—	INSPECT M/R DAMPER BRG'S FOR PLAY	insp ok	ROMANO, D	F	0.3
—	STAB COMP CHECK DUE (IF APPICABLE)	complete	ROMANO, D	F	0.2
—	INSPECT SWASHPLATE SCISSOR BRG'S FOR EXCESSIVE PLAY	insp ok blue, yellow .030 radial .00 axial. red black .025 radial .00 axial	ROMANO, D	F	0.3
—	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	Completed box 11	MELLEN, J.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 11:21		
5. FAULT DATE 25 Jun 20		6. FAULT NUMBER 8			
7. FAULT FAT/OAT Guage Insp. In Progress					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	Removed sunshield, lockwasher, dished washer, and case washer from the No. 1 FAT/OAT guage.	Installed, Torqued sunshield to 25 IN LBS	LINDLEY, M.	D	0.3
×	removed sunshield, lockwasher, dished washer, and case washer from the No. 2 FAT/OAT guage.	Installed, Torqued the sunshield to 25 IN LBS	LINDLEY, M.	D	0.3
×	Removed the No. 1 FAT/OAT guage	Installed	LINDLEY, M.	D	0.3
×	Removed the No. 2 FAT/OAT guage	Installed	LINDLEY, M.	D	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 10:13		
	5. FAULT DATE 28 Jun 20	6. FAULT NUMBER 1			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 20 MAY 20; AWR 1516 (406 ELT) R12 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 20 MAY 20. A	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 29 MAY 20. A visual inspection, prior	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 19 MAY 20. A visual	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 13 MAR 20. A visual	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection, prior	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 22 NOV 19. A visual	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 28 MAY 20. A visual inspection, prior	insp ok	STLAURENT,	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 10:14		
	5. FAULT DATE 28 Jun 20	6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	insp ok	STLAURENT,	F	0.2
— 	INSP AREA 2	insp ok	STLAURENT,	F	0.2
— 	INSP AREA 3	insp ok	STLAURENT,	F	0.2
— 	INSP AREA 4	insp ok	STLAURENT,	F	0.1
— 	INSP AREA 5	insp ok	STLAURENT,	F	0.5
— 	INSP AREA 6	insp ok	ROMANO, D	F	1.0
/ 	REMOVED IGB COVER	reinstalled	STLAURENT,	F	0.1
/ 	REMOVED TGB FOREWARD FAIRING	reinstalled	STLAURENT,	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	downloaded and reviewed	STLAURENT,	F	0.1
/ 	OPENED T/R D/S COVERS 3 EA	closed	STLAURENT,	F	0.1
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	insp ok	STLAURENT,	F	0.1
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	insp ok	STLAURENT,	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 11:01		
5. FAULT DATE 28 Jun 20		6. FAULT NUMBER 4			
7. FAULT Troubleshooting of copilot clock inop in process					
8. STA —	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	ccci of work area due	Completed.	MORALES, I.	F	0.2
×	removed hardware securing copilot clock	Installed hardware.	MORALES, I.	F	0.2
×	disconnected electrical connector from copilot clock	Connected.	MORALES, I.	F	0.2
—	moc of digital clock system due	MOC ok.	MORALES, I.	F	0.2
—	fod check and toolbox inventory due	Completed.	MORALES, I.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 11:30		
	5. FAULT DATE 10 Jul 20	6. FAULT NUMBER 3			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	insp ok	ROMANO, D	F	0.3
— 	INSP AREA 2	insp ok	MELLEN, J.	F	0.3
— 	INSP AREA 3	insp ok	MELLEN, J.	F	0.3
— 	INSP AREA 4	insp ok	MELLEN, J.	F	0.3
— 	INSP AREA 5	insp ok	MELLEN, J.	F	0.4
— 	INSP AREA 6	insp ok	EDDY, C.	F	0.5
/ 	REMOVED IGB COVER	reinstalled	MELLEN, J.	F	0.2
/ 	REMOVED TGB FOREWARD FAIRING	reinstalled	MELLEN, J.	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	complete	ROMANO, D	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	closed	MELLEN, J.	F	0.2
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	complete	ROMANO, D	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	complete	ROMANO, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 19:28		
	5. FAULT DATE 16 Jul 20	6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	completed	ROMANO, D	F	0.2
— 	INSP AREA 2	completed	ROMANO, D	F	0.2
— 	INSP AREA 3	completed	ROMANO, D	F	0.2
— 	INSP AREA 4	completed	EDDY, C.	F	0.2
— 	INSP AREA 5	completed	EDDY, C.	F	0.3
— 	INSP AREA 6	completed	ROMANO, D	F	0.4
/ 	REMOVED IGB COVER	reinstalled	EDDY, C.	F	0.1
/ 	REMOVED TGB FORWARD FAIRING	reinstalled	EDDY, C.	F	0.1
— 	DOWNLOAD & REVIEW IVHMS CARDS	completed	ROMANO, D	F	0.1
/ 	OPENED T/R D/S COVERS 3 EA	closed	EDDY, C.	F	0.1
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	completed m9 m7	EDDY, C.	F	0.1
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	completed	ROMANO, D	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 19:29		
	5. FAULT DATE 16 Jul 20	6. FAULT NUMBER 5			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 20 MAY 20; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R19 19 MAY 20; AWR 1607 (LED CDU/PDU) R13 13 MAR 20; AWR 1800 (BFT EDM) R28 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R22 22 NOV 19; AWR 1886 (COMMON HMU/ EDECU) R21 21 SEP 18; AWR 1967 (TALON FLIR) R28 28 MAY 20.					
8. STA —	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	insp ok	EDDY, C.	F	0.1
—	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 20 MAY 20. A	n/a	EDDY, C.	F	0.1
—	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	insp ok	EDDY, C.	F	0.1
—	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	insp ok	EDDY, C.	F	0.1
—	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	insp ok	EDDY, C.	F	0.1
—	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 29 MAY 20. A visual inspection,	insp ok	EDDY, C.	F	0.1
—	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	insp ok	EDDY, C.	F	0.1
—	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 19 MAY 20. A visual	insp ok	EDDY, C.	F	0.1
—	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 13 MAR 20. A visual	insp ok	EDDY, C.	F	0.1
—	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	insp ok	EDDY, C.	F	0.1
—	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 22 NOV 19. A visual	insp ok	EDDY, C.	F	0.1
—	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	insp ok	EDDY, C.	F	0.1
—	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 28 MAY 20. A visual inspection,	n/a	EDDY, C.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 10:53		
	5. FAULT DATE 22 Jul 20	6. FAULT NUMBER 4			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	INSP OK	EDDY, C.	F	0.2
— 	INSP AREA 2	INSP OK	EDDY, C.	F	0.2
— 	INSP AREA 3	INSP OK	EDDY, C.	F	0.2
— 	INSP AREA 4	INSP OK	GIORNO, N.	F	0.2
— 	INSP AREA 5	INSP OK	GIORNO, N.	F	0.3
— 	INSP AREA 6	INSP OK	EDDY, C.	F	0.4
/ 	REMOVED IGB COVER	REINSTALLED	GIORNO, N.	F	0.1
/ 	REMOVED TGB FORWARD FAIRING	REINSTALLED	GIORNO, N.	F	0.1
— 	DOWNLOAD & REVIEW IVHMS CARDS	N/A	EDDY, C.	F	0.1
/ 	OPENED T/R D/S COVERS 3 EA	CLOSED	GIORNO, N.	F	0.1
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	COMPLETED M2 M9	EDDY, C.	F	0.1
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	COMPLETED	EDDY, C.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG


1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 10:54		
	5. FAULT DATE 22 Jul 20	6. FAULT NUMBER 5			
7. FAULT INSP A115 LUBE REQUIRMENTS FOR HELICOPTER					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
× 	REMOVED L/H M/L/G STRUT PANEL	REINSTALLED	EDDY, C.	F	0.2
× 	REMOVED R/H M/L/G STRUT PANEL	REINSTALLED	EDDY, C.	F	0.2
× 	REMOVED T/L/G STRUT PANEL (LEFT OR RIGHT)	REINSTALLED R/H	EDDY, C.	F	0.2
× 	SIGN OFF COMPUTER GENERATED FAULT (-) 2408-13-1 {INSP A115 AIRCRAFT LUBE}	COMPLETED	EDDY, C.	F	0.1
— 	LUBE OF L/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	COMPLETED	SAMSON, M	F	0.1
— 	LUBE OF R/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	COMPLETED	SAMSON, M	F	0.1
— 	LUBE OF L/H M/L/G STRUT DUE	COMPLETED	EDDY, C.	F	0.1
— 	LUBE OF R/H M/L/G STRUT DUE	COMPLETED	EDDY, C.	F	0.1
— 	LUBE OF STABILATOR ACTUATOR DUE	COMPLETED	EDDY, C.	F	0.1
— 	LUBE OF T/L/G STRUT DUE	COMPLETED	EDDY, C.	F	0.1
— 	LUBE OF M/R BIFILARS (4EA) DUE	COMPLETED	EDDY, C.	F	0.3
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	COMPLETED M9	EDDY, C.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS /	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 14:46		
	5. FAULT DATE 22 Jul 20	6. FAULT NUMBER 7			
7. FAULT PILOT'S DOOR WINDOW VENT PORT IS CRACKED					
8. STA /	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
	REMOVED PILOT'S DOOR WINDOW VENT	REPLACED	EDDY, C.	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 22 Jul 20	3. SYSTEM CODE A 6. FAULT NUMBER 12	4. TIME 16:48		
7. FAULT FLIR TURRET UNIT NITROGEN PURGE AND FLIR TURRET DESICCANT CARTRIDGE INSPECTION IN PROCESS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	REMOVED FUSE PANEL	REINSTALLED	GIORNO, N.	F	0.1
×	REMOVED NITROGEN FILL PORT PROTECTIVE COVER	REINSTALLED	GIORNO, N.	F	0.1
—	CCI OF WORK AREA DUE	COMPLETED	GIORNO, N.	F	0.1
—	FOD CHECK DUE	COMPLETED	GIORNO, N.	F	0.1
—	TOOLBOX INVENTORY DUE	COMPLETED	GIORNO, N.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 7923341 5. FAULT DATE 31 Jul 20	3. SYSTEM CODE A 6. FAULT NUMBER 3	4. TIME 13:31		
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	INSP AREA 1	insp ok	ROMANO, D	F	0.3
—	INSP AREA 2	insp ok	ROMANO, D	F	0.3
—	INSP AREA 3	insp ok	ROMANO, D	F	0.3
—	INSP AREA 4	insp ok	ROMANO, D	F	0.3
—	INSP AREA 5	insp ok	ROMANO, D	F	0.4
—	INSP AREA 6	insp ok	ROMANO, D	F	0.5
/	REMOVED IGB COVER	reinstalled	ROMANO, D	F	0.2
/	REMOVED TGB FOREWARD FAIRING	reinstalled	ROMANO, D	F	0.2
—	DOWNLOAD & REVIEW IVHMS CARDS	complete	ROMANO, D	F	0.2
/	OPENED T/R D/S COVERS 3 EA	closed	ROMANO, D	F	0.2
—	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	complete	ROMANO, D	F	0.3
—	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	complete	ROMANO, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 12:03		
	5. FAULT DATE 01 Aug 20	6. FAULT NUMBER 1			
7. FAULT when battery is turned on master caution panel does not illuminate. only panel that lights up is the stabilator panel.					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
—	ccci of work area due	complete	THOMAS, T.	F	0.3
×	disconnected eletrical connector from caution adv panel	reconnected	THOMAS, T.	F	0.3
×	removed caution adv panel ser no 3893	replaced with sn: 4915	THOMAS, T.	F	0.5
—	moc of caution adv system due	moc ok	THOMAS, T.	F	1.0
—	fod check and toolbox inventory due	complete	THOMAS, T.	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 11:03		
	5. FAULT DATE 04 Aug 20	6. FAULT NUMBER 4			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	insp ok	ROMANO, D	F	0.3
— 	INSP AREA 2	insp ok	ROMANO, D	F	0.3
— 	INSP AREA 3	insp ok	ROMANO, D	F	0.3
— 	INSP AREA 4	insp ok	BECKER, S.	F	0.3
— 	INSP AREA 5	insp ok	BECKER, S.	F	0.4
— 	INSP AREA 6	insp ok	STLAURENT,	F	0.5
/ 	REMOVED IGB COVER	reinstalled	BECKER, S.	F	0.2
/ 	REMOVED TGB FOREWARD FAIRING	reinstalled	BECKER, S.	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	complete	ROMANO, D	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	closed	BECKER, S.	F	0.2
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	complete	ROMANO, D	F	0.3
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	complete	ROMANO, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 11:58		
	5. FAULT DATE 04 Aug 20	6. FAULT NUMBER 5			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 20 MAY 20; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R19 19 MAY 20; AWR 1607 (LED CDU/PDU) R13 13 MAR 20; AWR 1800 (BFT EDM) R28 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R22 22 NOV 19; AWR 1886 (COMMON HMU/ EDECU) R21 21 SEP 18; AWR 1967 (TALON FLIR) R28 28 MAY 20.					
8. STA —	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	completed	MONTI, J.	F	0.2
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 20 MAY 20. A	completed	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	completed	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	completed	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	completed	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 29 MAY 20. A visual inspection, prior	completed	MONTI, J.	F	0.2
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	completed	MONTI, J.	F	0.2
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 19 MAY 20. A visual	completed	MONTI, J.	F	0.2
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 13 MAR 20. A visual	completed	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection, prior	completed	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 22 NOV 19. A visual	completed	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	completed	MONTI, J.	F	0.3
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 28 MAY 20. A visual inspection, prior	completed	MONTI, J.	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 22:43		
	5. FAULT DATE 05 Aug 20	6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	completed	MONTI, J.	F	0.2
— 	INSP AREA 2	completed	MONTI, J.	F	0.3
— 	INSP AREA 3	completed	MONTI, J.	F	0.3
— 	INSP AREA 4	completed	MONTI, J.	F	0.3
— 	INSP AREA 5	completed	MONTI, J.	F	0.3
— 	INSP AREA 6	completed	MONTI, J.	F	0.3
/ 	REMOVED IGB COVER	reinstalled	MONTI, J.	F	0.3
/ 	REMOVED TGB FORWARD FAIRING	reinstalled	MONTI, J.	F	0.3
— 	DOWNLOAD & REVIEW IVHMS CARDS	completed	MONTI, J.	F	0.3
/ 	OPENED T/R D/S COVERS 3 EA	closed	MONTI, J.	F	0.2
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	completed	MONTI, J.	F	0.3
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	completed	MONTI, J.	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 23:04		
	5. FAULT DATE 05 Aug 20	6. FAULT NUMBER 4			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 20 MAY 20; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R19 19 MAY 20; AWR 1607 (LED CDU/PDU) R13 13 MAR 20; AWR 1800 (BFT EDM) R28 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R22 22 NOV 19; AWR 1886 (COMMON HMU/ EDECU) R21 21 SEP 18; AWR 1967 (TALON FLIR) R28 28 MAY 20. A visual inspection,					
8. STA —	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	Insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 20 MAY 20. A	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 29 MAY 20. A visual inspection, prior	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 19 MAY 20. A visual	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 13 MAR 20. A visual	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection, prior	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 22 NOV 19. A visual	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 28 MAY 20. A visual inspection,	insp ok	STLAURENT,	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 07:27		
	5. FAULT DATE 06 Aug 20	6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	complete	THIBEDEAU,	F	0.3
— 	INSP AREA 2	complete	THIBEDEAU,	F	0.3
— 	INSP AREA 3	complete	THIBEDEAU,	F	0.3
— 	INSP AREA 4	complete	THIBEDEAU,	F	0.3
— 	INSP AREA 5	complete	THIBEDEAU,	F	0.3
— 	INSP AREA 6	complete	THIBEDEAU,	F	0.3
/ 	REMOVED IGB COVER	reinstalled	THIBEDEAU,	F	0.3
/ 	REMOVED TGB FORWARD FAIRING	reinstalled	THIBEDEAU,	F	0.3
— 	DOWNLOAD & REVIEW IVHMS CARDS	complete	THIBEDEAU,	F	0.3
/ 	OPENED T/R D/S COVERS 3 EA	closed	THIBEDEAU,	F	0.3
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	complete	THIBEDEAU,	F	0.3
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	cleaned	THIBEDEAU,	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 13:39		
	5. FAULT DATE 07 Aug 20	6. FAULT NUMBER 2			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 20 MAY 20; AWR 1516 (406 ELT) R12 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	complete	BECKER, S.	F	0.2
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 20 MAY 20. A	complete	BECKER, S.	F	0.2
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	complete	BECKER, S.	F	0.3
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	complete	BECKER, S.	F	0.3
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	complete	BECKER, S.	F	0.3
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 29 MAY 20. A visual inspection, prior	complete	BECKER, S.	F	0.3
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	complete	BECKER, S.	F	0.3
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 19 MAY 20. A visual	complete	BECKER, S.	F	0.3
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 13 MAR 20. A visual	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 22 NOV 19. A visual	insp ok	STLAURENT,	F	0.1
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	insp ok	STLAURENT,	F	1.0
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 28 MAY 20. A visual inspection,	insp ok	STLAURENT,	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 13:40		
	5. FAULT DATE 07 Aug 20	6. FAULT NUMBER 3			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	insp ok	STLAURENT,	F	0.1
— 	INSP AREA 2	insp ok	STLAURENT,	F	0.2
— 	INSP AREA 3	insp ok	STLAURENT,	F	0.3
— 	INSP AREA 4	insp ok	STLAURENT,	F	0.3
— 	INSP AREA 5	insp ok	STLAURENT,	F	0.4
— 	INSP AREA 6	insp ok	STLAURENT,	F	0.6
/ 	REMOVED IGB COVER	insp ok	STLAURENT,	F	0.1
/ 	REMOVED TGB FORWARD FAIRING	reinstalled	STLAURENT,	F	0.1
— 	DOWNLOAD & REVIEW IVHMS CARDS	downloaded and reviewed	STLAURENT,	F	0.1
/ 	OPENED T/R D/S COVERS 3 EA	closed	STLAURENT,	F	0.1
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	insp ok	STLAURENT,	F	0.1
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	cleaned	STLAURENT,	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 14:08		
	5. FAULT DATE 13 Aug 20	6. FAULT NUMBER 4			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	complete	STLAURENT,	F	0.2
— 	INSP AREA 2	complete	ROMANO, D	F	0.2
— 	INSP AREA 3	complete	ROMANO, D	F	0.3
— 	INSP AREA 4	complete	BECKER, S.	F	0.3
— 	INSP AREA 5	complete	STLAURENT,	F	0.2
— 	INSP AREA 6	complete	BECKER, S.	F	0.3
/ 	REMOVED IGB COVER	reinstalled	STLAURENT,	F	0.3
/ 	REMOVED TGB FORWARD FAIRING	reinstalled	STLAURENT,	F	0.3
— 	DOWNLOAD & REVIEW IVHMS CARDS	dtu error	BECKER, S.	F	0.3
/ 	OPENED T/R D/S COVERS 3 EA	closed	ROMANO, D	F	0.3
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	complete	ROMANO, D	F	0.3
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	complete	BECKER, S.	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 14:41		
	5. FAULT DATE 13 Aug 20	6. FAULT NUMBER 7			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R35 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 20 MAY 20; AWR 1516 (406 ELT) R12 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	INSP OK	TREMBLAY, I	F	0.2
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 20 MAY 20. A	N/A	TREMBLAY, I	F	0.1
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	INSP OK	TREMBLAY, I	F	0.3
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	N/A	TREMBLAY, I	F	0.1
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	INSP OK	TREMBLAY, I	F	0.3
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 29 MAY 20. A visual inspection,	INSP OK	TREMBLAY, I	F	0.2
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	INSP OK	TREMBLAY, I	F	0.2
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 19 MAY 20. A visual	INSP OK	TREMBLAY, I	F	0.2
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 13 MAR 20. A visual	INSP OK	TREMBLAY, I	F	0.2
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	INSP OK	TREMBLAY, I	F	0.2
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 22 NOV 19. A visual	INSP OK	TREMBLAY, I	F	0.2
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	INSP OK	VASQUEZ, C	F	0.3
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 28 MAY 20. A visual inspection,	INSP OK	TREMBLAY, I	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG





1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 13:17		
	5. FAULT DATE 18 Aug 20	6. FAULT NUMBER 4			
7. FAULT REMOVAL OF #1 AND #2 FIRE BOTTLES FOR REPLACEMENT OF SQUIB IN PROCESS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	REMOVED HARDWARE FOR POWER CONNECTOR AND PLACED BONDING JUMPER ON THE #1 BOTTLE	REPLACE HARDWARE TQ TO 10 INCH LBS AND REMOVED	THIBEDEAU,	F	0.5
×	REMOVED HARDWARE FOR POWER CONNECTOR AND PLACED BONDING JUMPER ON THE #2 BOTTLE	REPLACE HARDWARE TQ TO 10 INCH LBS AND REMOVED	THIBEDEAU,	F	0.3
×	DICONNECTED OVERBOARD DISCHARGING TUBE ON #1 BOTTLE	REINSTALLED TQ 1/3 TURN PAST SHARPE RISE IN TQ	THIBEDEAU,	F	0.3
×	DICONNECTED OVERBOARD DISCHARGING TUBE ON #2 BOTTLE	REINSTALLED TQ 1/3 TURN PAST SHARPE RISE IN TQ	THIBEDEAU,	F	0.3
×	DISCONNECT MANIFOLD TUBES FROM #1 FIRE BOTTLE	REINSTALLED TQ 1/3 TURN PAST SHARPE RISE IN TQ	THIBEDEAU,	F	0.2
×	DISCONNECT MANIFOLD TUBES FROM #2 FIRE BOTTLE	REINSTALLED TQ 1/3 TURN PAST SHARPE RISE IN TQ	THIBEDEAU,	F	0.3
×	REMOVED HARDWARE FROM #1 FIRE BOTTLE (3EA)	REINSTALLED TQ TO 105 INCH LBS	THIBEDEAU,	F	0.3
×	REMOVED HARDWARE FROM #2 FIRE BOTTLE (3EA)	REINSTALLED TQ TO 105 INCH LBS	THIBEDEAU,	F	0.3
×	REMOVE #1 FIRE BOTTLE FROM AIRCRAFT	REINSTALLED	THIBEDEAU,	F	0.3
×	REMOVE #2 FIRE BOTTLE FROM AIRCRAFT	REINSTALLED	THIBEDEAU,	F	0.3
—	TOOL BOX INVENTORY AND FOD CHECK DUE	COMPLETE	THIBEDEAU,	F	0.3
—	CCI DUE	COMPLETE	THIBEDEAU,	F	0.3
×	REMOVED SQUIBS FROM #2 FIRE BOTTLE (2EA)	REPLACE TQ TO 105 INCH LBS	THIBEDEAU,	F	0.5

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 07:55		
	5. FAULT DATE 19 Aug 20	6. FAULT NUMBER 2			
7. FAULT BLUE ELECTRICAL WIRE DISCONNECTED FROM FIRE BOTTLE DIRECTIONAL VALVE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Hardware not installed on wire	status enetered in error	GONZALEZ,	F	0.5
— 	cci of work area due	complete	GONZALEZ,	F	0.3
×	hardware not installed on wire	installed	GONZALEZ,	F	0.5
×	cover not installed over wiring	installed	GONZALEZ,	F	0.5
×	cover requires safety	installed	GONZALEZ,	F	0.3
— 	fod check and toolbox inventory due	complete	GONZALEZ,	F	0.3
— 	noc of fire ext system due	noc ok	GONZALEZ,	F	1.0

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 14:42		
	5. FAULT DATE 19 Aug 20	6. FAULT NUMBER 3			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	COMPLETE	ROMANO, D	F	0.3
— 	INSP AREA 2	COMPLETE	ROMANO, D	F	0.3
— 	INSP AREA 3	COMPLETE	ROMANO, D	F	0.3
— 	INSP AREA 4	COMPLETE	ROMANO, D	F	0.3
— 	INSP AREA 5	COMPLETE	ROMANO, D	F	0.3
— 	INSP AREA 6	COMPLETE	THIBEDEAU,	F	0.3
/ 	REMOVED IGB COVER	REINSTALLED	ROMANO, D	F	0.3
/ 	REMOVED TGB FORWARD FAIRING	REINSTALLED	ROMANO, D	F	0.3
— 	DOWNLOAD & REVIEW IVHMS CARDS	NA	THIBEDEAU,	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	CLOSED	ROMANO, D	F	0.3
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	COMPLETE	THIBEDEAU,	F	0.3
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	NA	THIBEDEAU,	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS ×	2. SERIAL NUMBER 7923341 5. FAULT DATE 25 Aug 20	3. SYSTEM CODE A 6. FAULT NUMBER 1	4. TIME 11:25		
7. FAULT TLG LOCKPIN BROKEN					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	remove cotter pins from tail wheel actuator 2(ea)	replaced	ROMANO, D	F	0.3
×	remove lock pin	replaced	ROMANO, D	F	0.3
—	fod chekck, toolbox inventory, and cci of area work performed	complete	ROMANO, D	F	0.3
—	operational check of lock pin due for replacement of pin	complete	ROMANO, D	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 11:38		
	5. FAULT DATE 25 Aug 20	6. FAULT NUMBER 2			
7. FAULT INSP A115 LUBE REQUIRMENTS FOR HELICOPTER					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
× 	REMOVED L/H M/L/G STRUT PANEL	reinstalled	THIBEDEAU,	F	0.2
× 	REMOVED R/H M/L/G STRUT PANEL	reinstalled	THIBEDEAU,	F	0.3
× 	REMOVED T/L/G STRUT PANEL (LEFT OR RIGHT)	reinstalled	THIBEDEAU,	F	0.3
× 	SIGN OFF COMPUTER GENERATED FAULT (-) 2408-13-1 {INSP A115 AIRCRAFT LUBE}	completed	THIBEDEAU,	F	0.2
— 	LUBE OF L/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	complete	THIBEDEAU,	F	0.3
— 	LUBE OF R/H WINDSHIELD WIPER CONVERTER AND PIVOT STUD DUE	complete	THIBEDEAU,	F	0.2
— 	LUBE OF L/H M/L/G STRUT DUE	complete	THIBEDEAU,	F	0.2
— 	LUBE OF R/H M/L/G STRUT DUE	complete	THIBEDEAU,	F	0.2
— 	LUBE OF STABILATOR ACTUATOR DUE	complete	THIBEDEAU,	F	0.2
— 	LUBE OF T/L/G STRUT DUE	complete	THIBEDEAU,	F	0.2
— 	LUBE OF M/R BIFILARS (4EA) DUE	complete	MELLEN, J.	F	0.4
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	completed	THIBEDEAU,	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS ×	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 15:32		
	5. FAULT DATE 25 Aug 20	6. FAULT NUMBER 8			
7. FAULT REMOVAL OF NO.2 TROOP DOOR IN PROCESS					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
×	REMOVED HRDWRE 3EA FROM UPPER DOOR STOP	REINSTALLED	MELLO, D.	F	0.1
×	REMOVED UPPER DOOR STOP	REINSTALLED	MELLO, D.	F	0.1
×	REMOVED HRDWRE 1 EA FROM LWR DOOR STOP	REINSTALLED	MELLO, D.	F	0.1
×	REMOVED LWR DOOR STOP	REINSTALLED	MELLO, D.	F	0.1
×	REMOVED NO.2 TROOP DOOR	REINSTALLED	KENNEY, J.	F	0.1
×	REMOVED FORWARD AND CENTER CARGO DOOR SUPPORTS	REPLACED	KENNEY, J.	F	1.0
—	CCI OF AREA WORKED	INSP OK	KENNEY, J.	F	0.1
—	TOOLBOX INVENTORY REQ	INSP OK	MELLO, D.	F	0.1
—	FOD CHECK REQ	INSP OK	MELLO, D.	F	0.1

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 07:37		
	5. FAULT DATE 27 Aug 20	6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	COMPLETED.	TREMBLAY, I	F	0.2
— 	INSP AREA 2	COMPLETED.	TREMBLAY, I	F	0.3
— 	INSP AREA 3	INSP OK	TREMBLAY, I	F	0.3
— 	INSP AREA 4	INSP OK	TREMBLAY, I	F	0.4
— 	INSP AREA 5	INSP OK	THIBEDAU, I	F	0.4
— 	INSP AREA 6	INSP OK	VASQUEZ, C	F	0.8
/ 	REMOVED IGB COVER	INSTALLED	TREMBLAY, I	F	0.2
/ 	REMOVED TGB FORWARD FAIRING	INSTALLED	THIBEDAU, I	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	COMPLETED	TREMBLAY, I	F	0.3
/ 	OPENED T/R D/S COVERS 3 EA	CLOSED	TREMBLAY, I	F	0.2
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	COMPLETED	TREMBLAY, I	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	COMPLETED	TREMBLAY, I	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 09:36		
	5. FAULT DATE 27 Aug 20	6. FAULT NUMBER 5			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R35 21 NOV 17; AWR 1444 (SINGLE AHRS) R19 29 MAY 20; AWR 1516 (406 ELT) R12 07 FEB 19; AWR 1520 (SPONSON FLIR) R19 29 MAY 20; AWR 1607 (LED CDU/PDU) R13 24 APR 19; AWR 1800 (BFT EDM) R28 28 MAR 19; AWR 1823 (BLOCK 5 IVHMS) R22 22 NOV 19; AWR 1886 (COMMON HMU/ EDECU) R21 21 SEP 18; AWR 1967 (TALON FLIR) R28 28 MAY 20.					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	na	THIBEDEAU,	F	0.3
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 20 MAY 20. A	na	THIBEDEAU,	F	0.3
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	complete	THIBEDEAU,	F	0.3
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	complete	THIBEDEAU,	F	0.3
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	complete	THIBEDEAU,	F	0.3
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 29 MAY 20. A visual inspection, prior	complete	THIBEDEAU,	F	0.3
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	complete	THIBEDEAU,	F	0.3
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 19 MAY 20. A visual	complete	THIBEDEAU,	F	0.3
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 13 MAR 20. A visual	complete	THIBEDEAU,	F	0.3
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection, prior	na	THIBEDEAU,	F	0.3
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 22 NOV 19. A visual	complete	THIBEDEAU,	F	0.3
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	complete	THIBEDEAU,	F	0.3
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 28 MAY 20. A visual inspection, prior	complete	THIBEDEAU,	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG














1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 09:58		
	5. FAULT DATE 28 Aug 20	6. FAULT NUMBER 2			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	complete	THIBEDEAU,	F	0.3
— 	INSP AREA 2	complete	THIBEDEAU,	F	0.3
— 	INSP AREA 3	complete	THIBEDEAU,	F	0.3
— 	INSP AREA 4	complete	THIBEDEAU,	F	0.3
— 	INSP AREA 5	complete	THIBEDEAU,	F	0.3
— 	INSP AREA 6	complete	MELLO, D.	F	0.3
/ 	REMOVED IGB COVER	reinstalled	MELLEN, J.	F	0.3
/ 	REMOVED TGB FORWARD FAIRING	reinstalled	MELLEN, J.	F	0.3
— 	DOWNLOAD & REVIEW IVHMS CARDS	complete	THIBEDEAU,	F	0.3
/ 	OPENED T/R D/S COVERS 3 EA	closed	THIBEDEAU,	F	0.3
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	complete	THIBEDEAU,	F	0.3
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	complete	THIBEDEAU,	F	0.3

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG













1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 10:07		
	5. FAULT DATE 28 Aug 20	6. FAULT NUMBER 3			
7. FAULT DAILY VISUAL INSPECTION DUE FOR INSTALLED EQUIPMENT IAW AWRs DATED AWR 1037 (SATCOM) R16 31 JUL 19; AWR 1279 (WINDOWS/DOORS REMOVED) R9 20 MAY 20; AWR 1308 (INTERNAL RESCUE HOIST) R13 24 APR 19; AWR 1309 (OREGON SEAT COUSIONS) R11 11 APR 18; AWR 1346 (IVHMS) R25 21 NOV 17; AWR 1444 (SINGLE AHRS) R10 20 MAY 20; AWR 1516 (406 ELT) R12 07					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	Perform visual inspection as required by AWR 1037 (SATCOM), dated 21 Jul 17. A visual inspection shall	insp ok	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1279 (WINDOWS/DOORS REMOVED), dated 20 MAY 20. A	insp ok	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1308 (INTERNAL RESCUE HOIST), dated 24 APR 19. A	insp ok	ROMANO, D	F	0.3
— 	Perform visual inspection as required by AWR 1309 (OREGON SEAT COUSIONS), dated 11 APR 18. A	insp ok	ROMANO, D	F	0.3
— 	Perform visual inspection as required by AWR 1346 (IVHMS), dated 21 NOV 17. A visual inspection, prior	insp ok	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1444 (SINGLE AHRS), dated 29 MAY 20. A visual inspection, prior	insp ok	ROMANO, D	F	0.3
— 	Perform visual inspection as required by AWR 1516 (406 ELT), dated 07 FEB 19. A visual inspection, prior	insp ok	ROMANO, D	F	0.3
— 	Perform visual inspection as required by AWR 1520 (SPONSON FLIR), dated 19 MAY 20. A visual	insp ok	ROMANO, D	F	0.3
— 	Perform visual inspection as required by AWR 1607 (LED CDU/PDU), dated 13 MAR 20. A visual	insp ok	ROMANO, D	F	0.3
— 	Perform visual inspection as required by AWR 1800 (BFT EDM), dated 28 MAR 19. A visual inspection,	insp ok	ROMANO, D	F	0.3
— 	Perform visual inspection as required by AWR 1823 (BLOCK 5 IVHMS), dated 22 NOV 19. A visual	insp ok	ROMANO, D	F	0.3
— 	Perform visual inspection as required by AWR 1886 (COMMON HMU/ EDECU), dated 21 SEP 18. A visual	insp ok	ROMANO, D	F	0.2
— 	Perform visual inspection as required by AWR 1967 (TALON FLIR), dated 28 MAY 20. A visual inspection,	insp ok	ROMANO, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG

1. STATUS —	2. SERIAL NUMBER 7923341	3. SYSTEM CODE A	4. TIME 07:14		
	5. FAULT DATE 02 Sep 20	6. FAULT NUMBER 1			
7. FAULT PMD DUE					
8. STA	9. RELATED MAINTENANCE ACTIONS	10. ACTION	11. PID	12. CAT	13. MMH
— 	INSP AREA 1	insp ok	ROMANO, D	F	0.3
— 	INSP AREA 2	insp ok	ROMANO, D	F	0.3
— 	INSP AREA 3	insp ok	ROMANO, D	F	0.3
— 	INSP AREA 4	insp ok	ROMANO, D	F	0.3
— 	INSP AREA 5	insp ok	ROMANO, D	F	0.4
— 	INSP AREA 6	insp ok	THIBEDAU,	F	0.5
/ 	REMOVED IGB COVER	reinstalled	ROMANO, D	F	0.2
/ 	REMOVED TGB FORWARD FAIRING	reinstalled	ROMANO, D	F	0.2
— 	DOWNLOAD & REVIEW IVHMS CARDS	complete	ROMANO, D	F	0.2
/ 	OPENED T/R D/S COVERS 3 EA	closed	ROMANO, D	F	0.2
— 	TOOLBOX INVENTORY DUE FOR MAINTENANCE PERFORMED (INCLUDE TOOLBOX NUMBER IN	complete	ROMANO, D	F	0.2
— 	USING A COTTON CLOTH or LENS TISSUE WET W/ ISOPROPYL ALCOHOL CLEAN THE FLIR TURRET UNIT	complete	ROMANO, D	F	0.2

DA FORM 2408-13-2-SG, OCT 97

DA FORM 2408-13-2, NOV 91, MAY BE USED

RELATED MAINTENANCE ACTIONS RECORD

For use of this form see DA PAM 738-751, the proponent agency is DCSLOG